




Metal and Thermoplastic Wallplates
Weatherproof Boxes & Covers
Steel Box Covers
Conduit Bodies



Manufacturing quality products for the electrical industry

Inside This Catalog

Weatherproof Boxes, Covers & Accessories

1-Gang Deep Weatherproof Boxes	B5
1-Gang Self-Closing Covers	B13-14
1-Gang Weatherproof Boxes--Standard Depth	B4-5
2-Gang Deep Weatherproof Boxes	B7
2-Gang Self-Closing Covers	B15
2-Gang Weatherproof Boxes--Standard Depth	B6
3-Gang Deep Weatherproof Boxes	B7
3 to 6-Gang Self-Closing Covers	B16
4 inch Round Weatherproof Boxes & Extensions	B8
4 inch Round Weatherproof Covers	B17
Accessories & Replacement Parts	B29-31
Blank Covers	B21
Box Extensions & Flanged Take-Off Extensions	B9
Die-Cast Lampholders	B23
Flood Lighting Kits	B24
Garden Lights	B24
In-Use Covers	B10-12
Photocontrols	B25-28
Rectangular Covers	B18
Slip Fitters	B22
Swimming Pool Junction Boxes	B8
Toggle Switch Covers	B19-20

Steel Box Covers, Conduit Bodies & Accessories

3-1/2 & 4 inch Round & Octagon Shaped Covers	C3
4 inch & 4-11/16 inch Square Covers	C4
4 inch Square Covers, raised 1/2 inch	C9-10
4-11/16 inch Square Covers, raised 1/2 inch	C11
4 inch Square Device and Offset Covers	C5
4-11/16 inch Square Device Covers	C6
4 inch & 4-11/16 inch Square Tile Covers	C7
Conduit Bodies	C15-16
Conduit Body Covers & Gaskets	C17
Flat Gang Box Covers	C13
FS Covers	C12
Knockout Seals, Switch Box Supports & Nail Plates	C18
Reducing Washers	C14
Utility Covers	C8



Inside This Catalog

Metal & Thermoplastic Wallplates

Accessories	A84-88
Custom Plate Ordering Instructions	A89-91
Custom Silk-Screening & Engraving	A92
Datacom Telephone & Computer Plates	A67-71
Deep Plates	A64
Dimensions, Full Scale & By Style	A7-8
Emergency Plates & Covers	A80-82
Engraved & Silk-Screened Plates	A81-82, A92
GFCI & Isolated Ground	A82
Material Specifications	A9-10
Narrow Plates	A65-66
Oil & Gas Burner Plates	A80-81
Opening Selector Guide	A93-103
Painted Metal Wallplates—Standard Size	A11-22
Painted Metal Wallplates—Princess Size	A23-32
Painted Metal Wallplates—Oversize	A34-36
Painted Metal Wallplates—Maxi Size	A33
Recessed Home Entertainment Covers	A83
Stainless Steel, Chrome, Brass, Bronze & Aluminum Wallplates—Standard Size	A37-A46
Stainless Steel, Chrome & Brass Wallplates—Princess Size	A47-56
Stainless Steel, Chrome & Brass Wallplates—Oversize	A58-60
Stainless Steel & Chrome Wallplates—Maxi Size	A57
Thermoplastic Wallplates—Standard Size	A72-76
Thermoplastic Wallplates—Midi Size	A77-78
Thermoplastic Screwless Wallplates	A79
Unfinished Wallplates (Cold Rolled Steel)	A11-32
Wallplates with Classic Metal Finishes	A61-63
Wallplate Color Guide	A5-6

Index

Numeric Product Index

About Us



Since 1926 Mulberry has been an industry leader supplying the electrical trade with an extensive line of wallplates, box covers, weatherproof, and conduit bodies. We are dedicated to manufacturing quality electrical products in the USA; almost all of our products are made here to assure customers of consistent quality and availability. Many of our products have innovations and features that have become industry standards.




As a family company, we pride ourselves on our product quality, broad selection and close customer relationships. Over 8,000 items, including many that our competitors consider custom, are in stock at our NJ factory or our regional warehouses.




Our mission is to offer distributors, contractors, and end-users the highest quality product, competitively priced and ready for quick delivery.


We look forward to working with you and hope to hear from you soon!



Over 90 Years of Quality and Service



One of the most comprehensive weatherproof lines in the industry, with most items manufactured in the USA. Choose from more than 250 items, many available in grey, white, bronze and green. Highest quality casting and tapping, plus a superior powder coat finish.



All of our box covers, reducing washers and nail plates are USA-made. Over 300 different covers. Our 4 inch square raised covers are available with a smooth powder coat finish to prevent oxidation and possible rust.



A full line of die-cast aluminum and malleable iron conduit bodies, as well as SLBs and moguls. Our die-cast conduit bodies are available as either threaded or set-screw or a combination threaded/set-screw, either unassembled or assembled with matching cover and neoprene gasket.



Mulberry offers an extensive wallplate selection in 40 materials and finishes – painted metal, stainless steel, brass, bronze, chrome, aluminum and unbreakable thermoplastic.

We make over 7000 different wallplates in hundreds of openings and combinations.

Most items US-made and most in stock.

Mulberry Weatherproof

When U.S.-made weatherproof products are specified for the job or needed to meet an ARRA requirement, make Mulberry your first choice!

Practically every weatherproof product described in this catalog is manufactured right here in the USA!

In addition, we offer:

- Superior quality casting, tapping and finishing
- The industry's most comprehensive weatherproof line, with over 350 items in stock and ready for immediate shipment
- Special configurations and colors
- Unique product features such as the attached rotating lugs on our 1-gang weatherproof boxes that are designed to speed installation



Quality products designed to protect wiring devices, switches and other electrical connections from dirt, dust and moisture. Choose from a wide assortment of:

- Boxes
- In-Use Covers
- Covers
- Lampholders
- Photocontrols



Mulberry Single Gang Box

The most versatile weatherproof box in the industry

Superior Quality • U.S. Made • ARRA Compliant

Rotating Lugs

Permanently Attached Lugs rotate for maximum mounting versatility—available when needed or out of the way when not.

Superior Powder Finish

State-of-the-art powder coat paint finish assures maximum weatherability.

Available in Gray, White, Bronze or Black.



Cat. No. 30203

Easy Access Ground Screw

Tapped ground screw hole conveniently located along the surface of our mounting strap provides easier ground screw installation.

Heavy-Duty Mounting Straps

Reinforced and securely fastened mounting straps provide the most durable design in the industry.


Patented mounting design allows strap to exceed all applicable UL pull-tests. (U.S. Patent No. 7,232,951)

Permanently Attached Lugs

No more detachable lugs!

Never drop, lose or install a lug again.

Speeds installation!



1-Gang Boxes




Suitable for wet locations

- For use in branch circuit wiring in wet, damp or dry locations.
- All 1-gang boxes available with or without mounting lugs.
- When lugs are made available, they are permanently attached and swivel for maximum mounting versatility.
- Pre-tapped ground screw hole is easily accessible and located along the surface of the mounting strap.
- Heavy duty mounting straps exceed all UL pull-tests.
- Made from heavy-duty die-cast aluminum; .094 inches thick.
- 4.5 in. high x 2.75 in. wide x 2.0 in. deep.
- Superior powder coat finish assures maximum weatherability.
- Ground screw and 2 close-up plugs come with each box.
- UL Listed, NEMA 3R Rated.
- All of the boxes on pages B4 and B5 are made in the U.S.A.




With Permanently Attached Mounting Lugs

Catalog No.	No. Outlets	Location	Hub Size	Color	Lugs	Cubic Capacity	Carton Quantity	Weight per 100 units
30203	3	1 in each end, 1 in back	1/2"	Gray	Yes	18.3	25	52 lbs.
30203B	3	1 in each end, 1 in back	1/2"	Black	Yes	18.3	25	52 lbs.
30203W	3	1 in each end, 1 in back	1/2"	White	Yes	18.3	25	52 lbs.
30203Z	3	1 in each end, 1 in back	1/2"	Bronze	Yes	18.3	25	52 lbs.
30206	3	1 in each end, 1 in back	3/4"	Gray	Yes	18.3	25	60 lbs.
30206W	3	1 in each end, 1 in back	3/4"	White	Yes	18.3	25	60 lbs.
30206Z	3	1 in each end, 1 in back	3/4"	Bronze	Yes	18.3	25	60 lbs.
30209	4	2 in 1 end, 1 in the other, 1 in back	1/2"	Gray	Yes	18.0	25	60 lbs.
30209W	4	2 in 1 end, 1 in the other, 1 in back	1/2"	White	Yes	18.0	25	60 lbs.
30209Z	4	2 in 1 end, 1 in the other, 1 in back	1/2"	Bronze	Yes	18.0	25	60 lbs.
30212	4	2 in 1 end, 1 in the other, 1 in back	3/4"	Gray	Yes	18.0	25	58 lbs.
30212W	4	2 in 1 end, 1 in the other, 1 in back	3/4"	White	Yes	18.0	25	58 lbs.
30212Z	4	2 in 1 end, 1 in the other, 1 in back	3/4"	Bronze	Yes	18.0	25	58 lbs.
30215	5	2 in each end, 1 in back	1/2"	Gray	Yes	18.0	25	60 lbs.
30215W	5	2 in each end, 1 in back	1/2"	White	Yes	18.0	25	60 lbs.
30215Z	5	2 in each end, 1 in back	1/2"	Bronze	Yes	18.0	25	60 lbs.
30218	5	2 in each end, 1 in back	3/4"	Gray	Yes	18.0	25	56 lbs.
30221	5	1 in each end, 1 each side, 1 in back	1/2"	Gray	Yes	18.0	25	60 lbs.
30224	5	1 in each end, 1 each side, 1 in back	3/4"	Gray	Yes	18.0	25	58 lbs.
30227	6	1 in each end, 2 in 1 side, 1 in other side, 1 in back	1/2"	Gray	Yes	18.0	25	62 lbs.
30228	6	1 in each end, 2 in 1 side, 1 in other side, 1 in back	3/4"	Gray	Yes	18.0	25	58 lbs.






1-Gang Boxes

Suitable for wet locations



Without Mounting Lugs





Catalog No.	No. Outlets	Location	Hub Size	Color	Lugs	Cubic Capacity	Carton Quantity	Weight per 100 units
30201	3	1 in each end, 1 in back	1/2"	Gray	No	18.3	25	52 lbs.
30201B	3	1 in each end, 1 in back	1/2"	Black	No	18.3	25	52 lbs.
30201W	3	1 in each end, 1 in back	1/2"	White	No	18.3	25	52 lbs.
30201Z	3	1 in each end, 1 in back	1/2"	Bronze	No	18.3	25	52 lbs.
30204	3	1 in each end, 1 in back	3/4"	Gray	No	18.3	25	60 lbs.
30204W	3	1 in each end, 1 in back	3/4"	White	No	18.3	25	60 lbs.
30204Z	3	1 in each end, 1 in back	3/4"	Bronze	No	18.3	25	60 lbs.
30207	4	2 in 1 end, 1 in the other, 1 in back	1/2"	Gray	No	18	25	60 lbs.
30207W	4	2 in 1 end, 1 in the other, 1 in back	1/2"	White	No	18	25	60 lbs.
30207Z	4	2 in 1 end, 1 in the other, 1 in back	1/2"	Bronze	No	18	25	60 lbs.
30210	4	2 in 1 end, 1 in the other, 1 in back	3/4"	Gray	No	18	25	58 lbs.
30210W	4	2 in 1 end, 1 in the other, 1 in back	3/4"	White	No	18	25	58 lbs.
30210Z	4	2 in 1 end, 1 in the other, 1 in back	3/4"	Bronze	No	18	25	58 lbs.
30213	5	2 in each end, 1 in back	1/2"	Gray	No	18	25	60 lbs.
30213W	5	2 in each end, 1 in back	1/2"	White	No	18	25	60 lbs.
30213Z	5	2 in each end, 1 in back	1/2"	Bronze	No	18	25	60 lbs.
30216	5	2 in each end, 1 in back	3/4"	Gray	No	18	25	56 lbs.
30219	5	1 in each end, 1 each side, 1 in back	1/2"	Gray	No	18	25	60 lbs.
30222	5	1 in each end, 1 each side, 1 in back	3/4"	Gray	No	18	25	58 lbs.
30226	6	1 in each end, 2 in 1 side, 1 in other side, 1 in back	1/2"	Gray	No	18	25	62 lbs.

WEATHERPROOF BOXES

1-Gang Deep Boxes

Suitable for wet locations

- For use in branch circuit wiring in wet, damp or dry locations.
- Made from heavy duty die-cast aluminum, .094" thick.
- 4.5 in. high x 2.75 in. wide x 2.625 in. deep.
- Superior powder coat finish assures maximum weatherability.
- Detachable lugs, 2 close-up plugs and self-tapping ground screw included.
- c-UL-us listed for use in the United States and Canada.
- NEMA 3R Rated.
- All of the boxes on this page are made in the U.S.A.




Catalog No.	No. Outlets	Location	Hub Size	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
30583	3	1 in each end, 1 in back	1/2"	Gray	24.0	10	90 lbs.
30584	3	1 in each end, 1 in back	3/4"	Gray	24.0	10	90 lbs.
30589	3	1 in each end, 1 in back	1"	Gray	24.0	10	90 lbs.
30586	4	2 in 1 end, 1 in the other, 1 in back	1/2"	Gray	24.0	10	90 lbs.
30587	4	2 in 1 end, 1 in the other, 1 in back	3/4"	Gray	24.0	10	90 lbs.





2-Gang Lug Boxes

Suitable for wet locations



- For use in branch circuit wiring in wet, damp or dry locations.
- Made from heavy-duty die-cast aluminum; .094 inches thick.
- 4.5 in. high x 4.5 in. wide x 2.0 in. deep.
- Superior powder coat finish assures maximum weatherability.
- Detachable lugs, 2 close-up plugs and self-tapping ground screw included.
- c-UL-us listed for use in the United States and Canada.
- NEMA 3R Rated.
- All of the 2-gang boxes on this page are made in the U.S.A.

Catalog No.	No. Outlets	Location	Hub Size	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
30233	3	1 in each end, 1 in back	1/2"	Gray	30.5"	10	110 lbs.
30233W	3	1 in each end, 1 in back	1/2"	White	30.5"	10	110 lbs.
30233Z	3	1 in each end, 1 in back	1/2"	Bronze	30.5"	10	110 lbs.
30236	3	1 in each end, 1 in back	3/4"	Gray	30.5"	10	110 lbs.
30236W	3	1 in each end, 1 in back	3/4"	White	30.5"	10	110 lbs.
30236Z	3	1 in each end, 1 in back	3/4"	Bronze	30.5"	10	110 lbs.
30267	3	1 in each end, 1 in back	1"	Gray	30.5"	10	110 lbs.
30267W	3	1 in each end, 1 in back	1"	White	30.5"	10	110 lbs.
30267Z	3	1 in each end, 1 in back	1"	Bronze	30.5"	10	110 lbs.
30239	4	2 in one end, 1 in other end, 1 in back	1/2"	Gray	30.5"	10	110 lbs.
30239W	4	2 in one end, 1 in other end, 1 in back	1/2"	White	30.5"	10	110 lbs.
30239Z	4	2 in one end, 1 in other end, 1 in back	1/2"	Bronze	30.5"	10	110 lbs.
30242	4	2 in one end, 1 in other end, 1 in back	3/4"	Gray	30.5"	10	110 lbs.
30245	5	2 in each end, 1 in back	1/2"	Gray	30.5"	10	110 lbs.
30245W	5	2 in each end, 1 in back	1/2"	White	30.5"	10	110 lbs.
30245Z	5	2 in each end, 1 in back	1/2"	Bronze	30.5"	10	110 lbs.
30248	5	2 in each end, 1 in back	3/4"	Gray	30.5"	10	110 lbs.
30251	5	1 in each end, 1 in each side, 1 in back	1/2"	Gray	30.5"	10	110 lbs.
30254	5	1 in each end, 1 in each side, 1 in back	3/4"	Gray	30.5"	10	110 lbs.
30270	5	1 in each end, 1 in each side, 1 in back	1"	Gray	30.5"	10	110 lbs.
30257	6	2 in one end, 1 in other end, 1 in each side, 1 in back	1/2"	Gray	30.5"	10	110 lbs.
30260	6	2 in one end, 1 in other end, 1 in each side, 1 in back	3/4"	Gray	30.5"	10	110 lbs.
30263	7	2 in each end, 1 in each side, 1 in back	1/2"	Gray	30.5"	10	110 lbs.
30266	7	2 in each end, 1 in each side, 1 in back	3/4"	Gray	30.5"	10	110 lbs.
30269	7	3 in each end, 1 in back	1/2"	Gray	30.5"	10	110 lbs.
30272	7	3 in each end, 1 in back	3/4"	Gray	30.5"	10	110 lbs.



2-Gang Deep Boxes

Suitable for wet locations

- For use in branch circuit wiring in wet, damp or dry locations.
- Made from heavy-duty die-cast aluminum; .094 inches thick.
- 4.5 in. high x 4.5 in. wide x 2.625 in. deep.
- Superior powder coat finish assures maximum weatherability.
- Detachable lugs, 2 close-up plugs and self-tapping ground screw included.
- c-UL-us listed for use in the United States and Canada.
- NEMA 3R Rated.
- All of the boxes on this page are made in the U.S.A.




Catalog No.	No. Outlets	Location	Hub Size	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
30593	5	2 in each end, 1 in back	1/2"	Gray	37.3"	10	130 lbs.
30595	5	2 in each end, 1 in back	3/4"	Gray	37.3"	10	130 lbs.
30596	5	2 in each end, 1 in back	1"	Gray	37.3"	10	130 lbs.
30597	7	2 in each end, 1 in each side, 1 in back	1/2"	Gray	37.3"	10	130 lbs.
30598	7	2 in each end, 1 in each side, 1 in back	3/4"	Gray	37.3"	10	130 lbs.
30599	7	2 in each end, 1 in each side, 1 in back	1"	Gray	37.3"	10	130 lbs.

3-Gang Deep Boxes

Suitable for wet locations

- For use in branch circuit wiring in wet, damp or dry locations.
- Made from heavy-duty die-cast aluminum; .094 inches thick.
- 4.5 in. high x 6.375 in. wide x 2.625 in. deep.
- Superior powder coat finish assures maximum weatherability.
- Detachable lugs, 2 close-up plugs and self-tapping ground screw included.
- c-UL-us listed for use in the United States and Canada.
- NEMA 3R Rated.
- All of the boxes on this page are made in the U.S.A.




Catalog No.	No. Outlets	Location	Hub Size	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
30601	7	3 in each end, 1 in back	3/4"	Gray	59.8"	10	150 lbs.
30603	7	3 in each end, 1 in back	1"	Gray	59.8"	10	150 lbs.

4" Round Boxes and Extensions

Suitable for wet locations

- For use in branch circuit wiring in wet, damp or dry locations.
- Boxes and extensions 1-1/2" deep.
- All round boxes have 5 outlets; extensions have 4.
- Made from heavy-duty die-cast aluminum; .094 inches thick.
- Superior powder coat finish assures maximum weatherability.
- Boxes supplied with 4 close-up plugs and #10 green ground screw.
- Extensions supplied with gasket, 4 close-up plugs, 2 stainless steel mounting screws, and #10 green ground screw.
- c-UL-us listed for use in the United States and Canada.
- All round boxes and extensions are made in the U.S.A.



Catalog No.	Location	Hub Size	Color	Cubic Capacity	Box only or w/Gasket & Cover	Carton Quantity	Weight per 100 units
30316	4 in sides end 1 in back	1/2"	Gray	15.3"	Box	10	70 lbs.
30316B	4 in sides end 1 in back	1/2"	Black	15.3"	Box	10	70 lbs.
30316W	4 in sides end 1 in back	1/2"	White	15.3"	Box	10	70 lbs.
30316Z	4 in sides end 1 in back	1/2"	Bronze	15.3"	Box	10	70 lbs.
30318	4 in sides end 1 in back	1/2"	Gray	15.3"	With gasket & cover	10	80 lbs.
30318W	4 in sides end 1 in back	1/2"	White	15.3"	With gasket & cover	10	80 lbs.
30318Z	4 in sides end 1 in back	1/2"	Bronze	15.3"	With gasket & cover	10	80 lbs.
30326	4 in sides end 1 in back	3/4"	Gray	15.3"	Box	10	70 lbs.
30326W	4 in sides end 1 in back	3/4"	White	15.3"	Box	10	70 lbs.
30326Z	4 in sides end 1 in back	3/4"	Bronze	15.3"	Box	10	70 lbs.
30328	4 in sides end 1 in back	3/4"	Grey	15.3"	With gasket & cover	10	84 lbs.
30328W	4 in sides end 1 in back	3/4"	White	15.3"	With gasket & cover	10	84 lbs.
30328Z	4 in sides end 1 in back	3/4"	Bronze	15.3"	With gasket & cover	10	84 lbs.
30333	4 in sides	1/2"	Gray	15.3"	Box extension	10	60 lbs.
30335	4 in sides	3/4"	Gray	15.3"	Box extension	10	60 lbs.



Swimming Pool Junction Boxes

- Meet NEC Article 680 requirements.
- Solid brass base and specially formulated gasket.
- Lexan 503® nonconductive, watertight cover, UV-stabilized.
- Four grounding posts (green screws).
- Continuous sealing ridge keeps interior dry.
- Four brass mounting screws; hardware included.

Catalog No.	No./Hub Sizes	Cubic Capacity	Carton Quantity	Weight per 100 units
30385	3-1/2" hubs	22.0"	12	155 lbs.
30387	2-3/4" hubs, 1-1" hub	22.0"	12	155 lbs.
30389	3-3/4" hubs	22.0"	12	155 lbs.




Box Extensions

Suitable for wet locations



- Fit all universal-type 1 and 2-gang weatherproof boxes.
- Made from heavy-duty die-cast aluminum; .094 inches thick.
- Superior powder coat finish assures maximum weatherability.
- Gasket and mounting screws included.
- Nos. 30230, 30287, 30295 and 30296 each come with 2 close-up plugs.
- c-UL-us listed for use in the United States and Canada.
- All box extensions on this page are made in the U.S.A.




Catalog No.	No. of Gangs	Dimensions	Outlets	Color	Cubic Capacity	Carton Quantity	Weight per 100 units
30229	1	2.75" x 4.5" x 1.0"	None	Gray	9.3"	25	28 lbs.
30229W	1	2.75" x 4.5" x 1.0"	None	White	9.3"	25	28 lbs.
30229Z	1	2.75" x 4.5" x 1.0"	None	Bronze	9.3"	25	28 lbs.
30273	2	4.5" x 4.5" x 1.0"	None	Gray	16.3"	10	50 lbs.
30273W	2	4.5" x 4.5" x 1.0"	None	White	16.3"	10	50 lbs.
30273Z	2	4.5" x 4.5" x 1.0"	None	Bronze	16.3"	10	50 lbs.
30230	1	2.75" x 4.5" x 1.25"	Four 1/2" outlets, 2 in each end	Gray	9.5"	25	54 lbs.
30287	1	2.75" x 4.5" x 1.25"	Four 3/4" outlets, 2 in each end	Gray	9.5"	25	55 lbs.
30295	1	2.75" x 4.5" x 1.25"	Six 1/2" outlets, 2 in each end and 1 in each side	Gray	9.5"	25	52 lbs.
30296	1	2.75" x 4.5" x 1.25"	Six 3/4" outlets, 2 in each end and 1 in each side	Gray	9.5"	25	44 lbs.

Flanged Style Take-Off Extensions

Suitable for wet locations

- Provide an additional 10 cubic inches.
- Allow take-off in up to four directions for lighting, outlets, or switches.
- Made from heavy duty die-cast aluminum.
- Superior powder coat finish assures maximum weatherability.
- 2 close-up plugs, gaskets, and mounting screws included.
- c-UL-us listed for use in the United States and Canada.



Catalog No.	No. of Outlets	Cubic Capacity	Carton Quantity	Weight per 100 units
30274	Four 1/2" outlets, 2 in each end	10.0"	10	70 lbs.
30288	Four 3/4" outlets, 2 in each end	10.0"	10	70 lbs.
30275	Six 1/2" outlets, 2 in each end and 1 in each side	10.0"	10	70 lbs.
30289	Six 3/4" outlets, 2 in each end and 1 in each side	10.0"	10	70 lbs.



Weathersafe® III Extra-Duty In-Use Covers

IN-USE COVERS



Clear

White

Gray

Bronze

Meets "Extra Duty" NEC Code requirement!

Testing/Code Compliance: All WeatherSafe® III covers comply with the 2014 NEC Article 406.9 (B) (1) Extra Duty requirements. They are UL Listed and meet the requirements for a NEMA 3R rating.

Horizontal/Vertical Orientation: These 1-gang in-use covers mount horizontally or vertically, allowing you to stock fewer SKUs (our 2-gang in-use cover mounts vertically only).

Snap-On Inserts: Our 1-gang in-use cover comes with an individual duplex and an individual GFI snap-on insert. Plus, another insert for either a toggle or three single receptacle sizes (1-1/4", 1-3/8" and 1-9/16" in diameter). Easy to attach.

Our 2-gang in-use WeatherSafe® provides up to 31 configurations.



with easy to attach snap-on inserts

Cat. No.	Gang	Depth	Openings	Description	Color
30981	1	2-3/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Clear/Gray Base
30981W	1	2-3/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	White
30981Z	1	2-3/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Bronze
30981G	1	2-3/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Gray
30984	1	3-1/4"	Duplex, GFI, Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings.	1-gang deep in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Clear/Gray Base
30982	2	2-3/4"	(2) Duplex, (2) GFI, (2) Toggle, 1-1/4", 1-3/8" and 1-9/16" round openings. Plus, (1) 2-gang insert with Toggle, 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16", 2-1/8", 2-1/4" and 2-7/16" round openings.	2-gang in-use cover, Extra-Duty; combination vertical orientation, with seven inserts.	Clear/Gray Base



Expandable Extra-Duty In-Use Covers



30983G

Clear

30983W

White

30983Z

Bronze

- Meets or exceeds all NEC requirements for an Extra-Duty rating.
- Mounts either horizontally or vertically.
- Made of durable, UV-stabilized, high-impact polycarbonate.
- Low-profile design; cover expands up to 3 inches.
- Up to 24 configurations available.
- Comes with an adhesive backed gasket and mounting hardware.
- Lockable hasp protects against electrical accidents or tampering.
- Accommodates up to 12 AWG cords.

Cat. No.	Gang	Depth	Openings	Description	Color
30983G	1	1-3/4" to 3"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang low profile, expandable in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Clear/Gray Base
30983W	1	1-3/4" to 3"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang low profile, expandable in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	White
30983Z	1	1-3/4" to 3"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang low profile, expandable in-use cover, Extra-Duty; combination horizontal/vertical orientation, with three inserts.	Bronze
30988	2	1-3/4" to 3"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings. Plus, (1) 2-gang insert with Toggle, 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16", 2-1/8", 2-1/4" and 2-7/16" round openings.	2-gang low profile, expandable in-use cover, Extra-Duty; combination horizontal/vertical orientation, with seven inserts.	Gray

Die-Cast Aluminum Extra-Duty In-Use Covers



30985

1-Gang Vertical



30986

1-Gang Horizontal



30987

1-Gang Deep



30989

2-Gang




- Heavy-duty die-cast aluminum construction.
- Superior powder coat finish assures maximum weatherability.
- Meets or exceeds all NEC requirements for Extra-Duty rating.
- NEMA 3R rated.
- Comes with an adhesive backed gasket and mounting hardware.
- Lockable hasp protects against electrical accidents or tampering.
- Accommodates up to 12 AWG cords.

Cat. No.	Gang	Depth	Openings	Description	Color
30985	1	3-1/2"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang die-cast aluminum in-use cover, standard depth, Extra-Duty, vertical orientation, with three inserts.	Gray
30986	1	3-1/2"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang die-cast aluminum in-use cover, standard depth, Extra-Duty, horizontal orientation, with three inserts.	Gray
30987	1	4-3/4"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings.	1-gang die-cast aluminum in-use cover, deep, Extra-Duty, vertical orientation, with three inserts.	Gray
30989	2	3-1/2"	Duplex, GFI, Toggle, 1-1/8", 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16" and 2-1/8" round openings. Plus, (1) 2-gang insert with Toggle, 1-1/4", 1-3/8", 1-9/16", 1-5/8", 1-11/16", 2-1/8", 2-1/4" and 2-7/16" round openings.	2-gang die-cast aluminum in-use cover, standard depth, Extra-Duty, vertical orientation, with seven inserts.	Gray



Self-Closing 1-Gang Covers

- Made from heavy-duty die-cast zinc.
- Choice of either horizontal or vertical orientation.
- Superior powder coat finish assures maximum weatherability.
- Comes with stainless steel mounting screws and heavy-duty gasket.
- Covers with duplex openings will accept all standard duplex receptacles and similar combination devices.
- Single receptacle covers will accept all standard receptacles and similar combination devices.
- UL Listed, CSA Certified (unless otherwise indicated).
- All covers on this page are made in the U.S.A..



Catalog No.	Opening	Orientation	Color	Carton Quantity	Weight per 100 units
30451†	GFI	Horizontal	Gray	25	44 lbs.
30451W†	GFI	Horizontal	White	25	44 lbs.
30451Z†	GFI	Horizontal	Bronze	25	44 lbs.
30501†	Duplex	Horizontal	Gray	25	40 lbs.
30501U†	Duplex	Horizontal	Natural Cast	25	40 lbs.
30501W†	Duplex	Horizontal	White	25	40 lbs.
30501Z†	Duplex	Horizontal	Bronze	25	40 lbs.
30505	1.405" Single	Horizontal	Gray	25	30 lbs.
30505W	1.405" Single	Horizontal	White	25	30 lbs.
30505Z	1.405" Single	Horizontal	Bronze	25	30 lbs.
30507†	1.620"	Horizontal	Gray	25	30 lbs.
30509	1.405" Single	Vertical	Gray	25	30 lbs.
30509W	1.405" Single	Vertical	White	25	30 lbs.
30509Z	1.405" Single	Vertical	Bronze	25	30 lbs.
30550*	Duplex	Vertical	Gray	25	36 lbs.
30550W*	Duplex	Vertical	White	25	36 lbs.
30550Z*	Duplex	Vertical	Bronze	25	36 lbs.
30552*	1.405" Single	Vertical	Gray	25	36 lbs.
30552W*	1.405" Single	Vertical	White	25	36 lbs.
30552Z*	1.405" Single	Vertical	Bronze	25	36 lbs.
30554*	GFI	Vertical	Gray	25	36 lbs.
30554W*	GFI	Vertical	White	25	36 lbs.
30554Z*	GFI	Vertical	Bronze	25	36 lbs.

* Solid aluminum base plate with heavy-duty die-cast lid.

† 30451, 30507 & 30501 are c-UL-us for use in the United States and Canada.

Vertical Self-Closing Covers with Lock Hasps

- Made from heavy duty die-cast aluminum, .094" thick, with stainless steel hinge springs, mounting screws and hinge pin.
- Comes with a durable heavy-duty universal gasket.
- Superior powder coat finish assures maximum weatherability.
- Lock hasp inner diameter 1/4".
- UL Listed, CSA Certified.
- Specials available upon request (for 1-gang custom cover, please use No. 30560).
- All covers on this page are made in the USA. The plug-in receptable that is supplied with our 30513 cover, however, are made offshore.



Catalog No.	Opening/Description	Mounting	Carton Quantity	Weight per 100 units
30522 30522W 30522Z	All duplex receptacles and combination devices (Also available in white & bronze)	Standard	25	48 lbs.
30523	All duplex receptacles and combination devices	4-screw (FS)	25	48 lbs.
30525	Standard single receptacles (1.405" diam.)	Standard	25	48 lbs.
30526	Standard single receptacles (1.405" diam.)	4-screw (FS)	25	48 lbs.
30528	20A and 30A TL receptacles (1.625" diam.)	Standard	25	48 lbs.
30529	20A and 30A TL receptacles (1.625" diam.)	4-screw (FS)	25	48 lbs.
30531	30A 3- and 4-wire TL receptacles (1.75" diam.)	Standard	25	48 lbs.
30532	30A 3- and 4-wire TL receptacles (1.75" diam.)	4-screw (FS)	25	48 lbs.
30534	30A and 50A range/dryer receptacles (2.125" diam.)	Standard	25	48 lbs.
30535	30A and 50A range/dryer receptacles (2.125" diam.)	4-screw (FS)	25	48 lbs.
30537 30537W 30537Z	GFI receptacles (Also available in white & bronze)	Standard	25	48 lbs.
30538	GFI receptacles	4-screw (FS)	25	48 lbs.


Motor Base Receptacle and Self-closing cover for Mobile Homes















Catalog No.	Opening/Description	Carton Quantity	Weight per 100 units
30513	Horizontal self-closing cover No. 30507 with 2-screw mounting. Comes with receptacle rated at 15A-125V; with male device 30-wire U ground parallel blades.	25	45 lbs.



Self-Closing 2 - Gang Device Covers



- Solid aluminum base plate with rugged die-cast lids.
- Comes with stainless steel mounting screws and a heavy-duty universal gas-ket.
- Superior powder coat finish assures maximum weatherability.
- The broadest selection of opening combinations in the industry.
- UL Listed and CSA Certified for use in the United States and Canada.
- Custom covers available up to 10-gang in gray, white or bronze with other opening combinations. (For a special 2-gang cover, use No. 30450; for 3-gang, use No. 30460.)
- All of the covers on this page are made in the U.S.A.



Catalog No.	Opening/Description	Carton Quantity	Weight per 100 units
 30458 30458W 30458Z	2 gang duplex: for all duplex receptacles and combination devices (Also available in white and bronze)	10	70 lbs.
 30461 30461W 30461Z	2 gang single receptacle: for all 1.405" singles and toggle switches (Also available in white and bronze)	10	70 lbs.
 30452 30452W 30452Z	2 gang GFI: for all block-style GFI and duplex receptacles (Also available in white and bronze)	10	70 lbs.
 30426	2 gang blank/toggle: one side blank, 1 for toggle	10	50 lbs.
 30427	2 gang blank/duplex: one side blank, 1 for duplex receptacle	10	50 lbs.
 30428	2 gang single receptacle/blank: 1 for 1.405" single receptice, 1 side blank	10	50 lbs.
 30429	2 gang blank/GFI: 1 side blank, 1 for GFI receptacle	10	50 lbs.
 30468	2 gang duplex/single: for duplex, and single receptacle or switch	10	70 lbs.
 30472	2 gang duplex/GFI: for duplex, and block-style GFI or duplex	10	70 lbs.
 30470	2 gang single/GFI: for single receptacle, and block-style GFI or duplex	10	70 lbs.
 30457	2 gang switch/GFI: for toggle switch, and block-style GFI or duplex	10	70 lbs.
 30456	2 gang toggle/duplex: for switch, and duplex. Mounting hardware included	10	80 lbs.
 30455	2 gang toggle/duplex: for single pole switch and duplex Switch (rating 5A-250V, 10A-125V) and receptacle (15A-125V) included	10	80 lbs.
 30495	2 gang toggle/single: for switch, and pilot light. Mounting hardware included and red jewel installed	10	80 lbs.

Self-Closing 3 - Gang Device Covers

- Solid aluminum base plate with die-cast lids.
- Comes with stainless steel mounting screws and a heavy-duty universal gasket.
- Superior powder coat finish assures maximum weatherability.
- UL Listed and CSA Certified for use in the United States and Canada.
- Custom covers available for up to 10-gang with other opening combinations. (For a special 2-gang cover, use No. 30450; for 3-gang, use No. 30460)
- All of the covers on this page are U.S.-made.



Catalog No.	Opening/Description	Carton Quantity	Weight per 100 units
30464	3 gang duplex: for all duplex receptacles and combination devices	10	100 lbs.
30465	3 gang single receptacle: for all 1.405" singles and toggle switches	10	110 lbs.
30473 30473W 30473Z	3 gang GFI: for all block-style GFI and duplex receptacles (Also available in white and bronze)	10	100 lbs.
30466	3 gang 2 duplex/single: for 2 duplexes, and single receptacle or switch	10	100 lbs.
30467	3 gang duplex/2 single: for duplex, and 2 single receptacles or switches	10	110 lbs.
30475	3 gang 2 single/GFI: for 2 singles or switches, and 1 block-style receptacle	10	100 lbs.
30477	3 gang single/2 GFI: for single or switch, and 2 block-style receptacles	10	100 lbs.
30479	3 gang 2 toggle/duplex: for 2 switches, and one duplex receptacle. Mounting hardware included	10	80 lbs.

Self-Closing 4, 5 and 6 - Gang Device Covers

Catalog No.	Opening/Description	Color	Carton Quantity	Weight per 100 units
30404	4-gang GFI: for all block-style GFI and duplex openings	Gray	1	100 lbs.
30404W	4-gang GFI: for all block-style GFI and duplex openings	White	1	110 lbs.
30404Z	4-gang GFI: for all block-style GFI and duplex openings	Bronze	1	110 lbs.
30405	5-gang GFI: for all block-style GFI and duplex openings	Gray	1	100 lbs.
30405W	5-gang GFI: for all block-style GFI and duplex openings	White	1	110 lbs.
30405Z	5-gang GFI: for all block-style GFI and duplex openings	Bronze	1	100 lbs.
30406	6-gang GFI: for all block-style GFI and duplex openings	Gray	1	100 lbs.
30406W	6-gang GFI: for all block-style GFI and duplex openings	White	1	100 lbs.
30406Z	6-gang GFI: for all block-style GFI and duplex openings	Bronze	1	100 lbs.



4" Round Covers

Suitable for wet locations

- Made from rugged die-cast zinc.
- Blank covers (30381 Series) made from heavy-duty stamped aluminum.
- Superior powder coat paint finish provides maximum weatherability.
- Choice of either gray, black, white or bronze finish in 1, 2 or 3 hole configurations.
- All round covers come with a gasket and stainless steel mounting screws.
- 3-hole covers include 1 close-up plug.
- All of the covers on this page are U.S.-made.







Catalog No.	Outlets	Color	Carton Quantity	Weight per 100 units
30367	One ½" tapped hole	Gray	25	36 lbs.
30367B	One ½" tapped hole	Black	25	36 lbs.
30367W	One ½" tapped hole	White	25	36 lbs.
30367Z	One ½" tapped hole	Bronze	25	36 lbs.
30372	Two ½" tapped holes	Gray	25	32 lbs.
30372B	Two ½" tapped holes	Black	25	32 lbs.
30372W	Two ½" tapped holes	White	25	32 lbs.
30372Z	Two ½" tapped holes	Bronze	25	32 lbs.
30377	Three ½" tapped holes	Gray	25	36 lbs.
30377B	Three ½" tapped holes	Black	25	36 lbs.
30377W	Three ½" tapped holes	White	25	36 lbs.
30377Z	Three ½" tapped holes	Bronze	25	36 lbs.
30381	Blank cover	Natural Aluminum	100	17 lbs.
30381W	Blank cover	White	100	17 lbs.
30381Z	Blank cover	Bronze	100	17 lbs.

Rectangular Covers

Suitable for wet locations

- Made from rugged die-cast zinc.
- Superior powder coat paint finish provides maximum weatherability.
- Choice of either gray, black, white or bronze finish in 1, 2 or 3 hole configurations.
- Rectangular covers come with a gasket and stainless steel mounting screws.
- 3-hole covers include 1 close-up plug.
- All of the covers on this page are U.S.-made.





Catalog No.	Outlets	Color	Carton Quantity	Weight per 100 units
30351	One ½" tapped hole	Gray	25	28 lbs.
30351B	One ½" tapped hole	Black	25	28 lbs.
30351W	One ½" tapped hole	White	25	28 lbs.
30351Z	One ½" tapped hole	Bronze	25	28 lbs.
30356	Two ½" tapped holes	Gray	25	32 lbs.
30356B	Two ½" tapped holes	Black	25	32 lbs.
30356W	Two ½" tapped holes	White	25	32 lbs.
30356Z	Two ½" tapped holes	Bronze	25	32 lbs.
30361	Three ½" tapped holes	Gray	25	32 lbs.
30361B	Three ½" tapped holes	Black	25	32 lbs.
30361W	Three ½" tapped holes	White	25	32 lbs.
30361Z	Three ½" tapped holes	Bronze	25	32 lbs.



Toggle Switch Covers

Suitable for wet locations

- Solid aluminum base plate, .040" thick, with rugged die-cast switch handles.
- Comes with stainless steel mounting screws and a heavy-duty universal gasket.
- Superior powder coat finish assures maximum weatherability.
- UL Listed and CSA Certified for use in the United States and Canada.
- Covers with single-pole and double-pole switches are embossed with 'ON/OFF'.
- Covers without switches or those with 3-way toggle switches are blank.
- Custom covers from 6- to 10-gang are available; consult factory.
- All toggle switch covers are made and assembled in the U.S.A. (Toggle switches, however, are made offshore).
- For replacement switches, please see Page B30.



Catalog No.	No. of Gangs	Description	Color	Mounting	Carton Quantity	Weight per 100 units
30480	1	Toggle switch cover with standard single-pole toggle switch (15A-125V)	Gray	Standard	25	40 lbs.
30480W	1	Toggle switch cover with standard single-pole toggle switch (15A-125V)	White	Standard	25	40 lbs.
30480Z	1	Toggle switch cover with standard single-pole toggle switch (15A-125V)	Bronze	Standard	25	40 lbs.
30488	1	Toggle switch cover only	Gray	Standard	25	18 lbs.
30488W	1	Toggle switch cover only	White	Standard	25	18 lbs.
30488Z	1	Toggle switch cover only	Bronze	Standard	25	18 lbs.
30481	1	Toggle switch cover with standard single-pole toggle switch (15A-125V)	Gray	4-screw (FS)	25	40 lbs.
30489	1	Toggle switch cover only	Gray	4-screw (FS)	25	18 lbs.
30482	1	Toggle switch cover with single-pole toggle switch (20A-120/277VAC)	Gray	Standard	25	32 lbs.
30483	1	Toggle switch cover with single-pole toggle switch (20A-120/277VAC)	Gray	4-screw (FS)	25	32 lbs.
30490	1	Toggle switch cover with double-pole toggle switch (15A-120VAC)	Gray	Standard	25	40 lbs.
30494	1	Toggle switch cover with double-pole toggle switch (15A-120VAC)	Gray	4-screw (FS)	25	40 lbs.
30486	1	Toggle switch cover with double-pole toggle switch (20A-120/277VAC)	Gray	Standard	25	32 lbs.



Toggle Switch Covers





Suitable for wet locations

TOGGLE SWITCH COVERS

These covers can be used with any toggle switch.

All parts, including spacers, are supplied with each switch.

Strap "ears" must be cut off prior to mounting on plate.




Catalog No.	No. of Gangs	Description	Color	Mounting	Carton Quantity	Weight per 100 units
30487	1	Toggle switch cover with double-pole toggle switch (20A-120/277VAC)	Gray	4-screw (FS)	25	32 lbs.
30484	1	Toggle switch cover with a three-way toggle switch (15A-125V)	Gray	Standard	25	32 lbs.
30485	1	Toggle switch cover with a three-way toggle switch (15A-125V)	Gray	4-screw (FS)	25	32 lbs.
30492	2	Toggle switch cover with 2 single-pole toggle switches (15A-125V)	Gray	Standard	10	50 lbs.
30496	2	Cover only for 2 standard toggle switches	Gray	Standard	10	40 lbs.
30493	2	Toggle switch cover with 2 three-way toggle switches (15A-125V)	Gray	Standard	10	50 lbs.
30497	3	Toggle switch cover with 3 single-pole toggle switches (15A-125V)	Gray	Standard	10	110 lbs.
30499	3	Cover only for 3 standard toggle switches	Gray	Standard	10	90 lbs.
30498	3	Toggle switch cover with 3 three-way toggle switches (15A-125V)	Gray	Standard	10	110 lbs.
30474	4	Toggle switch cover with 4 single-pole toggle switches (15A-125V)	Gray	Standard	10	150 lbs.
30478	4	Cover only for 4 standard toggle switches	Gray	Standard	10	100 lbs.
30491	5	Cover only for 5 standard toggle switches	Gray	Standard	1	100 lbs.




Blank Covers

Suitable for wet locations

- Choice of anodized aluminum or brass - each .040 inches thick.
- Gasket and stainless steel mounting screws included.
- UL Listed and CSA Certified.
- Custom covers available from 4 to 10 gang; please consult factory.
- All covers on this page are U.S.-made.



Catalog No.	Gangs	Mounting	Material	Color	Carton Quantity	Box Quantity	Weight per 100 units
30278	1	Standard	.040" Aluminum	Natural Aluminum	20	200	9 lbs.
30278W	1	Standard	.040" Aluminum	White	20	200	9 lbs.
30278Z	1	Standard	.040" Aluminum	Bronze	20	200	9 lbs.
30279	1	4-screw (FS)	.040" Aluminum	Natural Aluminum	20	200	9 lbs.
30277	1	Standard	.040" Brass	Gray	20	200	21 lbs.
30283	2	Standard	.040" Aluminum	Natural Aluminum	10	100	15 lbs.
30283W	2	Standard	.040" Aluminum	White	10	100	15 lbs.
30283Z	2	Standard	.040" Aluminum	Bronze	10	100	15 lbs.
30282	2	Standard	.040" Brass	Gray	10	100	33 lbs.
30284	3	Standard	.040" Aluminum	Natural Aluminum	5	50	25 lbs.
30286	3	Standard	.040" Brass	Gray	5	50	40 lbs.



Slip Fitters

- Cast aluminum.
- Three set screws included to provide secure fit.
- Cast 2" nipple.
- Weather- and corrosion- resistant.
- UL Listed.



Catalog No.	Color	Carton Quantity	Weight per 100 units
30346	For 1½" - 2" pipe	10	40 lbs.

Die-Cast Lampholders

Suitable for wet locations

- Heavy duty die-cast housing with porcelain socket and internal heat resistant gasket.
- Up to 150 watts maximum; medium base PAR 38 and R-40 lamps.
- With pre-wired high temperature lead wire; 6 inches in length.
- With 1/2 inch NPT threaded stem, locknut included.
- Adjustable swivel with positive locking screw allows lampholder to be aimed in the desired position.



Catalog No.	Color	Carton Quantity	Weight per 100 units
30001	Gray	36	39 lbs.
30001W	White	36	39 lbs.
30001Z	Bronze	36	39 lbs.

Exterior gasket No. 30698 can be used with this lampholder.

Lampholder with Exterior Neoprene Gasket



Catalog No.	Color	Carton Quantity	Weight per 100 units
30015	Gray	36	50 lbs.
30015W	White	36	50 lbs.
30015Z	Bronze	36	50 lbs.

Hooded Lampholder

- One-piece lampholder and hood of heavy-duty die-cast aluminum.
- Adjustable swivel with positive locking screw allows lampholder to be aimed in the desired position.
- Up to 150 watts maximum; medium base PAR 38 and R-40 lamps.
- With 1/2" NPT threaded stem, locknut included.
- 10" lead wire.
- UL Listed.



Catalog No.	Color	Carton Quantity	Weight per 100 units
30060	Gray	6	105 lbs.
30060W	White	6	105 lbs.
30060Z	Bronze	6	105 lbs.

Floodlighting Kits

Suitable for wet locations

30141: one 30001 lampholder and one round 30367 cover with one hole.

30142: two 30001 lampholders and one round 30377 cover with three holes.

- Made from heavy-duty die-cast zinc; .094 inches thick.
- Durable powder coat paint finish.
- High temperature lead wire; 6 inches in length.
- Adjustable swivel allows lampholder(s) to be aimed in the desired position.
- Gasket and mounting hardware included.
- Assembled in the U.S.A.




Catalog No.	Color	Carton Quantity	Weight per 100 units
30141	Gray	10	80 lbs.
30141W	White	10	80 lbs.
30141Z	Bronze	10	80 lbs.
30142	Gray	10	120 lbs.
30142W	White	10	120 lbs.
30142Z	Bronze	10	120 lbs.

For replacement parts, please see page B31.

Garden Lights

Attractive weatherproof garden lights provide low-level lighting for pathways, terraces, stairways, low plantings, and gardens. They enhance landscaping, as well as provide safety and security. Their high-quality components, die-cast construction, and UV-resistant powder finish assure years of trouble-free service.

- UL Listed for wet locations.
- Fully assembled, wired and ready to install.
- ½" NPT hub for ½" conduit mount.
- 3-wire 12" leads.
- Plastic socket.
- Heavy duty die-cast housing.
- Gasketed, vapor-tight, heat-resistant clear glass globe.
- UV-resistant baked powder polyester textured finish.
- Made in the U.S.A.



Catalog No.	No. of Tiers	Color	Dimensions	Maximum Wattage	Carton Quantity	Weight per 100 units
30113	3	Green	7" H, 6" diam.	75	6	300 lbs.
30113B	3	Black	7" H, 6" diam.	75	6	300 lbs.
30113Z	3	Bronze	7" H, 6" diam.	75	6	300 lbs.
30114	4	Green	9" H, 6" diam.	100	6	375 lbs.
30114B	4	Black	9" H, 6" diam.	100	6	375 lbs.
30114Z	4	Bronze	9" H, 6" diam.	100	6	375 lbs.



Direct Wire-in Photo Controls With Fixed or Swivel Mounting

Suitable for wet locations

- High impact polycarbonate housing.
- Turn on between 1 and 5 foot candles.
- Turn on / turn off ratio: 1:5.
- Single-pole, single-throw switching.
- Minimum time delay: 15 seconds.
- Contact position at night normally closed.
- External slide clip allows light level adjustment.
- With ½" -14 threaded stem. Fits ½" knockout.
- With 6" color-coded lead wire.
- Temperature range: -40°F (-40°C) to 149°F (65°C).



Durable Construction

Durable polycarbonate housing with ½" threaded stem easily mounts to a standard weatherproof box with a ½" outlet. Ideal for wall packs and other types of security and area lighting. All controls come with locknut, rubber gasket and easy-to-read instructions.

Positive Snap Action Switch

A dependable bi-metal switch provides positive on/off switching. Built-in time delay prevents accidental turn off that may result from stray automobile headlights, lightning flashes or any momentary brightness. Switch contacts are normally closed and, should they fail, remain in an ON position.

Catalog No.	Base	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30825	Fixed	120	2000	1900	10	30 lbs.
30830	Fixed	208-277	2000	1900	10	30 lbs.
30832*	Fixed	480	2000	1900	10	30 lbs.
30847*	Fixed	120	3000	2900	10	40 lbs.
30826	Swivel	120	2000	1900	10	30 lbs.

*All of the above items are both UL Listed and CSA Approved, except Catalog Nos. 30847 and 30832.

NOTE: See Basic Wiring Diagram on the following page.

Direct Wire-in Photo Controls - "Button" Type

Suitable for wet locations

- Threaded stem, 3/4" in length, with a 3/8"-18 thread.
- Turn on between 1 and 5 foot candles.
- Turn on / turn off ratio: 1:5.
- Single-pole, single-throw switching.
- Built-in time delay prevents any false switching at night due to any momentary flashes of light.
- Contact position at night normally closed.
- With 6" color-coded lead wire.
- Temperature range: -40°F (-40°C) to 149°F (65°C).




Durable, Weatherproof Construction

Durable polycarbonate housing is weatherproof and corrosion resistant.

The polycarbonate case and lens are sonically welded in place to seal out moisture.


Ideal for wall packs and post lamps. All units come with locknut, rubber gasket and easy-to-read instructions.



**With Anodized Aluminum
Wall Plate & Gasket
No. 30855**

Catalog No.	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30850	120	1800	1100	10	16 lbs.
30853	208-277	1200	1100	10	20 lbs.
30855	120	1800	1100	10	30 lbs.

Basic Wiring Diagram



Locking-Type Photo Controls

Suitable for wet locations

- UV-stabilized polycarbonate housing color-coded for voltage identification.
- Meet NEMA standards for locking-type devices.
- With solid brass plug blades to provide greater electrical dependability and maximum resistance to corrosion.
- Minimum turn on: 5 foot candles; maximum turn off: 15 foot candles.
- With ½" cadmium sulfide cell.
- Built-in time delay prevents any false switching at night due to light from vehicles, lightning, etc.
- Normally closed contact position at night.
- Temperature range: -40°F (-40°C) to 149°F (65°C).
- Dimensions: 2¾" high, 3" in diameter.
- UL Listed for use in the United States and Canada.



Catalog No.	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30834	120	1000	1800	10	30 lbs.
30837	208-277	1000	1800	10	30 lbs.
30842	480	1000	1800	10	30 lbs.
30844	120-277	1000	1800	10	30 lbs.




Mounting Bracket

Catalog No.	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30862*	(locking-type receptacle with L-shaped mounting bracket)			12	67 lbs.
30846**	(shorting cap)			10	20 lbs.

*UL Recognized Component.

** Shorting cap keeps lights on at all times unless turned off from a remote location.



Shorting Cap

Direct Wire-in Photo Controls Pencil Type -- Swivel Mount

Suitable for wet locations

- High impact polycarbonate enclosure.
- Swivel adjustable 180°.
- Single-pole single-throw switching.
- Standard turn on at 1.5 foot candle.

Durable Polycarbonate Construction

Suitable For Wet Locations

Polycarbonate housing is weatherproof and corrosion resistant. 180 degree swivel with end light sensing allows almost any outdoor installation.

Photocell

½" cadmium sulfide cell is calibrated to turn outdoor lighting on at 1.5 foot candle (dusk). The off/on ratio is 5:1. Both cell and protective window are UV-stabilized to assure greater cell life.

Positive Snap Action Switch

A dependable bi-metal switch provides positive on/off switching. Built-in time delay prevents accidental turn off that may result from stray automobile headlights, lightning flashes or any momentary brightness. Switch contacts are normally closed and, should they fail, remain in an ON position.

Temperature Range

Operating ambient temperature range between -40°F (-40°C) and 149°F (65°C).



Catalog No.	Voltage	Tungsten (watts)	Ballast (volt amps)	Carton Quantity	Weight per 100 units
30820	120	1800	1100	10	20 lbs.
30821*	208-277	1200	1100	10	20 lbs.

*Not certified. Note: CSA International (cCSAus) tests to applicable U.S. and Canadian standards including ANSI, UL and CSA.

Guarantee—All Photo Controls

All photo controls sold by Mulberry, except our locking-type models, are guaranteed against defects in parts or manufacture for five (5) years from the date of shipment. Locking-type controls (30834, 30837, 30842 and 30844) are guaranteed for three (3) years. It is understood that the voltage and/or wattage rating of the unit have not been exceeded, and that the unit has undergone no physical abuse.

Mulberry cannot assume responsibility for units damaged by voltage surges or lightning. Defective units will be

credited or replaced under the Guarantee if returned to factory with shipping charges both ways paid by customer.

All Direct Wire-in Photo Controls that are returned must have a minimum of 6" leads for testing.

The foregoing defines Mulberry's sole liability, and in no event shall Mulberry be responsible for labor charges arising from the changing of defective photo controls or parts or, except as herein provided, for any damage, consequential or otherwise, of any nature whatsoever.




Accessories and Replacement Parts

Suitable for wet locations

Closure Plugs


Catalog No.	Description	Color	Material
30290	1/2" closure plug	Gray	Zinc
30290W	1/2" closure plug	White	Polycarbonate
30290Z	1/2" closure plug	Bronze	Polycarbonate
30291	1/2" closure plug	Gray	Polycarbonate
30292	3/4" closure plug	Gray	Zinc
30292W	3/4" closure plug	White	Polycarbonate
30292Z	3/4" closure plug	Bronze	Polycarbonate
30293	3/4" closure plug	Gray	Polycarbonate
30294	1" closure plug	Gray	Zinc
30294W	1" closure plug	White	Zinc
30294Z	1" closure plug	Bronze	Zinc

All plugs made in the U.S.A.




Stainless Steel Screws

Catalog No.	Description	Length
40225	Oval head, slotted 6 x 32 thread	1/2"
40235	Oval head, slotted 6 x 32 thread	1"
40245	Oval head, slotted 6 x 32 thread	1 1/2"
40255	Oval head, slotted 6 x 32 thread	2"



Tamper Proof Screws

Catalog No.	Description	Length
40261	Chrome plated brass, spanner oval head, 6 x 32 thread	1/2"
40304	Chrome plated brass, spanner oval head, 6 x 32 thread	1"
40271	Chrome plated brass, spanner oval head, 6 x 32 thread	1 1/2"
40276	Chrome plated brass, spanner oval head, 6 x 32 thread	2"



Special Screwdriver

Catalog No.	Description
40299	For spanner head tamperproof screws.



Ground Screws

Catalog No.	Description	Length
40319	Green plated 10-32 self tapping	3/4"
40320	Green plated 10-32 regular	3/4"



Accessories and Replacement Parts

Suitable for wet locations


Spacers (Ferrules)

Catalog No.	Description
40495	For spacing standard switches when used with weatherproof switch covers.



Switches / Toggle

Catalog No.	Description
40501	Single pole 15A/120 volt switch
40502	Single pole 20A/120/277 volt switch
40503	3-way 15A/120 volt switch
40504	Two pole 20A-120/277 volt switch



Motor Base Receptacle


Catalog No.	Description
40507	Single Motor Base receptacle for mobile homes. With male device 3-wire U ground parallel blades. Rated at 15A-125V. 10A/125 volt switch



Spikes

- Die-cast zinc.
- 1/2" male/female thread.
- Made in the U.S.A.


Catalog No.	Description	Carton Quantity	Weight per 100 units
30297	Male spike 7" long; screws into any 1/2" tapped hole	25	8 lbs.
30298	Female spike	25	12 lbs.




Accessories and Replacement Parts

Suitable for wet locations


Lampholder Replacement Parts



Inside Gasket **No. 30697**



Outside Gasket **No. 30698**



Porcelain Socket **No. 40505**

Gaskets

- 1 Gang switch
- 1 Gang blank
- 1 Gang single receptacle
- 1 Gang telephone


USE




30671

- 2 Gang blank
- 2 Gang switch
- 2 Gang duplex receptacle
- 2 Gang single receptacle
- 2 Gang, 1 switch & 1 duplex receptacle
- 2 Gang, 1 single & 1 duplex receptacle

USE




30672



- 1 Gang duplex receptacle
- 1 Gang skeleton (For GFI receptacles)
- 1 Gang louver


USE



30661

- 3 Gang switch
- 3 Gang blank

USE



30673

- 4" Round Catalog No. **30690**
(2½" inner diameter)

Replacement Parts for Garden Lights



3 Tier Glass
No. 40513

• Made in the U.S.A.



4 Tier Glass
No. 40514

• Made in the U.S.A.

Plastic Receptacle for Garden
Light **No. 40509**

Mulberry Steel Box Covers & Conduit Bodies

When U.S.-made steel box covers are specified for a job or needed to meet an ARRA requirement, make Mulberry your first choice!

With the exception of our knock-out seals and our conduit bodies, every steel item in this section is manufactured right here in the USA!

In addition, we offer:

- Superior stamping, tapping and finishing
- Smooth powder paint finish on 4 inch raised covers
- Special openings and combinations available for most covers
- Excellent service – local stock, fast turnaround, and quick delivery from our factory and regional warehouses




Round & Square Flat Covers
Device Covers
Square Raised Covers
FS Covers
Gang Box Covers
Die-Cast & Malleable Iron Conduit Bodies
Knockout Seals
Reducing Washers
Nail Plates



Mulberry 4 Inch Square Raised Covers

Superior Quality • U.S. Made




11401

11410

11402

- Over 20 different openings and configurations available
- Depressed corners for easier mounting
- Gray powder coat finish helps prevent oxidation and possible rust
- Covers with duplex openings come with additional screw holes and mounting hardware to meet the latest NEC requirements
- Made in the USA



Round and Octagon Box Covers

3-1/2" and 4"




No. 11001



No. 11003



No. 11101



No. 11103



No. 11108



No. 11124



Catalog No.	Description	Carton Quantity	Weight Per 100 Units
3 1/2" ROUND FLAT			
11001	Blank	100	17 lbs.
11002†	Bushed Hole (.4375" dia.)	100	17 lbs.
11003	1/2" Knockout	100	17 lbs.
11006	Single Receptacle	100	14 lbs.
11008	Toggle	100	16 lbs.

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
4" ROUND FLAT/OCTAGON			
11101	Blank**	100	21 lbs.
11102†	Bushed Hole (.4375" dia.)**	100	21 lbs.
11103	1/2" Knockout**	100	21 lbs.
11104†	Spider**	100	18 lbs.
11105*	Duplex Receptacle	100	19 lbs.
11106	Single Receptacle	100	20 lbs.
11108	Toggle	100	23 lbs.
11109	TL Receptacle (1.5937" dia.)	100	20 lbs.

** Octagon.

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
4" ROUND RAISED			
11121	Blank	100	29 lbs.
11122†	Bushed Hole (.4375" dia.)	100	29 lbs.
11123†	1/2" Knockout	100	29 lbs.
11124	Opening (ears tapped, 2-3/4" between device centers, raised 5/8")	100	19 lbs.
11125	Opening (ears tapped, 2-3/4" between device centers, raised 1/2")	100	18 lbs.


*Not C-UL-US Listed.

†To be discontinued when stock exhausted.



Square Covers

4" and 4-11/16"



SQUARE FLAT COVERS

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
4" SQUARE FLAT			
11201	Blank	50	29 lbs.
11202†	Bushed Hole (.4375" dia.)	100	29 lbs.
11203	1/2" Knockout	100	28 lbs.

4" SQUARE RAISED			
11211	Blank, Raised 5/8"	100	36 lbs.
11212	Bushed Hole (.4375" dia., raised 5/8")	100	38 lbs.
11214	3" Opening (ears tapped, 2-3/4" between device centers, raised 5/8")	100	26 lbs.
11215	3" Opening (ears tapped, 2-3/4" between device centers, raised 1/2")	100	22 lbs.
11216	3" Opening (ears tapped, 2-3/4" between device centers, raised 3/4")	50	30 lbs.

4-11/16" SQUARE FLAT			
11301	Blank	50	40 lbs.
11303	1/2" Knockout	50	39 lbs.

4-11/16" SQUARE FLAT			
11311	Blank, Raised 5/8"	25	50 lbs.
11314	3" Opening (ears tapped, 2-3/4" between device centers, raised 5/8")	25	38 lbs.
11315	4" Opening (ears tapped, 3-1/2" between device centers, raised 5/8")	25	30 lbs.


†To be discontinued when stock exhausted.



Square Device and Offset Covers

4"

SQUARE DEVICE COVERS




No. 11221 No. 11224 No. 11226 No. 11232 No. 11235 No. 11238 No. 11239 No. 11245 No. 11248

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
1 DEVICE — 4" SQUARE (SQUARE DRAWN)			
11221	Flat	100	17 lbs.
11222	Raised 1/8"	100	17 lbs.
11223	Raised 1/4"	100	18 lbs.
11224	Drywall 1/4"	100	25 lbs.
11225	Raised 3/8"	100	19 lbs.
11226	Raised 1/2"	100	22 lbs.
11227	Raised 5/8"	50	25 lbs.
11228	Raised 3/4"	50	28 lbs.
11230	Raised 1"	25	33 lbs.
11231	Raised 1-1/4"	25	38 lbs.
11232*	Raised 1-1/2"	25	41 lbs.

2 DEVICES — 4" SQUARE			
11235	Flat	100	12 lbs.
11236	Raised 1/8"	50	13 lbs.
11237	Raised 1/4"	50	13 lbs.
11238	Drywall 1/4"	50	18 lbs.
11239	Raised 3/8"	50	16 lbs.
11240	Raised 1/2"	50	18 lbs.
11241	Raised 5/8"	50	21 lbs.
11242	Raised 3/4"	50	24 lbs.
11244	Raised 1"	25	30 lbs.
11245	Raised 1-1/4"	25	35 lbs.


OFFSET COVERS — 4" SQUARE			
11248*	Flat	100	22 lbs.
11249*	Raised 1/8"	100	21 lbs.
11250*	Raised 1/4"	100	22 lbs.
11251*	Raised 1/2"	100	25 lbs.
11252*	Raised 3/4"	25	30 lbs.
11253*	Raised 1"	25	33 lbs.

*Not square drawn.




Square Device Covers

4-11/16"




No. 11321




No. 11326




No. 11331



No. 11335



No. 11340



No. 11345



SQUARE DEVICE COVERS

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
1 DEVICE — 4-11/16" SQUARE (SQUARE DRAWN)			
11321	Flat	50	31 lbs.
11323	Raised 1/4"	50	31 lbs.
11326	Raised 1/2"	50	34 lbs.
11327	Raised 5/8"	50	36 lbs.
11328	Raised 3/4"	50	38 lbs.
11330	Raised 1"	25	44 lbs.
11331*	Raised 1-1/4"	25	48 lbs.

2 DEVICES — 4-11/16" SQUARE			
11335	Flat	50	23 lbs.
11337	Raised 1/4"	50	24 lbs.
11340	Raised 1/2"	50	29 lbs.
11341	Raised 5/8"	25	32 lbs.
11342	Raised 3/4"	25	35 lbs.
11344	Raised 1"	25	46 lbs.
11345	Raised 1-1/4"	25	43 lbs.


*Not square drawn.



Tile Type Device Covers

4" and 4-11/16"

TILE DEVICE COVERS



No. 11261 No. 11266 No. 11271 No. 11276 No. 11361 No. 11366 No. 11371


Catalog No.	Description	Carton Quantity	Weight Per 100 Units
1 DEVICE — 4" SQUARE			
11261	Raised 1/2"	25	31 lbs.
11262	Raised 3/4"	25	36 lbs.
11263	Raised 1"	25	41 lbs.
11264	Raised 1-1/4"	25	45 lbs.
11265	Raised 1-1/2"	25	51 lbs.
11266	Raised 2"	25	60 lbs.
2 DEVICES — 4" SQUARE			
11271	Raised 1/2"	25	27 lbs.
11272	Raised 3/4"	25	33 lbs.
11273	Raised 1"	25	40 lbs.
11274	Raised 1-1/4"	25	45 lbs.
11275	Raised 1-1/2"	25	51 lbs.
11276	Raised 2"	20	63 lbs.
1 DEVICE — 4-11/16" SQUARE			
11361	Raised 1/2"	25	40 lbs.
11362	Raised 3/4"	25	45 lbs.
11363	Raised 1"	25	51 lbs.
11364	Raised 1-1/4"	25	55 lbs.
11365	Raised 1-1/2"	25	45 lbs.
11366	Raised 2"	25	70 lbs.
2 DEVICES — 4-11/16" SQUARE			
11371	Raised 1/2"	25	36 lbs.
11372	Raised 3/4"	25	43 lbs.
11373	Raised 1"	25	49 lbs.
11374	Raised 1-1/4"	25	55 lbs.
11375	Raised 1-1/2"	25	62 lbs.
11376	Raised 2"	20	76 lbs.



Utility Covers

4-3/32" x 2-7/32"

- Galvanized steel, smooth finish.
- Special utility covers available in stainless steel and painted metal (please use item no. 10011).



Catalog No.	Description	Box Quantity	Carton Quantity	Weight Per 100 Units
10001	Blank	25	250	10 lbs.
10002	Duplex	25	250	7 lbs.
10003	Single Receptacle	25	250	8 lbs.
10004	Toggle	25	250	9 lbs.
10005	1/2" Knockout	25	250	9 lbs.
10006*†	3 Device Interchangeable with strap	20	200	16 lbs.
10008*	Bushed Telephone 5/8" ID	20	200	11 lbs.
10009	1.620" dia. 20A TL Receptacle	25	250	8 lbs.
10010	1.730" dia. 30A TL Receptacle	25	250	8 lbs.
10013	GFCI Receptacle (Box mounting 3.281")	25	250	7 lbs.
10021*	Appliance Switch (.4687" dia.)	25	250	9 lbs.
10016	Rectangular cover for small handy box (3.7813 x 1.5938", fits Appleton 4SS, Raco 640)	25	250	12 lbs.

*Painted with a baked cadilite finish.

†To be discontinued when stock exhausted.



Finished Covers

4"


- Fully depressed corners for easier, faster mounting.
- Additional screwholes on duplex receptacles to meet NEC requirement.
- Also available unfinished in galvanized steel. Add suffix "U".
- Special 4" raised covers available (please use item no. 11441).



No. 11401



No. 11402



No. 11403



No. 11410



No. 11411




No. 11412




No. 11413




No. 11414



No. 11415




No. 11421




No. 11422

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
11400	Blank	50	38 lbs.
11401	1 Toggle	50	39 lbs.
11402	1 Duplex	50	35 lbs.
11403	1 Single Receptacle	50	36 lbs.
11410	2 Toggle Switches	50	38 lbs.
11411	2 Duplex Receptacles	50	31 lbs.
11412	2 Single Receptacles	50	34 lbs.
11413	Toggle / Duplex	50	35 lbs.
11414	Toggle / Single Receptacle	50	36 lbs.
11415	Duplex / Single Receptacle	50	32 lbs.
11421	1.620" dia. 20A TL Receptacle	50	35 lbs.
11422	2.125" dia. Range/Dryer Receptacle For Leviton nos. 278 and 279	50	33 lbs.



Finished Covers

4"




No. 11423




No. 11424




No. 11425



No. 11426




No. 11427




No. 11428




No. 11429




No. 11432




No. 11433



No. 11435



No. 11436



No. 11442

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
11423	2.480" dia. Power Outlet	50	30 lbs.
11424	2.165" dia. Power Outlet	50	33 lbs.
11425	1.730" dia. TL Receptacle	50	35 lbs.
11426	2.625" dia. Power Outlet	50	29 lbs.
11427	2.275" dia. Power Outlet	50	32 lbs.
11428	2.255" dia. Power Outlet for P&S Nos. 5740, 5744, 5750, 5754, etc.	50	33 lbs.
11429	1 Duplex / 1 20A TL Receptacle	50	32 lbs.
11432	1 GFCI Receptacle*	50	33 lbs.
11433	2 GFCI Receptacles*	50	27 lbs.
11435	1 Duplex / 1 GFCI Receptacle*	50	27 lbs.
11436	1 Toggle Switch / 1 GFCI Receptacle*	50	35 lbs.
11442	1 GFCI Receptacle* / 1 Single Receptacle	50	35 lbs.


*Strap "ears" must be cut off prior to mounting on plate. GFCIs are box mounting, 3.281".




Finished Covers

4-11/16"

4-11/16 INCH SQUARE RAISED COVERS



No. 11501 No. 11502 No. 11503 No. 11510 No. 11511 No. 11512 No. 11513 No. 11514



No. 11515 No. 11521 No. 11522 No. 11523 No. 11524 No. 11525 No. 11526 No. 11532

Catalog No.	Description	Carton Quantity	Weight Per 100 Units
11500	Blank	25	53 lbs.
11501	Toggle	25	51 lbs.
11502	Duplex	25	48 lbs.
11503	1 Single Receptacle	25	50 lbs.
11510	2 Toggle Switches	25	52 lbs.
11511	2 Duplex Receptacles	25	45 lbs.
11512	2 Single Receptacles	25	49 lbs.
11513	Toggle / Duplex	25	47 lbs.
11514	Toggle / Single Receptacle	25	52 lbs.
11515	Duplex / Single Receptacle	25	46 lbs.
11521	1.620" dia. 20A TL Receptacle	25	49 lbs.
11522	2.125" dia. Range/ Dryer Receptacle	25	47 lbs.
11523	2.480" dia. Power Outlet	25	45 lbs.
11524	2.165" dia. Power Outlet	25	46 lbs.
11525	1.730" dia. Power Outlet	25	48 lbs.
11526	2.625" dia. Power Outlet	25	43 lbs.
11527	2.275" dia. Power Outlet	25	46 lbs.
11528	2.255" dia. Power Outlet	25	48 lbs.
11529	2 1.620" dia. 20A TL Receptacles	25	46 lbs.
11532	1 GFCI Receptacle	25	47 lbs.
11533	2 GFCI Receptacles	25	40 lbs.
11535	1 Duplex / 1 GFCI Receptacle	25	45 lbs.
11536	1 Toggle Switch / 1 GFCI Receptacle	25	47 lbs.
11538	Duplex / 1.620" dia. TL Receptacle	25	46 lbs.


- Additional screwholes meet NEC requirement and mount to ears on any box.
- Also available unfinished in galvanized steel. Add suffix "U".
- Special 4-11/16" raised covers available (please use item no. 11541).



FS Type Covers

1 - 3 Gangs

- Raised, rounded edge for use with FS fittings with raised lip on top, except Crouse Hinds.
- Special FS covers available in stainless steel or aluminum (please use item nos. 11641-11643 for 1-3 gangs).



Catalog No.	Description	Box Quantity	Carton Quantity	Weight Per 100 Units
1 GANG				
11600	Blank	20	200	14 lbs.
11601	Toggle	20	200	16 lbs.
11602	Duplex	20	200	13 lbs.
11603	Single Receptacle	20	200	13 lbs.
11605	1.620" dia. TL Receptacle	20	200	14 lbs.
11606	1.730" dia. TL Receptacle	20	200	12 lbs.
11607	2.125" dia. Range/Dryer Rcpt.	20	200	11 lbs.
11608	GFCI Receptacle (2 screw)	20	200	12 lbs.
11609	GFCI Receptacle (4 screw)	20	200	13 lbs.
2 GANGS				
11611	2 Blank	10	100	22 lbs.
11612	2 Toggle Switches	10	100	21 lbs.
11613	2 Duplex Receptacles	10	100	17 lbs.
11614	2 Single Receptacles	10	100	20 lbs.
11615	Toggle / Duplex	10	100	23 lbs.
11616	Toggle / Single Receptacle	10	100	21 lbs.
11618	2.125" dia. Range/Dryer Rcpt.	10	100	19 lbs.
11620	2 GFCI Receptacles	10	100	15 lbs.
11621	Switch / GFCI Receptacle	10	100	19 lbs.
3 GANGS				
11622	3 Blank	10	100	33 lbs.
11623	3 Toggle Switches	10	100	31 lbs.
11624	3 Duplex Receptacles	10	100	24 lbs.
11625	2 Toggle / 1 Duplex Receptacle	10	100	34 lbs.
11626	2 Toggle / 1 Single Receptacle	10	100	35 lbs.
11628	2 1.620" dia. TL Receptacles	10	100	20 lbs.
11629	2 1.730" dia. TL Receptacles	10	100	19 lbs.
11630	3 GFCI Receptacles	10	100	27 lbs.



Flat Gang Box Covers

2 - 10 Gangs

- Devices spaced 1-13/16" between centers.
- All gang box covers 4-11/16" high.
- Individually packaged.
- Special covers available (please use item nos. 10142-10150 for 2-10 gangs).



No. 10092



No. 10103



No. 10095



No. 10090

Catalog No.	Description	Width	Weight Per 100 Units
BLANKS			
10082	2 Gang Blank	7"	58 lbs.
10083	3 Gang Blank	8-7/8"	68 lbs.
10084	4 Gang Blank	10-5/8"	86 lbs.
10085	5 Gang Blank	12-7/16"	107 lbs.
10086	6 Gang Blank	14-1/4"	117 lbs.
10087	7 Gang Blank	16-1/16"	137 lbs.
10088	8 Gang Blank	17-15/16"	150 lbs.
10089	9 Gang Blank	19-3/4"	170 lbs.
10090	10 Gang Blank	21-9/16"	182 lbs.
SWITCHES			
10092	2 Gang Switch	7"	56 lbs.
10093	3 Gang Switch	8-7/8"	66 lbs.
10094	4 Gang Switch	10-5/8"	87 lbs.
10095	5 Gang Switch	12-7/16"	103 lbs.
10096	6 Gang Switch	14-1/4"	113 lbs.
10097	7 Gang Switch	16-1/16"	132 lbs.
10098	8 Gang Switch	17-15/16"	146 lbs.
10099	9 Gang Switch	19-3/4"	154 lbs.
10100	10 Gang Switch	21-9/16"	173 lbs.
COMBINATIONS AND DUPLEX RECEPTACLES			
10103	3 Gang: 2 Switch, 1 Duplex	8-7/8"	62 lbs.
10104	4 Gang: 3 Switch, 1 Duplex	10-5/8"	83 lbs.
10105	5 Gang: 4 Switch, 1 Duplex	12-7/16"	93 lbs.
10111	3 Gang: 1 Switch, 2 Duplex	8-7/8"	59 lbs.
10122	2 Gang Duplex Receptacle	7"	47 lbs.
10123	3 Gang Duplex Receptacle	8-7/8"	54 lbs.
10124	4 Gang Duplex Receptacle	10-5/8"	71 lbs.
10125	5 Gang Duplex Receptacle	12-7/16"	79 lbs.
10126	6 Gang Duplex Receptacle	14-1/4"	88 lbs.
10127	7 Gang Duplex Receptacle	16-1/16"	99 lbs.
10128	8 Gang Duplex Receptacle	17-15/16"	105 lbs.
10129	9 Gang Duplex Receptacle	19-3/4"	120 lbs.
10130	10 Gang Duplex Receptacle	21-9/16"	137 lbs.
GFCI RECEPTACLES			
10132	2 Gang GFCI	7"	47 lbs.
10133	3 Gang GFCI	8-7/8"	54 lbs.
10134	4 Gang GFCI	10-5/8"	71 lbs.



Reducing Washers

1/2" x 1/4" – 4" x 3-1/2"



REDUCING WASHERS

- Raised flanges to fit snugly into box knockout.
- Minimum order: box quantity.

Catalog No.	Description	Box Quantity	Carton Quantity	Weight Per 100 Units
40001	1/2" x 15/32"	250	2500	.9 lbs.
40002	1/2" x 1/4"	250	2500	.9 lbs.
40003	1/2" x 3/8"	250	2500	.9 lbs.
40005	3/4" x 1/2"	250	2500	1.6 lbs.
40006	1" x 1/2"	250	2500	1.6 lbs.
40007	1" x 3/4"	250	2500	1.4 lbs.
40008	1-1/4" x 1/2"	100	1000	3 lbs.
40009	1-1/4" x 3/4"	100	1000	3 lbs.
40010	1-1/4" x 1"	100	1000	3 lbs.
40011	1-1/2" x 1/2"	100	1000	5 lbs.
40012	1-1/2" x 3/4"	100	1000	5 lbs.
40013	1-1/2" x 1"	100	1000	4 lbs.
40014	1-1/2" x 1-1/4"	100	1000	3 lbs.
40015	2" x 1/2"	50	500	10 lbs.
40016	2" x 3/4"	50	500	9 lbs.
40017	2" x 1"	50	500	8 lbs.
40018	2" x 1-1/4"	50	500	7 lbs.
40019	2" x 1-1/2"	50	500	6 lbs.
40020	2-1/2" x 1/2"	25	250	10 lbs.
40021	2-1/2" x 3/4"	25	250	8 lbs.
40022	2-1/2" x 1"	25	250	9 lbs.
40023	2-1/2" x 1-1/4"	25	250	8 lbs.
40024	2-1/2" x 1-1/2"	25	250	7 lbs.
40025	2-1/2" x 2"	25	250	5 lbs.
40026	3" x 1/2"	25	250	21 lbs.
40027	3" x 3/4"	25	250	20 lbs.
40028	3" x 1"	25	250	20 lbs.
40029	3" x 1-1/4"	25	250	18 lbs.
40030	3" x 1-1/2"	25	250	19 lbs.
40031	3" x 2"	25	250	15 lbs.
40032	3" x 2-1/2"	25	250	13 lbs.
40033	3-1/2" x 1/2"	10	100	35 lbs.
40034	3-1/2" x 3/4"	10	100	35 lbs.
40035	3-1/2" x 1"	10	100	33 lbs.
40036	3-1/2" x 1-1/4"	10	100	32 lbs.
40037	3-1/2" x 1-1/2"	10	100	30 lbs.
40038	3-1/2" x 2"	10	100	28 lbs.
40039	3-1/2" x 2-1/2"	10	100	24 lbs.
40040	3-1/2" x 3"	10	100	18 lbs.
40041	4" x 1/2"	20	100	42 lbs.
40042	4" x 3/4"	20	100	42 lbs.
40043	4" x 1"	20	100	41 lbs.
40044	4" x 1-1/4"	20	100	36 lbs.
40045	4" x 1-1/2"	20	100	37 lbs.
40046	4" x 2"	20	100	34 lbs.
40047	4" x 2-1/2"	20	100	31 lbs.
40048	4" x 3"	20	100	25 lbs.
40049	4" x 3-1/2"	20	100	20 lbs.

40001 fits McGill canopy switch. 40002 fits standard canopy switch.




Conduit Bodies

Unassembled • Assembled • Threaded • Set-Screw • Combination Threaded/Set-Screw



Smooth, corrosion resistant electrostatic powder coating.

Seamless die-cast aluminum construction.



Cubic capacity and UL listing clearly marked.

Smooth, uniform NPT threads for quick installation.

Neoprene rubber gasket.



Combination Phillips/slotted screws.

Screws and retaining washer already installed.

Choice of either a galvanized steel or aluminum cover.



Conduit Bodies

Unassembled • Assembled • Threaded • Set-Screw • Combination Threaded/Set-Screw

Applications:

- Attach to either Rigid conduit or EMT when it is necessary to correct or change the direction of conduit runs.
- Provide access to conductors when wire pulling, splicing or for maintenance.
- Make 90 degree bends in conduit runs.

Features:

- Available unassembled (body only) or pre-assembled with neoprene rubber gasket and a choice of either a steel or aluminum cover.
- Choice of LB, LL, LR, C, T and TB configurations — most available from 1/2 inch to 4 inch trade sizes.
- Die-cast conduit bodies come threaded (for rigid conduit or IMC), set-screw (for EMT) or combination threaded/set-screw (for rigid, IMC or EMT) and cast from high strength, corrosion and weather resistant aluminum alloy.
- Malleable iron conduit bodies are available unassembled and made from high strength malleable iron, zinc plated.
- All conduit bodies have smooth, tapered NPT threaded hubs.
- Moguls and SLBs also available.
- UL Listed, CSA Approved.

Conduit Bodies

Threaded, Combo and Set Screw Bodies and Kits



CONDUIT BODIES

Hub Size	Unassembled (body only) Catalog No.			Assembled (with cover and gasket) Catalog No.			Box Quantity	Carton Quantity
	Threaded	Set Screw	Combination	Threaded	Set Screw	Combination		
LB								
1/2"	11801	11851	13801	12801	12851	14801	10	50
3/4"	11802	11852	13802	12802	12852	14802	10	50
1"	11803	11853	13803	12803	12853	14803	5	25
1-1/4"	11804	11854	13804	12804	12854	14804	—	2
1-1/2"	11805	11855	13805	12805	12855	14805	—	2
2"	11806	11856	13806	12806	12856	14806	—	1
2-1/2"				12807	12857		—	1
3"				12808	12858		—	1
3-1/2"				12809	12859		—	1
4"				12810	12860		—	1
LL								
1/2"	11811	11861	13811	12811	12861	14811	10	50
3/4"	11812	11862	13812	12812	12862	14812	10	50
1"	11813	11863	13813	12813	12863	14813	5	25
1-1/4"	11814	11864	13814	12814	12864	14814	—	2
1-1/2"	11815	11865	13815	12815	12865	14815	—	2
2"	11816	11866	13816	12816	12866	14816	—	1
2-1/2"				12817			—	1
3"				12818			—	1
3-1/2"				12819			—	1
4"				12820			—	1
LR								
1/2"	11821	11871	13821	12821	12871	14821	10	50
3/4"	11822	11872	13822	12822	12872	14822	10	50
1"	11823	11873	13823	12823	12873	14823	5	25
1-1/4"	11824	11874	13824	12824	12874	14824	—	2
1-1/2"	11825	11875	13825	12825	12875	14825	—	2
2"	11826	11876	13826	12826	12876	14826	—	1
2-1/2"				12827			—	1
3"				12828			—	1
3-1/2"				12829			—	1
4"				12830			—	1
C								
1/2"	11831	11881	13831	12831	12881	14831	10	50
3/4"	11832	11882	13832	12832	12882	14832	10	50
1"	11833	11883	13833	12833	12883	14833	5	25
1-1/4"	11834	11884	13834	12834	12884	14834	—	2
1-1/2"	11835	11885	13835	12835	12885	14835	—	2
2"	11836	11886	13836	12836	12886	14836	—	1
2-1/2"				12837			—	1
3"				12838			—	1
T								
1/2"	11841	11891	13841	12841	12891	14841	10	50
3/4"	11842	11892	13842	12842	12892	14842	10	50
1"	11843	11893	13843	12843	12893	14843	5	25
1-1/4"	11844	11894	13844	12844	12894	14844	—	2
1-1/2"	11845	11895	13845	12845	12895	14845	—	2
2"	11846	11896	13846	12846	12896	14846	—	1
2-1/2"				12847			—	1
3"				12848			—	1
TB								
1/2"				11921			10	50
3/4"				11922			10	50
1"				11923			5	25
1-1/4"				11924			—	2
1-1/2"				11925			—	2
2"				11926			—	1

For weights, please see price sheet or call Customer Service.



Conduit Bodies

Malleable Iron Conduit Bodies, SLBs and Moguls

Malleable Iron

- Threaded body for use with Rigid or IMC
- Zinc plated malleable iron
- NPT threaded hubs
- Suitable for use in concrete

Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
LB			
1/2"	17801	10	50
3/4"	17802	10	50
1"	17803	5	25
1-1/4"	17804	—	2
1-1/2"	17805	—	2
2"	17806	—	1
2-1/2"	17807	—	1
3"	17808	—	1
3-1/2"	17809	—	1
4"	17810	—	1

Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
LL			
1/2"	17811	10	50
3/4"	17812	10	50
1"	17813	5	25
1-1/4"	17814	—	2
1-1/2"	17815	—	2
2"	17816	—	1
2-1/2"	17817	—	1
3"	17818	—	1
3-1/2"	17819	—	1
4"	17820	—	1

Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
LR			
1/2"	17821	10	50
3/4"	17822	10	50
1"	17823	5	25
1-1/4"	17824	—	2
1-1/2"	17825	—	2
2"	17826	—	1
2-1/2"	17827	—	1
3"	17828	—	1
3-1/2"	17829	—	1
4"	17830	—	1

Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
C			
1/2"	17831	10	50
3/4"	17832	10	50
1"	17833	5	25
1-1/4"	17834	—	2
1-1/2"	17835	—	2
2"	17836	—	1
2-1/2"	17837	—	1
3"	17838	—	1
3-1/2"	17839	—	1
4"	17840	—	1

Hub Size	Unassembled Threaded (body only)	Box Quantity	Carton Quantity
T			
1/2"	17841	10	50
3/4"	17842	10	50
1"	17843	5	25
1-1/4"	17844	—	2
1-1/2"	17845	—	2
2"	17846	—	1
2-1/2"	17847	—	1
3"	17848	—	1
3-1/2"	17849	—	1
4"	17850	—	1



Aluminum SLBs and Moguls



Catalog No.	Hub Size	Box Quantity	Carton Quantity
SLBs			
11901	1/2"	10	50
11902	3/4"	10	50
11903	1"	5	25
11904	1-1/4"	—	1
11905	1-1/2"	—	1
11906	2"	—	1




Catalog No.	Hub Size	Box Quantity	Carton Quantity
MOGUL CONDUIT BODIES			
11914	1-1/4"	—	5
11915	1-1/2"	—	2
11916	2"	—	2
11917	2-1/2"	—	1
11918	3"	—	1
11919	3-1/2"	—	1
11920	4"	—	1

Complete with Cover, Gasket and Screws



Conduit Body Covers and Gaskets


Oval-Round Form 35 Series, from 1/2" to 4" Size




No. 11699 No. 11720

- Choice of galvanized steel, aluminum or malleable iron covers.
- Screws and washers come already mounted.
- Full size gaskets are made of neoprene rubber.
- For use with all standard conduit bodies, except Crouse-Hinds and 2-1/2 and 3 inch sizes and 3-1/2 and 4 inch size for Red Dot.
- UL Listed 2-1/2 and 3 inch sizes.

Catalog No.	Description	Box Quantity	Carton Quantity
GALVANIZED STEEL — 1/2" - 4"			
11699	Blank, 1/2"	25	250
11700	Blank, 3/4"	25	250
11701	Blank, 1"	20	200
11702	Blank, 1-1/4" — 1-1/2"	—	25
11703	Blank, 2"	—	25
11704	Blank, 2-1/2" — 3"	—	25
11705	Blank, 3-1/2" — 4"	—	25



Catalog No.	Description	Box Quantity	Carton Quantity
ALUMINUM — 1/2" - 4"			
11710	Blank, 1/2"	25	250
11711	Blank, 3/4"	25	250
11712	Blank, 1"	20	200
11713	Blank, 1-1/4" — 1-1/2"	—	25
11714	Blank, 2"	—	25
11715	Blank, 2-1/2" — 3"	—	25
11716	Blank, 3-1/2" — 4"	—	25




Catalog No.	Description	Box Quantity	Carton Quantity
MALLEABLE IRON — 1/2" - 4"			
11730	Blank, 1/2"	25	250
11731	Blank, 3/4"	25	250
11732	Blank, 1"	20	200
11733	Blank, 1-1/4" — 1-1/2"	—	25
11734	Blank, 2"	—	25
11735	Blank, 2-1/2" — 3"	—	25
11736	Blank, 3-1/2" — 4"	—	25



Catalog No.	Description	Box Quantity	Carton Quantity
GASKETS — 1/2" - 4"			
11720	Full, 1/2"	100	1000
11721	Full, 3/4"	100	1000
11722	Full, 1"	50	500
11723	Full, 1-1/4" — 1-1/2"	—	600
11724	Full, 2"	—	400
11725	Full, 2-1/2" — 3"	—	200
11726	Full, 3-1/2" — 4"	—	150



Knockout Seals, Switchbox Supports, and Nail Plates



Catalog No.	Description	Box Quantity	Carton Quantity	Weight Per 100 Units
CLOSED TYPE KNOCKOUT SEALS; BRIGHT ZINC PLATED STEEL				
40111	1/2"	100	1000	1.5 lbs.
40112	3/4"	100	1000	1.8 lbs.
40113	1"	50	500	2 lbs.
40114	1-1/4"	50	500	3 lbs.
40115	1-1/2"	50	500	4 lbs.
40116	2"	25	250	6 lbs.
SWITCH BOX SUPPORTS				
40490	Standard	50 pairs	500 pairs	3 lbs.
40492	Long Legs	50 pairs	500 pairs	3 lbs.
NAIL PLATES (.062" THICK STEEL)				
40465	1-15/16" x 3-7/16" Self-nailing	-	200	12 lbs.
40470	1-1/2" x 3" 4 nail holes	-	200	8 lbs.



Mulberry Wallplates

When U.S. made wallplates are specified for the job or needed to meet an ARRA requirement, make Mulberry your first choice!

Every metal wallplate in this catalog is manufactured right here in the USA!

In addition, we offer:

- More than 7,000 different wallplates, with most in stock
- The industry's widest variety of materials, openings, combinations and colors
- A choice of over 40 painted metal, stainless steel, brass and other metal finishes
- Plus, our unbreakable thermoplastic wallplates available in 4 colors
- Standard metal wallplate configurations from 1 to 10-gang and thermoplastic from 1 to 6 gang
- In-house engraving and silk-screening capability
- Custom wallplates available in special sizes or with custom openings or markings



Unsurpassed Quality, Selection & Service!

Mulberry Wallplates



Features and Benefits:

Painted Metal Wallplates

- Made from the finest steel alloy and then painted with a superior powder coat finish to assure durability.
- Durable paint finish helps prevent chipping and scratching.
- Can be re-painted to match a new room decor.
- Come with standard slotted 6-32 oval head metal screws in a matching paint finish.
- Available in a variety of shapes and sizes — Standard, Princess, Oversize and Maxi sizes.
- Princess shaped plates have rounded corners which help prevent wall damage and are also 1/2 inch taller in height to help cover any gaps or holes between sheetrock and an existing electrical box.
- UL Listed and made in the U.S.A.

Stainless Steel, Brass, Bronze, Aluminum & Chrome Wallplates


- Ideal for residential, commercial and institutional applications.
- Specification-grade, non-magnetic 304 type stainless steel available in either a Satin or Mirror Polish finish.
- Standard 430 type stainless steel also has excellent non-corrosive properties.
- Brass made from a 70/30 alloy is .040 inches thick and available with either a Satin or Mirror finish.
- UL Listed and made in the U.S.A.

Thermoplastic Wallplates

- Made from rugged thermoplastic resin, Mulberry wallplates will not crack during installation or after many years of use.
- Will not fade or warp due to UV light or humidity.
- Resists grease, oils and solvents.
- Flexible design fits over uneven wall surfaces.
- C-UL-us Listed.

Inside Our Metal and Thermoplastic Wallplate Section

Accessories	A84-88
Custom Plate Ordering Instructions	A89-91
Custom Silk-Screening & Engraving	A92
Datacom Telephone & Computer Plates	A67-71
Deep Plates	A64
Dimensions, Full Scale & By Style	A7-8
Emergency Plates & Covers	A80-82
Engraved & Silk-Screened Plates	A81-82, A92
GFCI & solated round	A81
Material Specifications	A9-10
Narrow Plates	A65-66
Oil & Gas Burner Plates	A80-81
Opening Selector Guide	A93-103
Painted Metal Wallplates—Standard Size	A11-22
Painted Metal Wallplates—Princess Size	A23-32
Painted Metal Wallplates—Oversize	A34-36
Painted Metal Wallplates—Maxi Size	A33
Recessed Home Entertainment Covers	A83
Stainless Steel, Chrome, Brass, Bronze & Aluminum Wallplates—Standard Size	A37-A46
Stainless Steel, Chrome & Brass Wallplates—Princess Size	A47-56
Stainless Steel, Chrome & Brass Wallplates—Oversize	A58-60
Stainless Steel & Chrome Wallplates—Maxi Size	A57
Thermoplastic Wallplates—Standard Size	A72-76
Thermoplastic Wallplates—Midi Size	A77-78
Thermoplastic Screwless Wallplates	A79
Unfinished Wallplates (Cold Rolled Steel)	A11-32
Wallplates with Classic Metal Finishes	A61-63
Wallplate Color Guide	A5-6



With the exception of our Thermoplastic Wall Plate Series, all of the wall plates in this catalog are made in the U.S.A. and comply with the Buy America Act. For more information or documentation, contact us.

Mulberry Wallplates

Standard Size

WALLPLATES



83



93, 97, 70



68



95



99



98



85



84



44



86



82



58



51



88



87



94



65



66



69



64



220



221



222



214



215



32



34



33



36



38

Wallplates Color Guide

Princess Size



73



54



57, 53



76



75



79



74



78



43



218



225

Standard Size - Steel

- 44 Almond Semi-Gloss (44000)
- 51 Red Semi-Gloss (51000)
- 58 Gray Semi-Gloss (58000)
- 64 Polished Brass (64000)
- 65 Bank Bronze (65000)
- 66 Satin Bronze (66000)
- 68 Stainless Steel-304 Type-Mirror (68000)
- 69 Statuary Bronze (69000)
- 70 Stainless Steel-304 Type (93000)
- 82 Brown Semi-Gloss (82000)
- 83 Polished Chrome (83000)
- 84 Ivory Semi-Gloss (84000)
- 85 White Wrinkle (85000)
- 86 White Semi-Gloss (86000)
- 87 Black Matte (87000)
- 88 Aluminum Painted Steel (88000)
- 93 Stainless Steel-304 Type (93000)
- 94 Satin Brass (94000)
- 95 Clear Anodized Aluminum (95000)
- 96 Satin Brass-.060" (96000)
- 97 Stainless Steel-430 Type (97000)
- 98 Brown Wrinkle (98000)
- 99 Ivory Wrinkle (99000)
- 214 Hammered Copper (21400)
- 215 Hammered Black (21500)
- 220 Regal Black (22000)
- 221 Regal Copper (22100)
- 222 Regal Gold (22200)




Princess Size - Steel

- 43 Almond Wrinkle
- 53 Stainless Steel-304 Type (93000)
- 54 Satin Brass (54000)
- 57 Stainless Steel-430 Type (97000)
- 73 Polished Chrome (73000)
- 74 Ivory Semi-Gloss (74000)
- 75 White Wrinkle (75000)
- 76 White Semi-Gloss (76000)
- 78 Brown Wrinkle (78000)
- 79 Ivory Wrinkle (79000)
- 218 Polished Brass over steel (21800)
- 225 Brushed Brass over steel (22500)

Standard & Midi Size - Thermoplastic

- 32 White Thermoplastic (32000)
- 33 Light Almond Thermoplastic (33000)
- 34 Ivory Thermoplastic (34000)
- 36 Red Thermoplastic (36000)
- 38 Brown Thermoplastic (38000)


Full Scale Dimensions




STANDARD TOLERANCE $\pm 0.0313''$

Screw Hole Dimensions


Standard Size




Examples:



Blank



Toggle
Single
Receptacle



Interchangeable
(Despard)
GFI

Refer to the dimensional drawings within our Opening Selector Guide

Dimensions by Style

Standard Shape

1 gang	4.5" x 2.75"
2 gang	4.5" x 4.562"
3 gang	4.5" x 6.375"
4 gang	4.5" x 8.187"
5 gang	4.5" x 10.00"
6 gang	4.5" x 11.812"
7 gang	4.5" x 13.625"
8 gang	4.5" x 15.437"
9 gang	4.5" x 17.25"
10 gang	4.5" x 19.062"
11 gang	4.5" x 20.875"
12 gang	4.5" x 22.687"
13 gang	4.5" x 24.50"
14 gang	4.5" x 26.312"
15 gang	4.5" x 28.125"
16 gang	4.5" x 29.937"
17 gang	4.5" x 31.75"
18 gang	4.5" x 33.687"
19 gang	4.5" x 35.50"
20 gang	4.5" x 37.312"

Jumbo / Oversize (SL)

1 gang	5.5" x 3.50"
2 gang	5.5" x 5.50"
3 gang	5.5" x 7.50"
4 gang	5.5" x 9.50"
5 gang	5.5" x 11.50"
6 gang	5.5" x 13.50"
7 gang	5.5" x 15.50"
8 gang	5.5" x 17.50"

Princess Shape (PRL)

1 gang	5" x 2.75"
2 gang	5" x 4.562"
3 gang	5" x 6.375"
4 gang	5" x 8.187"
5 gang	5" x 10.00"
6 gang	5" x 11.812"

Maxi Shape (MP)

1 gang	5" x 3.50"
--------	------------

Thermoplastic Standard Size

1 gang	4.5" x 2.76"
2 gang	4.5" x 4.57"
3 gang	4.5" x 6.38"
4 gang	4.5" x 8.19"
5 gang	4.5" x 10.03"
6 gang	4.5" x 11.81"

Thermoplastic Midi Size

1 gang	4.88" x 3.11"
2 gang	4.88" x 4.92"
3 gang	4.88" x 6.77"
4 gang	4.88" x 8.58"



STANDARD TOLERANCE ± 0.0313 "

Dimensions for Deep and Narrow Plates see
Pages A64 - A66.

Note: Standard Size and Jumbo/Oversize plates (beveled edge) can be made available in custom sizes.
Princess and Maxi Shape plates, as well as thermoplastic plates, are only available up to 6 gangs.

Material Specifications

S - Standard Shape



P - Princess Shape

Steel (Prepared to Underwriters Laboratories, Inc. specifications)	Finish	Shape	Thickness	Finish Designator	Catalog Page
Almond (ALM)	smooth semi-gloss	S	.030	44000	A11-22
Almond Wrinkle (DA-PRL)	hard baked wrinkle	P	.030	43000	A23-32
Aluminum Paint (CDA)	smooth semi-gloss	S	.030	88000	A11-22
Black Paint (BL)	matte	S	.030	87000	A11-22
Brown Paint (BK)	smooth semi-gloss	S	.030	82000	A11-22
Brown Paint (DB)	hard baked wrinkle	S	.030	98000	A11-22
Brown Paint (DB-PRL)	hard baked wrinkle	P	.030	78000	A23-32
Chrome Plate (CA)	mirror polish	S	.030	83000	A37-46
Chrome Plate (CA-PRL)	mirror polish	P	.030	73000	A47-56
Gray	smooth semi-gloss	S	.030	58000	A11-22
Ivory (IA)	smooth semi-gloss	S	.030	84000	A11-22
Ivory (IA-PRL)	smooth semi-gloss	P	.030	74000	A23-32
Ivory (DI)	hard baked wrinkle	S	.030	99000	A11-22
Ivory (DI-PRL)	hard baked wrinkle	P	.030	79000	A23-32
Red (RA)	smooth semi-gloss	S	.030	51000	A11-22
White (WA)	smooth semi-gloss	S	.030	86000	A11-22
White (WA-PRL)	smooth semi-gloss	P	.030	76000	A23-32
White (DW)	hard baked wrinkle	S	.030	85000	A11-22
White (DW-PRL)	hard baked wrinkle	P	.030	75000	A23-32
Hammered Copper	textured / matte	S	.030	21400	A61-63
Hammered Black	textured / matte	S	.030	21500	A61-63
Regal Black	textured / matte	S	.030	22000	A61-63
Regal Copper	textured / matte	S	.030	22100	A61-63
Regal Gold	textured / matte	S	.030	22200	A61-63
Zinc Coat (AUNF)	unfinished	S	.030	89000	A11-22
Zinc Coat (AUNF-PRL)	unfinished	P	.030	80000	A23-32

Material Specifications

Stainless Steel

Grade	Finish	Shape	Thickness	U.S. Bureau Standards Symbol	Finish Designator	Catalog Page
*Type 304 (304SS)	#4 Fine Satin	S	.030	US #32D	93000	A37-46
*Type 304 (304SS-PRL)	#4 Fine Satin	P	.030	US #32D	53000	A47-56
*Type 304 (304-6SS)	#4 Fine Satin	S	.060	US #32D	70000	A37-46
*Type 304 (304SP)	Mirror Polish	S	.030	US #32	68000	A37-46
Type 430 (SS)	#4 Fine Satin	S	.030	US #32	97000	A37-46
Type 430 (SS-PRL)	#4 Fine Satin	P	.030	US #32D	57000	A47-56

* 304 Stainless steel is a specification grade that consists of 18% chromium and 8% nickel. It is non-magnetic and corrosion resistant. It is ideal for hospitals, schools and other public institutions, as well as computer rooms.

Aluminum

Clear Anodized (4AA)	Matte, Smooth	S	.040	-	95000	A37-46
----------------------	---------------	---	------	---	-------	--------

Brass & Bronze*

Statuary Bronze Dark (4DBR)	Antique finish over solid brass	S	.040	US #20	69000	A37-46
Bank Bronze Medium (4ABR)	Antique finish over solid brass	S	.040	US #108	65000	A37-46
Satin Brass (4BB) (solid brass)	Satin #4 Polish	S	.040	US #4	94000	A37-46
Satin Brass (4BB-PRL) (solid brass)	Satin #4 Polish	P	.040	US #4	54000	A47-56
Satin Brass (6BB) (solid brass)	Satin #4 Polish	S	.060	US #4	96000	A37-46
Satin Bronze (4SBR)	Satin #4 Polish	S	.040	US #10	66000	A37-46
Polished Brass (4PB) (solid brass)	Mirror Finish	S	.040	US #3	64000	A37-46
Polished Brass (plated steel)	Mirror Finish	P	.040	-	21800	A47-56
Satin Brass (plated steel)	Satin #4 Polish	P	.040	-	22500	A47-56


* Lacquered to prevent oxidation

Thermoplastic


Light Almond	33000	A72-79
Ivory	34000	A72-79
Red	36000	A72-79
White	32000	A72-79
Brown	38000	A72-76

PAINTED METAL

Standard Size



UL Listed unless marked with an asterisk (*)










White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
-----------------------	--------------------	-----------------------	--------------------	-----------------------	--------------------	-------------------------	------------------	-----------------	---------------------	---------------------------	-----------------------------

1-Toggle Switch (1T)	86071	85071	84071	99071	82071	98071	44071	87071	58071	51071	88071	89071
2-Toggle Switch (2T)	86072	85072	84072	99072	82072	98072	44072	87072	58072	51072	88072	89072
3-Toggle Switch (3T)	86073	85073	84073	99073	82073	98073	44073	87073	58073	51073	88073	89073
4-Toggle Switch (4T)	86074	85074	84074	99074	82074	98074	44074	87074	58074	51074	88074	89074
5-Toggle Switch (5T)	86075	85075	84075	99075	82075	98075	44075	87075	58075	51075	88075	89075
6-Toggle Switch (6T)	86076	85076	84076	99076	82076	98076	44076	87076	58076	51076	88076	89076
7-Toggle Switch (7T)	86077	85077	84077	99077	82077	98077	44077	87077	58077	51077	88077	89077
8-Toggle Switch (8T)	86078	85078	84078	99078	82078	98078	44078	87078	58078	51078	88078	89078
9-Toggle Switch (9T)	86079	85079	84079	99079	82079	98079	44079	87079	58079	51079	88079	89079
10-Toggle Switch (10T)	86080	85080	84080	99080	82080	98080	44080	87080	58080	51080	88080	89080
1-Duplex (10DR)	86101	85101	84101	99101	82101	98101	44101	87101	58101	51101	88101	89101
2-Duplex (20DR)	86102	85102	84102	99102	82102	98102	44102	87102	58102	51102	88102	89102

PAINTED METAL WALLPLATES - STANDARD SIZE

PAINTED METAL

Standard Size





White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
86103	85103	84103	99103	82103	98103	44103	87103	58103	51103	88103	89103
86104	85104	84104	99104	82104	98104		87104	58104	51104	88104	89104
86105	85105	84105	99105	82105	98105		87105	58105	51105	88105	89105
86106	85106	84106	99106	82106	98106		87106	58106	51106	88106	89106
86091	85091	84091	99091	82091	98091	44091	87091	58091	51091	88091	89091
86092	85092	84092	99092	82092	98092		87092	58092	51092	88092	89092
86093	85093	84093	99093	82093	98093		87093	58093	51093	88093	89093
86121	85121	84121	99121	82121	98121		87121	58121	51121	88121	89121
86122	85122	84122	99122	82122	98122		87122	58122	51122	88122	89122
86123	85123	84123	99123	82123	98123		87123	58123	51123	88123	89123
86151	85151	84151	99151	82151	98151	44151	87151	58151	51151	88151	89151
86152	85152	84152	99152	82152	98152	44152	87152	58152	51152	88152	89152
86153	85153	84153	99153	82153	98153	44153	87153	58153	51153	88153	89153

PAINTED METAL WALLPLATES - STANDARD SIZE

PAINTED METAL

Standard Size




	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
4 Blanks (Box Mntg. 3.281") (4B)	86154	85154	84154	99154	82154	98154		87154	58154	51154	88154	89154
5 Blanks (Box Mntg. 3.281") (5B)	86155	85155	84155	99155	82155	98155		87155	58155	51155	88155	89155
6 Blanks (Box Mntg. 3.281") (6B)	86156	85156	84156	99156	82156	98156		87156	58156	51156	88156	89156
7 Blanks (Box Mntg. 3.281") (7B)	86157	85157	84157	99157	82157	98157		87157	58157	51157	88157	89157
8 Blanks (Box Mntg. 3.281") (8B)	86158	85158	84158	99158	82158	98158		87158	58158	51158	88158	89158
9 Blanks (Box Mntg. 3.281") (9B)	86159	85159	84159	99159	82159	98159		87159	58159	51159	88159	89159
10 Blanks (Box Mntg. 3.281") (10B)	86160	85160	84160	99160	82160	98160		87160	58160	51160	88160	89160
Block Duplex/GFI Recept. (SRM)	86401	85401	84401	99401	82401	98401	44401	87401	58401	51401	88401	89401
2 Block Duplex/GFI Recept. (2SRM)	86402	85402	84402	99402	82402	98402	44402	87402	58402	51402	88402	89402
3 Block Duplex/GFI Recept. (3SRM)	86403	85403	84403	99403	82403	98403	44403	87403	58403	51403	88403	89403
4 Block Duplex/GFI Recept. (4SRM)	86404	85404	84404	99404	82404	98404	44404	87404	58404	51404	88404	89404
5 Block Duplex/GFI Recept. (5SRM)	86405	85405	84405	99405	82405	98405	44405	87405	58405	51405	88405	89405
6 Block Duplex/GFI Recept. (6SRM)	86406	85406	84406	99406	82406	98406	44406	87406	58406	51406	88406	89406

PAINTED METAL WALLPLATES - STANDARD SIZE

PAINTED METAL

Standard Size




PAINTED METAL WALLPLATES - STANDARD SIZE


 7 Block Duplex/
GFI Recept.
(7SRM)


 8 Block Duplex/
GFI Recept.
(8SRM)

 9 Block Duplex/
GFI Recept.
(9SRM)

 10 Block Duplex/
GFI Recept.
(10SRM)


 One 5/8" ID Phone
(Box Mntg. 3.281")
(01)


 Two 5/8" ID Phone
(Box Mntg. 3.281")
(02)


 One 5/8" ID Phone
with Metal
Bushing (Box Mntg.
3.281") (61)

 One Phone .5" Phone
w/ .375" ID Grommet
& Mounting Strap
(Device Mntg. 2.375")

 One Phone 1.405"
w/ 1" ID Plastic Bushing
(Box Mntg. 3.281") (71)

 One .875" ID Hole
(Box Mntg. 3.281") (X78)


 One 20A TL Recept.
w/ 1.620" ID hole (3R)

 Two 20A TL Recepts.
w/ 1.620" ID hole (23R)

	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
7 Block Duplex/GFI Recept. (7SRM)	86407	85407	84407	99407	82407	98407	44407	87407	58407	51407	88407	89407
8 Block Duplex/GFI Recept. (8SRM)	86408	85408	84408	99408	82408	98408	44408	87408	58408	51408	88408	89408
9 Block Duplex/GFI Recept. (9SRM)	86409	85409	84409	99409	82409	98409	44409	87409	58409	51409	88409	89409
10 Block Duplex/GFI Recept. (10SRM)	86410	85410	84410	99410	82410	98410	44410	87410	58410	51410	88410	89410
One 5/8" ID Phone (Box Mntg. 3.281") (01)	86201	85201	84201	99201	82201	98201		87201	58201	51201	88201	89201
Two 5/8" ID Phone (Box Mntg. 3.281") (02)	86202	85202	84202	99202	82202	98202		87202	58202	51202	88202	89202
One 5/8" ID Phone with Metal Bushing (Box Mntg. 3.281") (61)	86591	85591	84591	99591	82591	98591		87591	58591	51591	88591	89591
One Phone .5" Phone w/ .375" ID Grommet & Mounting Strap (Device Mntg. 2.375")	86181	85181	84181	99181	82181	98181		87181	58181	51181	88181	89181
One Phone 1.405" w/ 1" ID Plastic Bushing (Box Mntg. 3.281") (71)	86581	85581	84581	99581	82581	98581		87581	58581	51581	88581	89581
One .875" ID Hole (Box Mntg. 3.281") (X78)	86480		84480	99480	82480							
One 20A TL Recept. w/ 1.620" ID hole (3R)	86111	85111	84111	99111	82111	98111		87111	58111	51111	88111	89111
Two 20A TL Recepts. w/ 1.620" ID hole (23R)	86113	85113	84113	99113	82113	98113		87113	58113	51113	88113	89113

PAINTED METAL

Standard Size



One 30A 3 & 4 Wire TL Recept. with 1.730" ID Hole (3330R)

30/50A 3 Wire Range/Dryer Recept. with 2.125" ID Hole (3D)

30/50A 3 Wire Range/Dryer Recept. w/ 2.125" ID Hole 2 gang plate (23D)

30/50A 3 Wire Range/Dryer Recept. with 2.125" ID Hole (N23D)

30/50/60A 3 & 4 Wire Recepts. with 2.480" ID Hole (5R)

30/50A 3 & 4 Wire Range/Dryer Recept. 2.165" ID Hole (5RR)

30/50/60A 4 Wire Recepts. With 2.625" ID Hole (L5R)

30/50/60A 4 Wire Offset Recepts. 2.275" ID Hole (N5RR)

30/50/60A 4 Wire Receptacles 2.255" ID Hole (P5R)

Louver, Horizontal (Device Mntg. 2.375") (LH)

Louver, Vertical (Device Mntg. 2.375") (LV)

2 Louvers (Device Mntg. 2.375") (2LV)


	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
86229	85229	84229	99229	82229	98229			87229	58229	51229	88229	89229
86221	85221	84221	99221	82221	98221			87221	58221	51221	88221	89221
86222	85222	84222	99222	82222	98222			87222	58222	51222	88222	89222
86227	85227	84227	99227	82227	98227			87227	58227	51227	88227	89227
86223	85223	84223	99223	82223	98223			87223	58223	51223	88223	89223
86224	85224	84224	99224	82224	98224			87224	58224	51224	88224	89224
86225	85225	84225	99225	82225	98225			87225	58225	51225	88225	89225
86226	85226	84226	99226	82226	98226			87226	58226	51226	88226	89226
86228	85228	84228	99228	82228	98228			87228	58228	51228	88228	89228
86630	85630	84630	99630	82630	98630	44630	87630	58630	51630	88630	89630	
86631	85631	84631	99631	82631	98631	44631	87631	58631	51631	88631	89631	
86632	85632	84632	99632	82632	98632		87632	58632	51632	88632	89632	

PAINTED METAL WALLPLATES - STANDARD SIZE

PAINTED METAL

Standard Size

PAINTED METAL WALLPLATES - STANDARD SIZE




White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
-----------------------	--------------------	-----------------------	--------------------	-----------------------	--------------------	-------------------------	------------------	-----------------	---------------------	---------------------------	-----------------------------














-  Interchangeable 1 Hole Horizontal (71A)
-  Interchangeable 1 Hole per gang, Horizontal (72A)
-  Interchangeable 2 Holes (71B)
-  Interchangeable 2 Holes per gang (72B)
-  Interchangeable 2 Holes per gang (73B)
-  Interchangeable 3 Holes (71C)
-  Interchangeable 3 Holes per gang (72C)
-  Interchangeable 1 Hole Vertical (71G)
-  Interchangeable 1 Hole Horizontal, 2 Holes (71A-71B)
-  Toggle Switch, Interchangeable 2 Holes (1T-71B)
-  Toggle Switch, Interchangeable 3 Holes (1T-71C)
-  Duplex Recept., Interchangeable 2 Holes (1ODR-71B)

86011X	85011X	84011X	99011X	82011X	98011X		87011X	58011X	51011X	88011X	89011X
86012X	85012X	84012X	99012X	82012X	98012X		87012X	58012X	51012X	88012X	89012X
86021X	85021X	84021X	99021X	82021X	98021X		87021X	58021X	51021X	88021X	89021X
86022X	85022X	84022X	99022X	82022X	98022X		87022X	58022X	51022X	88022X	89022X
86023X	85023X	84023X	99023X	82023X	98023X		87023X	58023X	51023X	88023X	89023X
86031X	85031X	84031X	99031X	82031X	98031X		87031X	58031X	51031X	88031X	89031X
86032X	85032X	84032X	99032X	82032X	98032X		87032X	58032X	51032X	88032X	89032X
86041X	85041X	84041X	99041X	82041X	98041X		87041X	58041X	51041X	88041X	89041X
86052X	85052X	84052X	99052X	82052X	98052X		87052X	58052X	51052X	88052X	89052X
86062X	85062X	84062X	99062X	82062X	98062X		87062X	58062X	51062X	88062X	89062X
86132X	85132X	84132X	99132X	82132X	98132X		87132X	58132X	51132X	88132X	89132X
86142X	85142X	84142X	99142X	82142X	98142X		87142X	58142X	51142X	88142X	89142X

PAINTED METAL

Standard Size



-  Duplex Recept., Interchangeable 3 Holes (10DR-71C)
-  Toggle Switch, Single Recept. (1.405" ID Hole) (1T-10R)
-  Toggle Switch, 5/8" ID Phone (Box Mntg. 3.281") (1T-01)
-  Toggle Switch, Blank (Box Mntg. 3.281") (1T-1B)
-  Toggle Switch, Block Duplex/GFI Receptacle (1T-SRM)
-  Toggle Switch, Duplex Recept. (1T-10DR)
-  Duplex Recept., Blank (Box Mntg. 3.281") (10DR-1B)
-  Duplex Recept., 5/8" ID Phone (Box Mntg. 3.281) (10DR-01)
-  Duplex Recept., Single Recept. (1.405" ID Hole) (10DR-10R)
-  Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM)
-  1 Blank (Box Mntg. 3.281") 20A TL Recept. 1.620" ID Hole (1B-3R)
-  Duplex Recept., 20A TL Recept. (1.620" ID Hole) (10DR-3R)
-  Duplex Recept., 30A Range/Dryer Recept. (2.125" ID Hole) (10DR-3D)


White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished	
86172X	85172X	84172X	99172X	82172X	98172X			87172X	58172X	51172X	88172X	89172X
86512	85512	84512	99512	82512	98512			87512	58512	51512	88512	89512
86472	85472	84472	99472	82472	98472			87472	58472	51472	88472	89472
86522	85522	84522	99522	82522	98522			87522	58522	51522	88522	89522
86432	85432	84432	99432	82432	98432	44432	87432	58432	51432	88432	89432	
86532	85532	84532	99532	82532	98532	44532	87532	58532	51532	88532	89532	
86542	85542	84542	99542	82542	98542		87542	58542	51542	88542	89542	
86582	85582	84582	99582	82582	98582		87582	58582	51582	88582	89582	
86572	85572	84572	99572	82572	98572		87572	58572	51572	88572	89572	
86672	85672	84672	99672	82672	98672	44672	87672	58672	51672	88672	89672	
86360		84360	99360									
86390	85390	84390	99390	82390	98390		87390	58390	51390	88390	89390	
86180	85180	84180	99180	82180	98180		87180	58180	51180	88180	89180	

PAINTED METAL WALLPLATES - STANDARD SIZE

PAINTED METAL

Standard Size

PAINTED METAL WALLPLATES - STANDARD SIZE



White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
-----------------------	--------------------	-----------------------	--------------------	-----------------------	--------------------	-------------------------	------------------	-----------------	---------------------	---------------------------	-----------------------------



Single Recept. (1.405" ID Hole) Blank (Box Mntg. 3.281") (10R-1B)

86552	85552	84552	99552	82552	98552		87552	58552	51552	88552	89552
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



Single Recept. (1.405" ID Hole) Block Duplex/GFI Recept. (10R-SRM)

86442		84442	99442								
-------	--	-------	-------	--	--	--	--	--	--	--	--



Block Duplex/GFI Recept., Blank (Box Mntg. 3.281") (SRM-1B)

86422	85422	84422	99422	82422	98422		87422	58422	51422	88422	89422
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



Toggle Switch, Centered 2 Gang Plate (1T-2G)

86772	85772	84772	99772	82772	98772		87772	58772	51772	88772	89772
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



Duplex Recept., Centered 2 Gang Plate (10DR-2G)

86773	85773	84773	99773	82773	98773		87773	58773	51773	88773	89773
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



Single Recept. (1.405" ID Hole), Centered 2 Gang Plate (10R-2G)

86774	85774	84774	99774	82774	98774		87774	58774	51774	88774	89774
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



5/8" ID Phone (Box Mntg. 3.281) Centered 2 Gang Plate (01-2G)

86775	85775	84775	99775	82775	98775		87775	58775	51775	88775	89775
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



Block Duplex/GFI Recept. Centered 2-Gang Plate (SRM-2G)

86777		84777	99777				87777				
-------	--	-------	-------	--	--	--	-------	--	--	--	--



20A TL Recept. 1.620" ID Hole Centered 2-Gang Plate (3R-2G)

86778		84778	99778								
-------	--	-------	-------	--	--	--	--	--	--	--	--



2 Toggle Switches, Duplex Receptacle (2T-10DR)

86543	85543	84543	99543	82543	98543	44543	87543	58543	51543	88543	89543
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------



2 Toggle Switches, Blank (Box Mntg. 3.281") (2T-1B)

86533	85533	84533	99533	82533	98533		87533	58533	51533	88533	89533
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM)

86443	85443	84443	99443	82443	98443		87443	58443	51443	88443	89443
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------




2 Toggle Switches, Single Recept. (1.405" ID Hole) (2T-10R)

86523			99523		98523						
-------	--	--	-------	--	-------	--	--	--	--	--	--

PAINTED METAL

Standard Size



White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
-----------------------	--------------------	-----------------------	--------------------	-----------------------	--------------------	-------------------------	------------------	-----------------	---------------------	---------------------------	-----------------------------

Toggle Switch, 2 Single Recept. (1.405" ID Hole) (1T-20R)

Toggle Switch, 2 Block Duplex/GFI Recept. (1T-2SRM)

Toggle Switch, 2 Blanks (Box Mntg. 3.281") (1T-2B)

Toggle Switch, 2 Duplex Recept. (1T-20DR)

Toggle Switch, Block Duplex, Duplex Recept. (1T-SRM-10DR)

Duplex Recept., 2 Blanks (Box Mntg. 3.281") (10DR-2B)

Blank (Box Mntg. 3.281"), Toggle Switch, Blank (Box Mntg. 3.281") (1B-1T-1B)

Toggle Switch, Blank (Box Mntg. 3.281") Toggle Switch (1T-1B-1T)

Duplex Recept., Blank (Box Mntg. 3.281"), Duplex Recept. (10DR-1B-10DR)

Blank (Box Mntg. 3.281") Duplex Recept., Blank (Box Mntg. 3.281") (1B-10DR-1B)

Blank (Box Mntg. 3.281") 2 Duplex Recept. (1B-20DR)

Single Recept. (1.405" ID Hole) 2 Recept. (10R-20DR)


Toggle Switch, Blank (Box Mntg. 3.281"), Duplex Recept. (1T-1B-10DR)

86563			99563		98563						
86453	85453	84453	99453	82453	98453		87453	58453	51453	88453	89453
86133	85133	84133	99133	82133	98133		87133	58133	51133	88133	89133
86553	85553	84553	99553	82553	98553		87553	58553	51553	88553	89553
86503	85503	84503	99503	82503	98503		87503	58503	51503	88503	89503
86423	85423	84423	99423	82423	98423		87423	58423	51423	88423	89423
86173			99173		98173						
86433			99433		98433						
86513			99513		98513						89513
86193	85193	84193	99193	82193	98193		87193	58193	51193	88193	89193
86163	85163	84163	99163	82163	98163		87163	58163	51163	88163	89163
86593	85593	84593	99593	82593	98593		87593	58593	51593	88593	89593
86233	85233	84233	99233	82233	98233		87233	58233	51233	88233	89233

PAINTED METAL WALLPLATES - STANDARD SIZE

PAINTED METAL

Standard Size



PAINTED METAL WALLPLATES - STANDARD SIZE

White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
-----------------------	--------------------	-----------------------	--------------------	-----------------------	--------------------	-------------------------	------------------	-----------------	---------------------	---------------------------	-----------------------------



2 Block Duplex/GFI Recept., Blank (Box Mntg. 3.281") (2SRM-1B)

86343		84343	99343								
-------	--	-------	-------	--	--	--	--	--	--	--	--



Block Duplex/GFI, 2 Blanks (Box Mntg. 3.281") (SRM-2B)

86383		84383	99383								
-------	--	-------	-------	--	--	--	--	--	--	--	--



2 Duplex Recept., Block Duplex/GFI Recept. (20DR-SRM)

86673		84673	99673								
-------	--	-------	-------	--	--	--	--	--	--	--	--



Duplex Recept., 2 Block Duplex/GFI Recept. (10DR-2SRM)

86683		84683	99683								
-------	--	-------	-------	--	--	--	--	--	--	--	--



3 Toggle Switches, Duplex Recept. (3T-10DR)

86554	85554	84554	99554	82554	98554	44554	87554	58554	51554	88554	89554
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------



3 Toggle Switches, Block Duplex/GFI Recept. (3T-SRM)

86454	85454	84454	99454	82454	98454		87454	58454	51454	88454	89454
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



Toggle Switch, 3 Block Duplex/GFI Recept. (1T-3SRM)

86654		84654	99654								
-------	--	-------	-------	--	--	--	--	--	--	--	--



3 Toggle Switches, Blank (Box Mntg. 3.281") (3T-1B)

86544	85544	84544	99544	82544	98544		87544	58544	51544	88544	89544
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



2 Toggle Switches, 2 Duplex Recept. (2T-20DR)

86564	85564	84564	99564	82564	98564		87564	58564	51564	88564	89564
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



2 Toggle Switches, 2 Blanks (Box Mntg. 3.281") (2T-2B)

86574	85574	84574	99574	82574	98574		87574	58574	51574	88574	89574
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



Toggle Switch, 3 Duplex Recept. (1T-30DR)

86584	85584	84584	99584	82584	98584		87584	58584	51584	88584	89584
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------



Blank (Box Mntg. 3.281"), 2 Toggle Switches, Blank (Box Mntg. 3.281") (1B-2T-1B)

86374			99374		98374						
-------	--	--	-------	--	-------	--	--	--	--	--	--




2 Duplex, Recept., 2 Blanks (Box Mntg. 3.281") (20DR-2B)

86164	85164	84164	99164	82164	98164		87164	58164	51164	88164	89164
-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------

PAINTED METAL

Standard Size



White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
-----------------------	--------------------	-----------------------	--------------------	-----------------------	--------------------	-------------------------	------------------	-----------------	---------------------	---------------------------	-----------------------------



Blank (Box Mntg. 3.281''), 2 Duplex Recept., Blank (Box Mntg. 3.281'') (1B-20DR-1B)

86194			99194		98194						
86324		84324	99324								
86344		84344	99344								
86384		84384	99384								
86664		84664	99664								
86674		84674	99674								
86684		84684	99684								
86694		84694	99694								
86565	85565	84565	99565	82565	98565		87565	58565	51565	88565	89565
86455		84455	99455								
86465	85465	84465	99465	82465	98465		87465	58465	51465	88465	89465
86555		84555	99555		98555						
86575	85575	84575	99575	82575	98575		87575	58575	51575	88575	89575



3 Block Duplex/GFI Recept., Blank (Box Mntg. 3.281'') (3SRM-1B)



2 Block Duplex/GFI Recept., 2 Blanks (Box Mntg. 3.281'') (2SRM-2B)



Block Duplex/GFI Recept., 3 Blanks (Box Mntg. 3.281'') (SRM-3B)



2 Toggle Switches, 2 Block Duplex/GFI Recept. (2T-2SRM)



3 Duplex Recept., Block Duplex/GFI Recept. (30DR-SRM)



Duplex Recept., 3 Block Duplex/GFI Recept. (10DR-3SRM)



2 Duplex Recept., 2 Block Duplex/GFI Recept. (20DR-2SRM)



4 Toggle Switches, Duplex Recept. (4T-10DR)



3 Toggle Switches, 2 Block Duplex/GFI Recept. (3T-2SRM)



4 Toggle Switches, Block Duplex/GFI Recept., (4T-SRM)



4 Toggle Switches, Blank (Box Mntg. 3.281'') (4T-1B)




3 Toggle Switches, 2 Duplex Recept. (3T-20DR)

PAINTED METAL WALLPLATES - STANDARD SIZE

PAINTED METAL

Standard Size



PAINTED METAL WALLPLATES - STANDARD SIZE



Toggle Switch, 4
Block Duplex/GFI
Recepts.
(1T-4SRM)



2 Toggle Switches,
3 Block Duplex/GFI
Recepts.
(2T-3SRM)



5 Toggle Switches,
Blank (Box Mntg.
3.281") (5T-1B)



5 Toggle Switches,
Block Duplex/GFI
Recept. (5T-SRM)



4 Toggle Switches,
2 Block Duplex/GFI
Recepts.
(4T-2SRM)



Toggle Switch, 5
Block Duplex/GFI
Recepts.
(1T-5SRM)



5 Toggle
Switches, Duplex
(5T-10DR)



4 Toggle Switches,
2 Duplex Recepts.
(4T-20DR)



	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)	Almond Semi-Gloss (ALM)	Black Matte (BL)	Gray Semi-Gloss	Red Semi-Gloss (RA)	Aluminum Semi-Gloss (CDA)	Zinc Coat (AUNF) Unfinished
86655			84655	99655								
86665			84665	99665								
86416				99416		98416						
86476			84476	99476								
86506			84506	99506								
86656			84656	99656								
86576	85576	84576	99576	82576	98576		87576	58576	51576	88576	89576	
86196		84196	99196		98196							

PAINTED METAL

Princess Size



UL Listed unless marked with an asterisk (*)




	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
1-Toggle Switch (1T)	76071	75071	74071	79071	78071	43071	80071
2-Toggle Switch (2T)	76072	75072	74072	79072	78072	43072	80072
3-Toggle Switch (3T)	76073	75073	74073	79073	78073	43073	80073
4-Toggle Switch (4T)	76074	75074	74074	79074	78074		80074
5-Toggle Switch (5T)	76075	75075	74075	79075	78075		80075
6-Toggle Switch (6T)	76076	75076	74076	79076	78076		80076
1-Duplex (10DR)	76101	75101	74101	79101	78101	43101	80101
2-Duplex (20DR)	76102	75102	74102	79102	78102	43102	80102
3-Duplex (30DR)	76103	75103	74103	79103	78103		
4-Duplex (40DR)	76104	75104	74104	79104	78104		
5-Duplex (50DR)	76105	75105	74105	79105	78105		
6-Duplex (60DR)	76106	75106	74106	79106	78106		








PAINTED METAL WALLPLATES - PRINCESS SIZE

PAINTED METAL

Princess Size

PAINTED METAL WALLPLATES - PRINCESS SIZE

















-  1 Single Recept. (1.405") (10R)
-  2 Single Recept. (1.405") (20R)
-  1 Blank with Mounting Strap (Device Mntg. 2.375") (1BDE)
-  2 Blanks with Mounting Straps (Device Mntg. 2.375") (2BDE)
-  3 Blanks with mounting Straps (Device Mntg. 2.375") (3BDE)
-  1 Blank (Box Mntg. 3.281") (1B)
-  2 Blanks (Box Mntg. 3.281") (2B)
-  3 Blanks (Box Mntg. 3.281") (3B)
-  4 Blanks (Box Mntg. 3.281") (4B)
-  5 Blanks (Box Mntg. 3.281") (5B)
-  6 Blanks (Box Mntg. 3.281") (6B)

	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
76091	75091	74091	79091	78091	43091	80091	
76092	75092	74092	79092	78092			
76121	75121	74121	79121	78121			
76122	75122	74122	79122	78122			
76123	75123	74123	79123	78123			
76151	75151	74151	79151	78151	43151	80151	
76152	75152	74152	79152	78152	43152	80152	
76153	75153	74153	79153	78153			
76154	75154	74154	79154	78154			
76155	75155	74155	79155	78155			
76156	75156	74156	79156	78156			

PAINTED METAL

Princess Size




-  Block Duplex/GFI Recept. (SRM)
-  2 Block Duplex/GFI Recept. (2SRM)
-  3 Block Duplex/GFI Recept. (3SRM)
-  4 Block Duplex/GFI Recept. (4SRM)
-  5 Block Duplex/GFI Recept. (5SRM)
-  6 Block Duplex/GFI Recept. (6SRM)
-  One 5/8" ID Phone (Box Mntg. 3.281") (01)
-  Two 5/8" ID Phones (Box Mntg. 3.281") (02)
-  One 5/8" ID Phone with Metal Bushing (Box Mntg. 3.281") (61)
-  One .5" with .375" ID Grommet and Mounting Strap (Device Mntg. 2.375")
-  One Phone 1.405" with 1" ID Plastic Bushing (Box Mntg. 3.281") (71)
-  One 0.875" ID Hole (Box Mntg. 3.281") (X78)
-  One 20A TL Recept. 1.620" ID Hole (3R)

	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
76401	75401	74401	79401	78401	43401	80401	
76402	75402	74402	79402	78402	43402	80402	
76403	75403	74403	79403	78403	43403	80403	
76404	75404	74404	79404	78404		80404	
76405	75405	74405	79405	78405		80405	
76406	75406	74406	79406	78406		80406	
76201	75201	74201	79201	78201		80201	
76202	75202	74202	79202	78202			
76591	75591	74591	79591	78591			
76181	75181	74181	79181	78181			
76581	75581	74581	79581	78581			
76480			79480				
76111	75111	74111	79111	78111			

PAINTED METAL WALLPLATES - PRINCESS SIZE

PAINTED METAL

Princess Size




PAINTED METAL WALLPLATES - PRINCESS SIZE

White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
---------------------------	------------------------	---------------------------	------------------------	------------------------	-------------------------	----------------------

Two 20A TL Recepts. 1.620 ID Hole (23R)	76113	75113	74113	79113	78113	
One 30A 3 & 4 Wire TL Recept. 1.730 ID Hole (3330R)	76229	75229	74229	79229	78229	
30/50A Wire Range/Dryer Recept. 2.125" ID Hole (3D)	76221	75221	74221	79221	78221	
30/50A 3 Wire Range/Dryer Recept. 2.125" ID Hole 2 gang Plate (23D)	76222	75222	74222	79222	78222	
30/50A 3 Wire Range/Dryer Recept. 2.125" ID Hole (N23D)	76227	75227	74227	79227	78227	
30/50/60A 4 Wire Recepts. 2.480" Hole (5R)	76223	75223	74223	79223	78223	
30/50A 3 & 4 Wire Range/Dryer Recept. 2.165" ID Hole (5RR)	76224	75224	74224	79224	78224	
30/50/60A 4 Wire Recepts. with 2.625" ID Hole (L5R)	76225	75225	74225	79225	78225	
30/50/60A 4 Wire Offset Recepts. 2.275" ID Hole (N5RR)	76226	75226	74226	79226	78226	
30/50/60A 4 Wire Recepts. 2.255" ID Hole (P5R)	76228	75228	74228	79228	78228	
Louver, Horizontal (Device Mntg. 2.375") (LH)	76630	75630	74630	79630	78630	
Louver, Vertical (Device Mntg. 2.375") (LV)	76631	75631	74631	79631	78631	
2 Louvers, Vertical (Device Mntg. 2.375") (2LV)	76632	75632	74632	79632	78632	

PAINTED METAL

Princess Size



Interchangeable 1 Hole, Horizontal (71A)




Interchangeable 1 Hole per Gang Horizontal (72A)



Interchangeable 2 Holes, (71B)



Interchangeable 2 Holes per Gang (72B)



Interchangeable 2 Holes per Gang (73B)



Interchangeable 3 Holes, (71C)



Interchangeable 3 Holes per Gang (72C)



Interchangeable 1 Hole, Vertical (71G)



Interchangeable 1 Hole, Horizontal, 2 holes (71A-71B)



Toggle Switch, Interchangeable 2 Holes, (1T-71B)



Toggle Switch, Interchangeable 3 Holes, (1T-71C)



Duplex Recept., Interchangeable 2 Holes, (10DR-71B)




Duplex Recept., Interchangeable 3 Holes, (10DR-71C)

	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
Interchangeable 1 Hole, Horizontal (71A)	76011X	75011X	74011X	79011X	78011X		
Interchangeable 1 Hole per Gang Horizontal (72A)	76012X	75012X	74012X	79012X	78012X		
Interchangeable 2 Holes, (71B)	76021X	75021X	74021X	79021X	78021X		
Interchangeable 2 Holes per Gang (72B)	76022X	75022X	74022X	79022X	78022X		
Interchangeable 2 Holes per Gang (73B)	76023X	75023X	74023X	79023X	78023X		
Interchangeable 3 Holes, (71C)	76031X	75031X	74031X	79031X	78031X		
Interchangeable 3 Holes per Gang (72C)	76032X	75032X	74032X	79032X	78032X		
Interchangeable 1 Hole, Vertical (71G)	76041X	75041X	74041X	79041X	78041X		
Interchangeable 1 Hole, Horizontal, 2 holes (71A-71B)	76052X	75052X	74052X	79052X	78052X		
Toggle Switch, Interchangeable 2 Holes, (1T-71B)	76062X	75062X	74062X	79062X	78062X		
Toggle Switch, Interchangeable 3 Holes, (1T-71C)	76132X	75132X	74132X	79132X	78132X		
Duplex Recept., Interchangeable 2 Holes, (10DR-71B)	76142X	75142X	74142X	79142X	78142X		
Duplex Recept., Interchangeable 3 Holes, (10DR-71C)	76172X	75172X	74172X	79172X	78172X		

PAINTED METAL WALLPLATES - PRINCESS SIZE

PAINTED METAL

Princess Size




PAINTED METAL WALLPLATES - PRINCESS SIZE

White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
---------------------------	------------------------	---------------------------	------------------------	------------------------	-------------------------	----------------------

Toggle Switch, Duplex Recept. (1T-10DR)	76532	75532	74532	79532	78532	43532	80532
Toggle Switch, Single Recept. (1.405" ID Hole) (1T-10R)	76512	75512	74512	79512	78512		
Toggle Switch, 5/8" ID Phone (Box Mntg. 3.281") (1T-01)	76472	75472	74472	79472	78472		
Toggle Switch, Blank (Box Mntg. 3.281") (1T-1B)	76522	75522	74522	79522	78522		
Toggle Block Duplex/GFI Recept. (1T-SRM)	76432	75432	74432	79432	78432	43432	
Duplex Recept., Blank (Box Mntg. 3.281") (10DR-1B)	76542	75542	74542	79542	78542		
Duplex Recept., 5/8" ID Phone (Box Mntg. 3.281") (10DR-01)	76582	75582	74582	79582	78582		
Duplex Recept., Single Recept. (1.405" ID Hole) (10DR-10R)	76572	75572	74572	79572	78572		
Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM)	76672	75672	74672	79672	78672		
One Blank (Box Mntg. 3.281"), 20A TL Recept. 1.620" ID Hole (1B-3R)	76360			79360			
Duplex Recept., 20A TL Recept. (1.620" ID Hole) (10DR-3R)	76390	75390	74390	79390	78390		
Duplex Recept., 30A Range/Dryer Recept. (2.125" ID Hole) (10DR-3D)	76180	75180	74180	79180	78180		
Single Recept., 20A TL Recept. (1.405" ID Hole) Blank (Box Mntg. 3.281") (10R-1B)	76552	75552	74552	79552	78552		

PAINTED METAL

Princess Size



Single Recept. (1.405" ID Hole)
Block Duplex/GFI Recept.
(10R-SRM)



Block Duplex/GFI Recept., Blank
(Box Mntg. 3.281") (SRM-1B)



Toggle Switch, Centered
2 Gang Plate (1T-2G)



Duplex Recept., Centered
2 Gang Plate (10DR-2G)



Single Recept., Centered, 2 Gang
Plate (1.405" ID Hole) (10R-2G)



5/8" ID Phone (Box Mntg. 3.281"),
Centered 2 Gang Plate (01-2G)



Block Duplex/GFI Recept.
Centered 2-Gang Plate
(SRM-2G)



2 Toggle Switches,
Duplex Recept.
(2T-10DR)



2 Toggle Switches, Blank
(Box Mntg. 3.281") (2T-1B)



2 Toggle Switches, Block
Duplex/GFI Recept. (2T-SRM)



Toggle Switch,
2 Block Duplex/GFI
Recepts. (1T-2SRM)



Toggle Switch, 2 Blanks
(Box Mntg. 3.281") (1T-2B)




Toggle Switch,
2 Duplex Recepts.
(1T-20DR)

	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
76442				79442			
76422	75422	74422	79422	78422			
76772	75772	74772	79772	78772			
76773	75773	74773	79773	78773			
76774	75774	74774	79774	78774			
76775	75775	74775	79775	78775			
76777			79777				
76543	75543	74543	79543	78543			80543
76533	75533	74533	79533	78533			
76443	75443	74443	79443	78443	43443		
76453	75453	74453	79453	78453			
76133	75133	74133	79133	78133			
76553	75553	74553	79553	78553			

PAINTED METAL WALLPLATES - PRINCESS SIZE














PAINTED METAL

Princess Size



PAINTED METAL WALLPLATES - PRINCESS SIZE


White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
---------------------------	------------------------	---------------------------	------------------------	------------------------	-------------------------	----------------------

-  Toggle Switch, Block Duplex/GFI Recept., Duplex Recept. (1T-SRM-10DR)
-  Duplex Recept., 2 Blanks (Box Mntg. 3.281") (10DR-2B)
-  Blank (Box Mntg. 3.281"), Duplex Recept., Blank (Box Mntg. 3.281") (1B-10DR-1B)
-  Blank (Box Mntg. 3.281"), 2 Duplex Recepts. (1B-20DR)
-  Single Recept. (1.405" ID Hole) 2 Duplex Recepts. (10R-20DR)
-  Toggle Switch, Blank (Box Mntg. 3.281"), Duplex Recept. (1T-1B-10DR)
-  2 Block Duplex/GFI Recepts., Blank (Box Mntg. 3.281") (2SRM-1B)
-  Block Duplex/GFI Recepts., 2 Blanks (Box Mntg. 3.281") (SRM-2B)
-  2 Duplex Recepts., Block Duplex/GFI Recept. (20DR-SRM)
-  Duplex Recept., 2 Block Duplex/GFI Recepts., (10DR-2SRM)
-  3 Toggle Switches, Duplex Recept. (3T-10DR)
-  3 Toggle Switches, Block Duplex/GFI (3T-SRM)
-  Toggle Switch, 3 Block Duplex/GFI Recepts. (1T-3SRM)

76503	75503	74503	79503	78503		
76423	75423	74423	79423	78423		
76193	75193	74193	79193	78193		
76163	75163	74163	79163	78163		
76593	75593	74593	79593	78593		
76233	75233	74233	79233	78233		
76343			79343			
76383			79383			
76673			79673			
76683			79683			
76554	75554	74554	79554	78554		
76454	75454	74454	79454	78454		
76654			79654			

PAINTED METAL

Princess Size



White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
---------------------------	------------------------	---------------------------	------------------------	------------------------	-------------------------	----------------------



3 Toggle Switches, Blank (Box Mntg. 3.281") (3T-1B)




2 Toggle Switches, 2 Duplex Recept. (2T-20DR)



2 Toggle Switches, 2 Blanks (Box Mntg. 3.281") (2T-2B)



Toggle Switch, 3 Duplex Recept. (1T-30DR)



2 Duplex Recept., 2 Blanks (Box Mntg. 3.281") (20DR-2B)



3 Block Duplex/GFI Recept., Blank (Box Mntg. 3.281") (3SRM-1B)



2 Block Duplex/GFI Recept., 2 Blanks (Box Mntg. 3.281") (2SRM-2B)



Block Duplex/GFI Recept., 3 Blanks (Box Mntg. 3.281") (SRM-3B)




2 Toggle Switches, 2 Block Duplex/GFI Recept. (2T-2SRM)



3 Duplex Recept., Block Duplex/GFI Recept. (30DR-SRM)



Duplex Recept., 3 Block Duplex/GFI Recept. (10DR-3SRM)




2 Duplex Recept., 2 Block Duplex/GFI Recept. (20DR-2SRM)

76544	75544	74544	79544	78544		
76564	75564	74564	79564	78564		
76574	75574	74574	79574	78574		
76584	75584	74584	79584	78584		
76164	75164	74164	79164	78164		
76324			79324			
76344			79344			
76384			79384			
76664			79664			
76674			79674			
76684			79684			
76694			79694			

PAINTED METAL WALLPLATES - PRINCESS SIZE













PAINTED METAL

Princess Size



PAINTED METAL WALLPLATES - PRINCESS SIZE


White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
---------------------------	------------------------	---------------------------	------------------------	------------------------	-------------------------	----------------------

-  4 Toggle Switches, Duplex Recept. (4T-10DR)
-  3 Toggle Switches, 2 Block Duplex/GFI Recepts. (3T-2SRM)
-  4 Toggle Switches, Block Duplex/GFI Recepts. (4T-SRM)
-  4 Toggle Switches, 1 Blank (Box Mtng. 3.281") (4T-1B)
-  3 Toggle Switches, 2 Duplex Recepts. (3T-20DR)
-  Toggle Switch, 4 Block Duplex/GFI Recepts. (1T-4SRM)
-  2 Toggle Switches, 3 Block Duplex/GFI Recept. (2T-3SRM)
-  5 Toggle Switches, Duplex Recept. (5T-10DR)
-  4 Toggle Switches, 2 Duplex Recepts. (4T-20DR)
-  5 Toggle Switches, Block Duplex/GFI Recept. (5T-SRM)
-  4 Toggle Switches, 2 Block Duplex/GFI Recepts. (4T-2SRM)
-  Toggle Switch, 5 Block Duplex/GFI Recepts. (1T-5SRM)


76565	75565	74565	79565	78565		
76455			79455			
76465	75465	74465	79465	78465		
76555			79555			
76575	75575	74575	79575	78575		
76655			79655			
76665			79665			
76576	75576	74576	79576	78576		
76196			79196			
76476			79476			
76506			79506			
76656			79656			

PAINTED METAL

Maxi Plates



PAINTED METAL WALLPLATES - MAXI SIZE



1-Toggle Switch
(1T-MP)



1-Duplex
(10DR-MP)



1 Single Recept.
(1.405") (10R-MP)



1-Blank
(Box Mntg. 3.281")
(1B-MP)



One 5/8" ID Phone
(Box Mntg. 3.281")
(01-MP)



30/50A 3 Wire
Range/Dryer Recept.
2.125" ID Hole (3D-MP)




Block Duplex/GFI
Recept. (SRM-MP)

	White Semi-Gloss (ALM-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DW-PRL)	Brown Wrinkle (DB-PRL)
1-Toggle Switch (1T-MP)	76771	75771	74771	79771	78771
1-Duplex (10DR-MP)	76701	75701	74701	79701	78701
1 Single Recept. (1.405") (10R-MP)	76791	75791	74791	79791	78791
1-Blank (Box Mntg. 3.281") (1B-MP)	76751	75751	74751	79751	78751
One 5/8" ID Phone (Box Mntg. 3.281") (01-MP)	76750	75750	74750	79750	78750
30/50A 3 Wire Range/Dryer Recept. 2.125" ID Hole (3D-MP)	76787	75787	74787	79787	78787
Block Duplex/GFI Recept. (SRM-MP)	76761	75761	74761	79761	78761


*Note: Maxi (oversized) wallplates are only available in 1-gang.
If you require larger gang sizes that also have a Princess shape
(rounded corners), please refer to pages 22 to 32*

PAINTED METAL

Jumbo/Oversize



UL Listed unless marked with an asterisk (*)




White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)
-----------------------	--------------------	-----------------------	--------------------	-----------------------	--------------------

	1 Toggle Switch (1T-SL)	86871	85871	84871	99871	82871	98871
	2 Toggle Switches (2T-SL)	86872	85872	84872	99872	82872	98872
	3 Toggle Switches (3T-SL)	86873	85873	84873	99873	82873	98873
	4 Toggle Switches (4T-SL)	86874	85874	84874	99874	82874	98874
	5 Toggle Switches (5T-SL) 1 Duplex* Receptacle (5T-SL)	86875	85875	84875	99875	82875	98875
	1 Duplex Receptacle (10DR-SL)	86801	85801	84801	99801	82801	98801
	2 Duplex Receptacles (20DR-SL)	86802	85802	84802	99802	82802	98802
	1 Single Recept. (1.405") (10R-SL)	86891	85891	84891	99891	82891	98891
	1 Blank (Box Mntg. 3.281") (1B-SL)	86851	85851	84851	99851	82851	98851
	2 Blanks (Box Mntg. 3.281") (2B-SL)	86852	85852	84852	99852	82852	98852
	3 Blanks (Box Mntg. 3.281") (3B-SL)	86853	85853	84853	99853	82853	98853
	4 Blanks (Box Mntg. 3.281") (4B-SL)	86854		84854	99854		
	5 Blanks (Box Mntg. 3.281") (5B-SL)	86855		84855	99855		

PAINTED METAL WALLPLATES - OVERSIZE

PAINTED METAL

Jumbo/Oversize




White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)
--------------------------	-----------------------	--------------------------	-----------------------	--------------------------	-----------------------

	One 5/8" ID Phone (Box Mntg. 3.281") (01-SL)	86861	85861	84861	99861	82861	98861
	One Phone with .375" ID Grommet and Mounting Strap (Device Mntg. 2.375")	86881	85881	84881	99881	82881	98881
	30/50A 3 Wire Range/ Dryer Recept. 2.125" ID Hole (3D-SL)	86847	85847	84847	99847	82847	98847
	30/50A 3 Wire Range/ Recept. 2.125" ID Hole 2 Gang Plate (23D-SL)	86937	85937	84937	99937	82937	98937
	Block Duplex/GFI Recept. (SRM-SL)	86834	85834	84834	99834	82834	98834
	2 Block Duplex/ GFI Recepts. (2SRM-SL)	86835	85835	84835	99835	82835	98835
	3 Block Duplex/ GFI Recepts. (3SRM-SL)	86836		84836	99836		
	4 Block Duplex/ GFI Recepts. (4SRM-SL)	86837		84837	99837		
	5 Block Duplex/ GFI Recepts. (5SRM-SL)	86838		84838	99838		
	Interchangeable 1 Hole Horizontal (71A-SL)	86911X	85911X	84911X	99911X	82911X	98911X
	Interchangeable 2 Holes Horizontal (71B-SL)	86921X	85921X	84921X	99921X	82921X	98921X
	Interchangeable 3 Holes Horizontal (71C-SL)	86931X	85931X	84931X	99931X	82931X	98931X
	Toggle Switch, Duplex Recept. (1T-10DR-SL)	86832	85832	84832	99832	82832	98832

PAINTED METAL WALLPLATES - OVERSIZE

PAINTED METAL

Jumbo/Oversize



PAINTED METAL WALLPLATES - OVERSIZE



Toggle Switch, Block Duplex/GFI Recept. (1T-SRM-SL)



Duplex Recept., Single Recept. (1.405" ID Hole) (10DR-10R-SL)



Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM-SL)



Toggle Switch, Centered 2 Gang Plate (1T-2G-SL)



Duplex Recept., Centered 2 Gang Plate (10DR-2G-SL)



Single Recept., Centered 2 Gang Plate (1.405" ID Hole) (10R-2G-SL)



Block Duplex/GFI Recept. Centered 2 Gang Plate (SRM-2G-SL)



2 Toggle Switches, Duplex Receptacle (2T-10DR-SL)



2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM-SL)



Toggle Switch, 2 Duplex Recept. (1T-20DR-SL)



3 Toggle Switches, Duplex Recept. (3T-10DR-SL)




3 Toggle Switches, Block Duplex/GFI Recept. (3T-SRM-SL)


White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Semi-Gloss (BK)	Brown Wrinkle (DB)
86865	85865	84865	99865	82865	98865
86842	85842	84842	99842	82842	98842
86862		84862	99862		
86971	85971	84971	99971	82971	98971
86901	85901	84901	99901	82901	98901
86991	85991	84991	99991	82991	98991
86934		84934	99934		
86843	85843	84843	99843	82843	98843
86883	85883	84883	99883	82883	98883
86863	85863	84863	99863	82863	98863
86844	85844	84844	99844	82844	98844
86884		84884	99884		

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size



UL Listed unless marked with an asterisk (*)




Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze-Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
---------------------------------	-------------------------------	--	---	--	---	-----------------------------------	---------------------------------	-------------------------	-------------------------	---------------------------	-----------------------------------

1-Toggle Switch (1T)	83071	95071	93071	68071	70071	97071	69071	65071	94071	96071	66071	64071
2-Toggle Switch (2T)	83072	95072	93072	68072	70072	97072	69072	65072	94072	96072	66072	64072
3-Toggle Switch (3T)	83073	95073	93073	68073	70073	97073	69073	65073	94073	96073	66073	64073
4-Toggle Switch (4T)	83074	95074	93074	68074	70074	97074	69074	65074	94074	96074	66074	64074
5-Toggle Switch (5T)	83075	95075	93075	68075	70075	97075	69075	65075	94075	96075	66075	64075
6-Toggle Switch (6T)	83076	95076	93076	68076	70076	97076	69076	65076	94076	96076	66076	64076
7-Toggle Switch (7T)	83077	95077	93077	68077		97077	69077	65077	94077		66077	64077
8-Toggle Switch (8T)	83078	95078	93078	68078		97078	69078	65078	94078		66078	64078
9-Toggle Switch (9T)	83079	95079	93079	68079		97079	69079	65079	94079		66079	64079
10-Toggle Switch (10T)	83080	95080	93080	68080		97080	69080	65080	94080		66080	64080
1-Duplex Receptacle (10DR)	83101	95101	93101	68101	70101	97101	69101	65101	94101	96101	66101	64101
2-Duplex Receptacles (20DR)	83102	95102	93102	68102	70102	97102	69102	65102	94102	96102	66102	64102


METALLIC WALLPLATES - STANDARD SIZE

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME


Standard Size



METALLIC WALLPLATES - STANDARD SIZE



3-Duplex (30DR)



4-Duplex (40DR)



5-Duplex (50DR)



6-Duplex (60DR)



1-Single Recept.
(1.405") (10R)



2-Single Recept.
(1.405") (20R)



3-Single Recept.
(1.405") (30R)



1-Blank /
Mounting Strap
(Device Mntg. 2.375")
(1BDE)



2-Blank /
Mounting Straps
(Device Mntg. 2.375")
(2BDE)



3-Blank /
Mounting Straps
(Device Mntg. 2.375")
(3BDE)



1-Blank
(Box Mntg. 3.281")
(1B)



2-Blank
(Box Mntg. 3.281")
(2B)




3-Blank
(Box Mntg. 3.281")
(3B)

Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze- Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
------------------------------------	----------------------------------	---	--	---	--	--------------------------------------	-------------------------------------	----------------------------	----------------------------	------------------------------	--------------------------------------

83103	95103	93103	68103	70103	97103	69103	65103	94103	96103	66103	64103
83104	95104	93104	68104	70104	97104	69104	65104	94104	96104	66104	64104
83105	95105	93105	68105	70105	97105	69105	65105	94105	96105	66105	64105
83106	95106	93106	68106	70106	97106	69106	65106	94106	96106	66106	64106
83091	95091	93091	68091	70091	97091	69091	65091	94091	96091	66091	64091
83092	95092	93092	68092	70092	97092	69092	65092	94092	96092	66092	64092
83093	95093	93093	68093	70093	97093	69093	65093	94093	96093	66093	64093
83121	95121	93121	68121	70121	97121	69121	65121	94121	96121	66121	64121
83122	95122	93122	68122	70122	97122	69122	65122	94122	96122	66122	64122
83123	95123	93123	68123	70123	97123	69123	65123	94123	96123	66123	64123
83151	95151	93151	68151	70151	97151	69151	65151	94151	96151	66151	64151
83152	95152	93152	68152	70152	97152	69152	65152	94152	96152	66152	64152
83153	95153	93153	68153	70153	97153	69153	65153	94153	96153	66153	64153

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size



- 4 Blanks (Box Mntg. 3.281") (4B)
- 5 Blanks (Box Mntg. 3.281") (5B)
- 6 Blanks (Box Mntg. 3.281") (6B)
- 7 Blanks (Box Mntg. 3.281") (7B)
- 8 Blanks (Box Mntg. 3.281") (8B)
- 9 Blanks (Box Mntg. 3.281") (9B)
- 10 Blanks (Box Mntg. 3.281") (10B)
- Block Duplex/GFI Recept. (SRM)
- 2 Block Duplex/GFI Recept. (2SRM)
- 3 Block Duplex/GFI Recept. (3SRM)
- 4 Block Duplex/GFI Recept. (4SRM)
- 5 Block Duplex/GFI Recept. (5SRM)
- 6 Block Duplex/GFI Recept. (6SRM)


	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBF)	Bank Bronze-Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
83154	95154	93154	68154	70154	97154	69154	65154	94154	96154	66154	64154	
83155	95155	93155	68155		97155	69155	65155	94155		66155	64155	
83156	95156	93156	68156		97156	69156	65156	94156		66156	64156	
83157	95157	93157	68157		97157	69157	65157	94157		66157	64157	
83158	95158	93158	68158		97158	69158	65158	94158		66158	64158	
83159	95159	93159	68159		97159	69159	65159	94159		66159	64159	
83160	95160	93160	68160		97160	69160	65160	94160		66160	64160	
83401	95401	93401	68401	70401	97401	69401	65401	94401	96401	66401	64401	
83402	95402	93402	68402	70402	97402	69402	65402	94402	96402	66402	64402	
83403	95403	93403	68403	70403	97403	69403	65403	94403	96403	66403	64403	
83404	95404	93404	68404	70404	97404	69404	65404	94404	96404	66404	64404	
83405	95405	93405	68405	70405	97405	69405	65405	94405	96405	66405	64405	
83406	95406	93406	68406	70406	97406	69406	65406	94406	96406	66406	64406	

METALLIC WALLPLATES - STANDARD SIZE

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size

METALLIC WALLPLATES - STANDARD SIZE



Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze-Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
---------------------------------	-------------------------------	--	---	--	---	-----------------------------------	---------------------------------	-------------------------	-------------------------	---------------------------	-----------------------------------



83407	95407	93407	68407		97407	69407	65407	94407		66407	64407
-------	-------	-------	-------	--	-------	-------	-------	-------	--	-------	-------




83408	95408	93408	68408		97408	69408	65408	94408		66408	64408
-------	-------	-------	-------	--	-------	-------	-------	-------	--	-------	-------




83409	95409	93409	68409		97409	69409	65409	94409		66409	64409
-------	-------	-------	-------	--	-------	-------	-------	-------	--	-------	-------




83410	95410	93410	68410		97410	69410	65410	94410		66410	64410
-------	-------	-------	-------	--	-------	-------	-------	-------	--	-------	-------



83201	95201	93201	68201	70201	97201	69201	65201	94201	96201	66201	64201
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------



83202	95202	93202	68202	70202	97202	69202	65202	94202	96202	66202	64202
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------




83591	95591	93591	68591	70591	97591	69591	65591	94591	96591	66591	64591
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------



83181	95181	93181	68181	70181	97181	69181	65181	94181	96181	66181	64181
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------



83581	95581	93581	68581	70581	97581	69581	65581	94581	96581	66581	64581
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------




83111	95111	93111	68111	70111	97111	69111	65111	94111	96111	66111	64111
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------



83113	95113	93113	68113	70113	97113	69113	65113	94113	96113	66113	64113
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size



One 30A 3 & 4 Wire TL Recept. with 1.730" ID Hole (3330R)

30/50A 3 Wire Range/Dryer Recept. with 2.125" ID Hole (3D)

30/50A 3 Wire Range/Dryer Recept. w/ 2.125" ID Hole 2 gang plate (23D)

30/50A 3 Wire Range/Dryer Recept. with 2.125" ID Hole (N23D)

30/50A 3 & 4 Wire Range/Dryer Recept. with 2.1625" (offset) ID Hole (5RR)

30/50/60A 3 & 4 Wire Recepts. with 2.480" ID Hole (5R)

30/50/60A 4 Wire for Leviton 278 & 279 Recepts. 2.625" ID Hole next (L5R)

30/50/60A 4 Wire Offset Recepts. 2.275" ID Hole (N5RR)

30/50/60A 4 Wire Receptacles 2.255" ID Hole (P5R)

Louver, Horizontal (Device Mntg. 2.375") (LH)

Louver, Vertical (Device Mntg. 2.375") (LV)

2 Louvers (Device Mntg. 2.375") (2LV)


Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze-Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
---------------------------------	-------------------------------	--	---	--	---	-----------------------------------	---------------------------------	-------------------------	-------------------------	---------------------------	-----------------------------------

83229	95229	93229	68229	70229	97229	69229	65229	94229	96229	66229	64229
83221	95221	93221	68221	70221	97221	69221	65221	94221	96221	66221	64221
83222	95222	93222	68222	70222	97222	69222	65222	94222	96222	66222	64222
83227	95227	93227	68227	70227	97227	69227	65227	94227	96227	66227	64227
83224	95224	93224		70224	97224	69224	65224	94224	96224	66224	64224
83223	95223	93223	68223	70223	97223	69223	65223	94223	96223	66223	64223
83225	95225	93225	68225	70225	97225	69225	65225	94225	96225	66225	64225
83226	95226	93226	68226	70226	97226	69226	65226	94226	96226	66226	64226
83228	95228	93228	68228	70228	97228	69228	65228	94228	96228	66228	64228
83630	95630	93630	68630		97630	69630	65630	94630		66630	64630
83631	95631	93631	68631		97631	69631	65631	94631		66631	64631
83632	95632	93632	68632		97632	69632	65632	94632		66632	64632

METALLIC WALLPLATES - STANDARD SIZE

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size




METALLIC WALLPLATES - STANDARD SIZE

-  Interchangeable
1 Hole
Horizontal (71A)
-  Interchangeable
1 Hole per gang,
Horizontal (72A)
-  Interchangeable
2 Holes (71B)
-  Interchangeable
2 Holes
per gang (72B)
-  Interchangeable
2 Holes
per gang (73B)
-  Interchangeable
3 Holes (71C)
-  Interchangeable
3 Holes
per gang (72C)
-  Interchangeable
1 Hole Vertical (71G)
-  Interchangeable
1 Hole Horizontal,
2 Holes (71A-71B)
-  Toggle Switch,
Interchangeable
2 Holes (1T-71B)
-  Toggle Switch,
Interchangeable
3 Holes (1T-71C)
-  Duplex Recept.,
Interchangeable
2 Holes (1ODR-71B)

Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze- Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
83011X	95011X	93011X	68011X	70011X	97011X	69011X	65011X	94011X	96011X	66011X	64011X
83012X	95012X	93012X	68012X	70012X	97012X	69012X	65012X	94012X	96012X	66012X	64012X
83021X	95021X	93021X	68021X	70021X	97021X	69021X	65021X	94021X	96021X	66021X	64021X
83022X	95022X	93022X	68022X	70022X	97022X	69022X	65022X	94022X	96022X	66022X	64022X
83023X	95023X	93023X	68023X	70023X	97023X	69023X	65023X	94023X	96023X	66023X	64023X
83031X	95031X	93031X	68031X	70031X	97031X	69031X	65031X	94031X	96031X	66031X	64031X
83032X	95032X	93032X	68032X	70032X	97032X	69032X	65032X	94032X	96032X	66032X	64032X
83041X	95041X	93041X	68041X	70041X	97041X	69041X	65041X	94041X	96041X	66041X	64041X
83052X	95052X	93052X	68052X	70052X	97052X	69052X	65052X	94052X	96052X	66052X	64052X
83062X	95062X	93062X	68062X	70062X	97062X	69062X	65062X	94062X	96062X	66062X	64062X
83132X	95132X	93132X	68132X	70132X	97132X	69132X	65132X	94132X	96132X	66132X	64132X
83142X	95142X	93142X	68142X	70142X	97142X	69142X	65142X	94142X	96142X	66142X	64142X

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size




- Duplex Recept., Interchangeable 3 Holes (10DR-71C)
- Toggle Switch, Single Recept. (1.405" ID Hole) (1T-10R)
- Toggle Switch, 5/8" ID Phone (Box Mntg. 3.281") (1T-01)
- Toggle Switch, Blank (Box Mntg. 3.281") (1T-1B)
- Toggle Switch, Block Duplex/GFI Receptacle (1T-SRM)
- Toggle Switch, Duplex Recept. (1T-10DR)
- Duplex Recept., Blank (Box Mntg. 3.281") (10DR-1B)
- Duplex Recept., 5/8" ID Phone (Box Mntg. 3.281) (10DR-01)
- Duplex Recept., Single Recept. (1.405" ID Hole) (10DR-10R)
- Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM)
- Duplex Recept., 20A TL Recept. (1.620" ID Hole) (10DR-3R)
- Duplex Recept., 30A Range/Dryer Recept. (2.125" ID Hole) (10DR-3D)
- One Blank (Box Mntg. 3.281"), 20A TL Recept. (1.620 ID Hole) (1B-3R)

Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze-Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
83172X	95172X	93172X	68172X	70172X	97172X	69172X	65172X	94172X	96172X	66172X	64172X
83512	95512	93512	68512	70512	97512	69512	65512	94512	96512	66512	64512
83472	95472	93472	68472	70472	97472	69472	65472	94472	96472	66472	64472
83522	95522	93522	68522	70522	97522	69522	65522	94522	96522	66522	64522
83432	95432	93432	68432	70432	97432	69432	65432	94432	96432	66432	64432
83532	95532	93532	68532	70532	97532	69532	65532	94532	96532	66532	64532
83542	95542	93542	68542	70542	97542	69542	65542	94542	96542	66542	64542
83582	95582	93582	68582	70582	97582	69582	65582	94582	96582	66582	64582
83572	95572	93572	68572	70572	97572	69572	65572	94572	96572	66572	64572
83672	95672	93672	68672	70672	97672	69672	65672	94672	96672	66672	64672
83390	95390	93390	68390	70390	97390	69390	65390	94390	96390	66390	64390
83180	95180	93180	68180	70180	97180	69180	65180	94180	96180	66180	64180
		93360			97360						

METALLIC WALLPLATES - STANDARD SIZE

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size



Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze-Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
---------------------------------	-------------------------------	--	---	--	---	-----------------------------------	---------------------------------	-------------------------	-------------------------	---------------------------	-----------------------------------


METALLIC WALLPLATES - STANDARD SIZE

- Single Recept. (1.405" ID Hole) Blank (Box Mntg. 3.281") (10R-1B)
- Block Duplex/GFI Recept., Blank (Box Mntg. 3.281") (SRM-1B)
- Toggle Switch, Centered 2 Gang Plate (1T-2G)
- Duplex Recept., Centered 2 Gang Plate (10DR-2G)
- Single Recept. (1.405" ID Hole), Centered 2 Gang Plate (10R-2G)
- 5/8" ID Phone (Box Mntg. 3.281) Centered 2 Gang Plate (01-2G)
- Block Duplex/GFI Recept., Centered 2 Gang Plate (SRM-2G)
- 2 Toggle Switches, Duplex Receptacle (2T-10DR)
- 2 Toggle Switches, Blank (Box Mntg. 3.281") (2T-1B)
- 2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM)
- Toggle Switch, 2 Block Duplex/GFI Recepts. (1T-2SRM)
- Toggle Switch, 2 Blanks (Box Mntg. 3.281") (1T-2B)
- Toggle Switch, 2 Duplex Recepts. (1T-SRM-10DR)
- Toggle Switch, Block Duplex/GFI Recept., Duplex Recept. (1T-SRM-10DR)

83552	95552	93552	68552	70552	97552	69552	65552	94552	96552	66552	64552
83422	95422	93422	68422	70422	97422	69422	65422	94422	96422	66422	64422
83772	95772	93772	68772	70772	97772	69772	65772	94772	96772	66772	64772
83773	95773	93773	68773	70773	97773	69773	65773	94773	96773	66773	64773
83774	95774	93774	68774	70774	97774	69774	65774	94774	96774	66774	64774
83775	95775	93775	68775	70775	97775	69775	65775	94775	96775	66775	64775
		93777			97777						
83543	95543	93543	68543	70543	97543	69543	65543	94543	96543	66543	64543
83533	95533	93533	68533	70533	97533	69533	65533	94533	96533	66533	64533
83443	95443	93443	68443	70443	97443	69443	65443	94443	96443	66443	64443
83453	95453	93453	68453	70453	97453	69453	65453	94453	96453	66453	64453
83133	95133	93133	68133	70133	97133	69133	65133	94133	96133	66133	64133
83553	95553	93553	68553	70553	97553	69553	65553	94553	96553	66553	64553
83503	95503	93503	68503	70503	97503	69503	65503	94503	96503	66503	64503

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size



Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze-Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
---------------------------------	-------------------------------	--	---	--	---	-----------------------------------	---------------------------------	-------------------------	-------------------------	---------------------------	-----------------------------------

Duplex Recept.,
2 Blanks
(Box Mntg. 3.281")
(10DR-2B)

Blank (Box Mntg. 3.281")
Duplex Recept.,
Blank (Box Mntg. 3.281")
(1B-10DR-1B)

Blank (Box Mntg. 3.281") 2 Duplex
Recepts. (1B-20DR)

Single Recept.
(1.405" ID Hole)
2 Duplex Recepts.
(10R-20DR)

Toggle Switch, Blank
(Box Mntg. 3.281"),
Duplex Recept.
(1T-1B-10DR)

2 Block Duplex/GFI
Recepts., Blank (Box
Mntg. 3.281")
(2SRM-1B)

Block Duplex/GFI
Recepts., 2 Blanks
(Box Mntg. 3.281")
(SRM-2B)

3 Toggle Switches,
Duplex Recept.
(3T-10DR)

3 Toggle Switches,
Block Duplex/GFI
Recept. (3T-SRM)

Toggle Switch, 3 Block
Duplex/GFI Recept.
(1T-3SRM)

3 Toggle Switches,
Blank
(Box Mntg. 3.281")
(3T-1B)

2 Toggle Switches,
2 Duplex Recepts.
(2T-20DR)


2 Toggle Switches,
2 Blanks (Box Mntg.
3.281") (2T-2B)

83423	95423	93423	68423	70423	97423	69423	65423	94423	96423	66423	64423
83193	95193	93193	68193	70193	97193	69193	65193	94193	96193	66193	64193
83163	95163	93163	68163	70163	97163	69163	65163	94163	96163	66163	64163
83593	95593	93593	68593	70593	97593	69593	65593	94593	96593	66593	64593
83233	95233	93233	68233	70233	97233	69233	65233	94233	96233	66233	64233
		93343			97343						
		93383			97383						
83554	95554	93554	68554	70554	97554	69554	65554	94554	96554	66554	64554
83454	95454	93454	68454	70454	97454	69454	65454	94454	96454	66454	64454
		93654			97654						
83544	95544	93544	68544	70544	97544	69544	65544	94544	96544	66544	64544
83564	95564	93564	68564	70564	97564	69564	65564	94564	96564	66564	64564
83574	95574	93574	68574	70574	97574	69574	65574	94574	96574	66574	64574

METALLIC WALLPLATES - STANDARD SIZE

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size



Toggle Switch,
3 Duplex Recepts.
(1T-30DR)



2 Duplex, Recepts.,
2 Blanks (Box Mntg.
3.281") (20DR-2B)



4 Toggle Switches,
Duplex Recept.
(4T-10DR)



4 Toggle Switches,
Block Duplex/GFI
Recept. (4T-SRM)



3 Toggle Switches,
2 Duplex Recepts.
(3T-20DR)



5 Toggle Switches,
Duplex Recept.
(5T-10DR)


Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 304 Mirror .030" (302SP)	Stainless Steel Type 304 Satin .060" (302-6SS)	Stainless Steel Type 430 Satin .030" (SS)	Statuary Bronze-Dark .040" (4DBR)	Bank Bronze-Medium .040" (4ABR)	Satin Brass .040" (4BB)	Satin Brass .060" (6BB)	Satin Bronze .040" (4SBR)	Polished Brass-Mirror .040" (4PB)
83584	95584	93584	68584	70584	97584	69584	65584	94584	96584	66584	64584
83164	95164	93164	68164	70164	97164	69164	65164	94164	96164	66164	64164
83565	95565	93565	68565	70565	97565	69565	65565	94565	96565	66565	64565
83465	95465	93465	68465	70465	97465	69465	65465	94465	96465	66465	64465
83575	95575	93575	68575	70575	97575	69575	65575	94575	96575	66575	64575
83576	95576	93576	68576	70576	97576	69576	65576	94576	96576	66576	64576

STAINLESS STEEL, BRASS, & CHROME













Princess Size



UL Listed unless marked with an asterisk (*)




	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
1-Toggle Switch (1T)	73071	53071	57071	54071	21871	22571
2-Toggle Switch (2T)	73072	53072	57072	54072	21872	22572
3-Toggle Switch (3T)	73073	53073	57073	54073	21873	22573
4-Toggle Switch (4T)	73074	53074	57074	54074		
5-Toggle Switch (5T)	73075	53075	57075	54075		
6-Toggle Switch (6T)	73076	53076	57076	54076		
1-Duplex Receptacle (1ODR)	73101	53101	57101	54101	21801	22501
2-Duplex Receptacle (2ODR)	73102	53102	57102	54102	21802	22502
3-Duplex Receptacle (3ODR)	73103	53103	57103	54103		
4-Duplex Receptacle (4ODR)	73104	53104	57104	54104		
5-Duplex Receptacle (5ODR)	73105	53105	57105	54105		
6-Duplex Receptacle (6ODR)	73106	53106	57106	54106		

-  1-Toggle Switch (1T)
-  2-Toggle Switch (2T)
-  3-Toggle Switch (3T)
-  4-Toggle Switch (4T)
-  5-Toggle Switch (5T)
-  6-Toggle Switch (6T)
-  1-Duplex Receptacle (1ODR)
-  2-Duplex Receptacle (2ODR)
-  3-Duplex Receptacle (3ODR)
-  4-Duplex Receptacle (4ODR)
-  5-Duplex Receptacle (5ODR)
-  6-Duplex Receptacle (6ODR)

METALLIC WALLPLATES - PRINCESS SIZE

STAINLESS STEEL, BRASS, & CHROME

Princess Size














- 1 Single Recept. (1.405") (10R)
- 2 Single Recepts. (1.405") (20R)
- 1 Blank with Mounting Strap (Device Mntg. 2.375") (1BDE)
- 2 Blanks with Mounting Strap (Device Mntg. 2.375") (2BDE)
- 3 Blanks with mounting Strap (Device Mntg. 2.375") (3BDE)
- 1 Blank (Box Mntg. 3.281") (1B)
- 2 Blanks (Box Mntg. 3.281") (2B)
- 3 Blanks (Box Mntg. 3.281") (3B)
- 4 Blanks (Box Mntg. 3.281") (4B)
- 5 Blanks (Box Mntg. 3.281") (5B)
- 6 Blanks (Box Mntg. 3.281") (6B)
- Block Duplex/GFI Recept. (SRM)

	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
73091	53091	57091	54091	21891	22591	
73092	53092	57092	54092			
73121	53121	57121	54121			
73122	53122	57122	54122			
73123	53123	57123	54123			
73151	53151	57151	54151	21851	22551	
73152	53152	57152	54152	21852	22552	
73153	53153	57153	54153			
73154	53154	57154	54154			
73155	53155	57155	54155			
73156	53156	57156	54156			
73401	53401	57401	54401	21835	22535	

STAINLESS STEEL, BRASS, & CHROME

Princess Size




-  2 Block Duplex/GFI Recepts. (2SRM)
-  3 Block Duplex/GFI Recepts. (3SRM)
-  4 Block Duplex/GFI Recepts. (4SRM)
-  5 Block Duplex/GFI Recepts. (5SRM)
-  6 Block Duplex/GFI Recepts. (6SRM)
-  One 5/8" ID Phone (Box Mntg. 3.281") (01)
-  Two 5/8" ID Phones (Box Mntg. 3.281") (02)
-  One 5/8" ID Phone with Metal Bushing (Box Mntg. 3.281") (61)
-  One .5" with .375" ID Grommet and Mounting Strap (Device Mntg. 3.281")
-  One Phone 1.405" with 1" ID Plastic Bushing (Box Mntg. 3.281") (71)

	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
	73402	53402	57402	54402	21836	22536
	73403	53403	57403	54403	21837	22537
	73404	53404	57404	54404		
	73405	53405	57405	54405		
	73406	53406	57406	54406		
	73201	53201	57201	54201		
	73202	53202	57202	54202		
	73591	53591	57591	54591		
	73181	53181	57181	54181		
	73581	53581	57581	54581		

METALLIC WALLPLATES - PRINCESS SIZE

STAINLESS STEEL, BRASS, & CHROME

Princess Size



METALLIC WALLPLATES - STANDARD SIZE



One 20A TL Recept.
1.620" ID Hole (3R)

Two 20A TL Recepts.
1.620" ID Hole
Must Use 3 Gang Plate
(23R)

One 30A 3 & 4 Wire TL
Recept. 1.730" ID Hole
(3330R)

30/50A 3 Wire
Range/Dryer Recept.
2.125" ID Hole (3D)

30/50A 3 Wire Range/Dryer
Recept. 2.125" ID Hole
2 gang Plate (23D)

30/50A 3 Wire
Range/Dryer Recept.
2.125" ID Hole (N23D)

30/50/60A 3 & 4
Wire Recepts.
2.480" ID Hole (5R)

30/50A 3 & 4 Wire Range
Range/Dryer Recept. with
2.165" ID Hole (5RR)

30/50/60A 4 Wire Recepts.
with 2.625" ID Hole (L5R)


30/50/60A 4 Wire Offset
Recepts. 2.275" ID Hole
(N5RR)

30/50/60A 4 Wire
Recepts. 2.255" ID Hole
(P5R)

	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
73111	53111	57111	54111			
73113	53113	57113	54113			
73229	53229	57229	54229			
73221	53221	57221	54221	21825	22525	
73222	53222	57222	54222	21826	22526	
73227	53227	57227	54227			
73223	53223	57223	54223			
73224	53224	57224	54224			
73225	53225	57225	54225			
73226	53226	57226	54226			
73228	53228	57228	54228			

STAINLESS STEEL, BRASS, & CHROME

Princess Size



Louver, Horizontal
(Device Mntg. 2.375") (LH)



Louver, Vertical
(Device Mntg. 2.375") (LV)



2 Louvers
(Device Mntg. 2.375") (2LV)



Interchangeable
1 Hole Horizontal (71A)



Interchangeable
1 Hole per Gang,
Horizontal (72A)



Interchangeable
2 Holes (71B)



Interchangeable
2 Holes
Per Gang (72B)



Interchangeable
2 Holes
Per Gang (73B)



Interchangeable
3 Holes (71C)




Interchangeable
3 Holes
Per Gang (72C)

	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
Louver, Horizontal (Device Mntg. 2.375") (LH)	73630	53630	57630	54630		
Louver, Vertical (Device Mntg. 2.375") (LV)	73631	53631	57631	54631		
2 Louvers (Device Mntg. 2.375") (2LV)	73632	53632	57632	54632		
Interchangeable 1 Hole Horizontal (71A)	73011X	53011X	57011X	54011X		
Interchangeable 1 Hole per Gang, Horizontal (72A)	73012X	53012X	57012X	54012X		
Interchangeable 2 Holes (71B)	73021X	53021X	57021X	54021X		
Interchangeable 2 Holes Per Gang (72B)	73022X	53022X	57022X	54022X		
Interchangeable 2 Holes Per Gang (73B)	73023X	53023X	57023X	54023X		
Interchangeable 3 Holes (71C)	73031X	53031X	57031X	54031X		
Interchangeable 3 Holes Per Gang (72C)	73032X	53032X	57032X	54032X		






METALLIC WALLPLATES - PRINCESS SIZE

STAINLESS STEEL, BRASS, & CHROME

Princess Size




METALLIC WALLPLATES - STANDARD SIZE

-  Interchangeable 1 Hole Vertical (71G)
-  Interchangeable 1 Hole Horizontal, 2 Holes (71A-71B)
-  Toggle Switch, Interchangeable 2 Holes (1T-71B)
-  Toggle Switch, Interchangeable 3 Holes (1T-71C)
-  Duplex Recept., Interchangeable 2 Holes (10DR-71B)
-  Duplex Recept., Interchangeable 3 Holes (10DR-71C)
-  Toggle Switch, Single Recept. (1.405" ID Hole) (1T-10R)
-  Toggle Switch, 5/8" ID Phone (Box Mntg. 3.281") (1T-01)
-  Toggle Switch, Blank (Box Mntg. 3.281") (1T-1B)
-  Toggle Switch, Block Duplex/GFI Recept. (1T-SRM)
-  Toggle Switch, Duplex Recept. (1T-10DR)
-  Duplex Recept., Blank (Box Mntg. 3.281") (10DR-1B)

	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
Interchangeable 1 Hole Vertical (71G)	73041X	53041X	57041X	54041X		
Interchangeable 1 Hole Horizontal, 2 Holes (71A-71B)	73052X	53052X	57052X	54052X		
Toggle Switch, Interchangeable 2 Holes (1T-71B)	73062X	53062X	57062X	54062X		
Toggle Switch, Interchangeable 3 Holes (1T-71C)	73132X	53132X	57132X	54132X		
Duplex Recept., Interchangeable 2 Holes (10DR-71B)	73142X	53142X	57142X	54142X		
Duplex Recept., Interchangeable 3 Holes (10DR-71C)	73172X	53172X	57172X	54172X		
Toggle Switch, Single Recept. (1.405" ID Hole) (1T-10R)	73512	53512	57512	54512		
Toggle Switch, 5/8" ID Phone (Box Mntg. 3.281") (1T-01)	73472	53472	57472	54472		
Toggle Switch, Blank (Box Mntg. 3.281") (1T-1B)	73522	53522	57522	54522		
Toggle Switch, Block Duplex/GFI Recept. (1T-SRM)	73432	53432	57432	54432	21887	22587
Toggle Switch, Duplex Recept. (1T-10DR)	73532	53532	57532	54532	21832	22532
Duplex Recept., Blank (Box Mntg. 3.281") (10DR-1B)	73542	53542	57542	54542		

STAINLESS STEEL, BRASS, & CHROME

Princess Size



Duplex Recept.,
5/8" ID Phone
(Box Mntg. 3.281")
(10DR-01)



Duplex Recept., Single
Recept. (1.405" ID Hole)
(10DR-10R)



Duplex Recept., Block
Duplex/GFI Recept.
(10DR-SRM)



Duplex Recept., 20A
TL Recept. (1.620"
ID Hole) (10DR-3R)



Duplex Recept., 30A
Range/Dryer Recept.
(2.125" ID Hole)
(10DR-3D)



Single Recept.
(1.405" ID Hole) Blank
(Box Mntg. 3.281")
(10R-1B)



Block Duplex/GFI Recept.,
Blank (Box Mntg. 3.281")
(SRM-1B)




Toggle Switch,
Centered 2 Gang Plate
(1T-2G)

Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
73582	53582	57582	54582		
73572	53572	57572	54572		
73672	53672	57672	54672		
73390	53390	57390	54390		
73180	53180	57180	54180		
73552	53552	57552	54552		
73422	53422	57422	54422		
73772	53772	57772	54772		

METALLIC WALLPLATES - PRINCESS SIZE

STAINLESS STEEL, BRASS, & CHROME

Princess Size



METALLIC WALLPLATES - STANDARD SIZE



Duplex Recept.,
Centered 2 Gang
Plate (10DR-2G)



Single Recept. (1.405" ID
Hole), Centered 2 Gang
Plate (10R-2G)



5/8" ID Phone
(Box Mntg. 3.281")
Centered 2 Gang Plate
(01-2G)



2 Toggle Switches,
Duplex Receptacle
(2T-10DR)



2 Toggle Switches, Blank
(Box Mntg. 3.281")
(2T-1B)



2 Toggle Switches, Block
Duplex/GFI Recept.
(2T-SRM)



Toggle Switch, 2 Block
Duplex/GFI Recepts.
(1T-2SRM)



Toggle Switch, 2 Blanks
(Box Mntg. 3.281")
(1T-2B)



Toggle Switch, 2 Duplex
Recepts. (1T-2ODR)





Toggle Switch, Block
Duplex/GFI Recept.,
Duplex (1T-SRM-10DR)

	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
	73773	53773	57773	54773		
	73774	53774	57774	54774		
	73775	53775	57775	54775		
	73543	53543	57543	54543	21843	22543
	73533	53533	57533	54533		
	73443	53443	57443	54443		
	73453	53453	57453	54453		
	73133	53133	57133	54133		
	73553	53553	57553	54553		
	73503	53503	57503	54503		

STAINLESS STEEL, BRASS, & CHROME


Princess Size




Duplex Recept., 2 Blanks
(Box Mntg. 3.281")
(10DR-2B)



Blank (Box Mntg. 3.281")
Duplex Recept., Blank
(Box Mntg. 3.281")
(1B-10DR-1B)



Blank (Box Mntg.
3.281") 2 Duplex
Recepts. (1B-20DR)



Single Recept.
(1.405" ID Hole)
2 Duplex Recepts.
(10R-20DR)



Toggle Switch, Blank
(Box Mntg. 3.281"),
Duplex Recept.
(1T-1B-10DR)



3 Toggle Switches,
Duplex Recept.
(3T-10DR)



3 Toggle Switches, Block
Duplex/GFI Recept.
(3T-SRM)



3 Toggle Switches, Blank
(Box Mntg. 3.281")
(3T-1B)



2 Toggle Switches,
2 Duplex Recepts.
(2T-20DR)




2 Toggle Switches,
2 Blanks (Box Mntg.
3.281") (2T-2B)

	Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
Duplex Recept., 2 Blanks (Box Mntg. 3.281") (10DR-2B)	73423	53423	57423	54423		
Blank (Box Mntg. 3.281") Duplex Recept., Blank (Box Mntg. 3.281") (1B-10DR-1B)	73193	53193	57193	54193		
Blank (Box Mntg. 3.281") 2 Duplex Recepts. (1B-20DR)	73163	53163	57163	54163		
Single Recept. (1.405" ID Hole) 2 Duplex Recepts. (10R-20DR)	73593	53593	57593	54593		
Toggle Switch, Blank (Box Mntg. 3.281"), Duplex Recept. (1T-1B-10DR)	73233	53233	57233	54233		
3 Toggle Switches, Duplex Recept. (3T-10DR)	73554	53554	57554	54554		
3 Toggle Switches, Block Duplex/GFI Recept. (3T-SRM)	73454	53454	57454	54454		
3 Toggle Switches, Blank (Box Mntg. 3.281") (3T-1B)	73544	53544	57544	54544		
2 Toggle Switches, 2 Duplex Recepts. (2T-20DR)	73564	53564	57564	54564		
2 Toggle Switches, 2 Blanks (Box Mntg. 3.281") (2T-2B)	73574	53574	57574	54574		

METALLIC WALLPLATES - PRINCESS SIZE

STAINLESS STEEL, BRASS, & CHROME

Princess Size



METALLIC WALLPLATES - STANDARD SIZE



Toggle Switch, 3 Duplex Recept. (1T-30DR)



2 Duplex, Recept., 2 Blanks (Box Mntg. 3.281") (20DR-2B)



4 Toggle Switches, Duplex Recept. (4T-10DR)



4 Toggle Switches, Block Duplex/GFI Recept., (4T-SRM)



3 Toggle Switches, 2 Duplex Recept. (3T-20DR)




5 Toggle Switches, Duplex Recept. (5T-10DR)

Chrome Plate-Mirror Polish (CA-PRL)	Stainless Steel Type 304 Satin (.030") (302SS-PRL)	Stainless Steel Type 430 Satin (.030") (SS-PRL)	Satin Brass .040" (4BB-PRL)	Polished Brass Plated Steel	Brushed Brass Plated Steel
73584	53584	57584	54584		
73164	53164	57164	54164		
73565	53565	57565	54565		
73465	53465	57465	54465		
73575	53575	57575	54575		
73576	53576	57576	54576		

STAINLESS STEEL & CHROME

Maxi Plates



1-Toggle Switch
(1T-MP)



1- Duplex
(1ODR-MP)



1 Single Recept.
(1.405") (1OR-MP)



1-Blank
(Box Mntg. 3.281")
(1B-MP)



One 5/8" ID Phone
(Box Mntg. 3.281")
(01-MP)



30/50A 3 Wire
Range/Dryer Recept.
2.125" ID Hole (3D-MP)



Block Duplex/GFI
Recept. (SRM-MP)

	Chrome Plated Mirror Polished Steel (CA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
1-Toggle Switch (1T-MP)	73771	53771	57771
1- Duplex (1ODR-MP)	73701	53701	57701
1 Single Recept. (1.405") (1OR-MP)	73791		
1-Blank (Box Mntg. 3.281") (1B-MP)	73751	53751	57751
One 5/8" ID Phone (Box Mntg. 3.281") (01-MP)	73750		
30/50A 3 Wire Range/Dryer Recept. 2.125" ID Hole (3D-MP)	73787		
Block Duplex/GFI Recept. (SRM-MP)	73761	53761	57761

NOTE: Maxi (oversized) wallplates are only available in 1-gang. If you require larger gang sized that also have a Princess shape (rounded corners), please refer to pages 49-58


METALLIC WALLPLATES - MAXI SIZE

STAINLESS STEEL, BRASS, ALUMINUM & CHROME















Jumbo/Oversize



UL Listed unless marked with an asterisk (*)




METALLIC WALLPLATES - OVERSIZE














-  1 Toggle Switch (1T-SL)
-  2 Toggle Switches (2T-SL)
-  3 Toggle Switches (3T-SL)
-  4 Toggle Switches (4T-SL)
-  5 Toggle Switches (5T-SL)
-  1 Duplex Receptacle (10DR-SL)
-  2 Duplex Receptacle (20DR-SL)
-  1 Single Receptacle (10R-SL)
-  1 Blank (Box Mntg. 3.281") (1B-SL)
-  2 Blanks (Box Mntg. 3.281") (2B-SL)
-  3 Blanks (Box Mntg. 3.281") (3B-SL)
-  4 Blanks (Box Mntg. 3.281") (4B-SL)
-  5 Blanks (Box Mntg. 3.281") (5B-SL)
-  One 5/8" ID Phone (Box Mntg. 3.281") (01-SL)

	Chrome Plated Mirror Finish (CA)	Stainless Steel Type 304 Satin (.030")	Satin Brass .040" (4BB)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 430 Satin (.030")	Polished Brass Mirror (0.40") (4PB)
1 Toggle Switch (1T-SL)	83871	93871	94871	95871	97871	64871
2 Toggle Switches (2T-SL)	83872	93872	94872	95872	97872	64872
3 Toggle Switches (3T-SL)	83873	93873	94873	95873	97873	64873
4 Toggle Switches (4T-SL)		93874	94874	95874	97874	
5 Toggle Switches (5T-SL)		93875	94875	95875	97875	
1 Duplex Receptacle (10DR-SL)	83801	93801	94801	95801	97801	64801
2 Duplex Receptacle (20DR-SL)	83802	93802	94802	95802	97802	64802
1 Single Receptacle (10R-SL)	83891	93891	94891	95891	97891	64891
1 Blank (Box Mntg. 3.281") (1B-SL)	83851	93851	94851	95851	97851	64851
2 Blanks (Box Mntg. 3.281") (2B-SL)	83852	93852	94852	95852	97852	64852
3 Blanks (Box Mntg. 3.281") (3B-SL)	83853	93853	94853	95853	97853	64853
4 Blanks (Box Mntg. 3.281") (4B-SL)		93854			97854	
5 Blanks (Box Mntg. 3.281") (5B-SL)		93855			97855	
One 5/8" ID Phone (Box Mntg. 3.281") (01-SL)	83861	93861	94861	95861	97861	64861

STAINLESS STEEL, BRASS, ALUMINUM & CHROME

Jumbo/Oversize




-  One Phone with .375" ID Grommet and Mounting Strap (Device Mntg. 2.375")
-  30/50 A 3 Wire Range/Dryer Recept. 2.125" ID Hole (3D-SL)
-  30/50 A 3 Wire Range/Dryer Recept. 2.125" ID Hole 2 Gang Plate (23D-SL)
-  Block Duplex/GFI Recept. (SRM-SL)
-  2 Block Duplex/GFI Recepts. (2SRM-SL)
-  3 Block Duplex/GFI Recepts. (3SRM-SL)
-  4 Block Duplex/GFI Recepts. (4SRM-SL)
-  5 Block Duplex/GFI Recepts. (5SRM-SL)
-  Interchangeable 1 Hole Horizontal (71A-SL)
-  Interchangeable 2 Holes Horizontal (71B-SL)
-  Interchangeable 3 Holes Horizontal (71C-SL)
-  Toggle Switch, Duplex Recept. (1T-10DR-SL)
-  Toggle Switch, Block Duplex/GFI Recept. (1T-SRM-SL)

	Chrome Plated Mirror Finish (CA)	Stainless Steel Type 304 Satin (.030")	Satin Brass .040" (4BB)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 430 Satin (.030")	Polished Brass Mirror (0.40") (4PB)
83881	93881	94881	95881	97881		
83847	93847	94847	95847	97847		
83937	93937	94937	95937	97937		
83834	93834	94834	95834	97834	64834	
83835	93835	94835	95835	97835	64835	
83836	93836			97836		
		93837		97837		
		93838		97838		
83911X	93911X	94911X	95911X	97911X		
83921X	93921X	94921X	95921X	97921X		
83931X	93931X	94931X	95931X	97931X		
83832	93832	94832	95832	97832	64832	
83865	93865	94865	95865	97865	64865	

METALLIC WALLPLATES - OVERSIZE

STAINLESS STEEL, BRASS, ALUMINUM & CHROME

Jumbo/Oversize



METALLIC WALLPLATES - OVERSIZE



Duplex Recept.,
Single Recept.
(1.405" ID Hole)
(10DR-10R-SL)



Duplex Recept.
Block Duplex/GFI Recept.
(10DR-SRM-SL)



Toggle Switch,
Centered 2 Gang Plate
(1T-2G-SL)



Duplex Recept.,
Centered 2 Gang Plate
(10DR-2G-SL)



Single Recept.,
Centered 2 Gang Plate
(1.405" ID Hole)
(10R-2G-SL)



Block/GFI Recept.
Centered 2 Gang Plate
(SRM-2G-SL)



2 Toggle Switches,
Duplex Receptacle
(2T-10DR-SL)



2 Toggle Switches,
Block Duplex/GFI
Recept. (2T-SRM-SL)



Toggle Switch,
2 Duplex Recepts.
(1T-20DR-SL)



3 Toggle Switches,
Duplex Recept.
(3T-10DR-SL)



3 Toggle Switches,
Block/GFI Recept.
(3T-SRM-SL)

Chrome Plated Mirror Finish (CA)	Stainless Steel Type 304 Satin (.030")	Satin Brass .040" (4BB)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 430 Satin (.030")	Polished Brass Mirror (0.40") (4PB)
--	---	----------------------------	----------------------------------	---	---

83842	93842	94842	95842	97842	64842
	93862			97862	
83971	93971	94971	95971	97971	
83901	93901	94901	95901	97901	
83991	93991	94991	95991	97991	
	93934			97934	
83843	93843	94843	95843	97843	64843
83883	93883	94883	95883	97883	64883
83863	93863	94863	95863	97863	64863
83844	93844	94844	95844	97844	
	93884			97884	

CLASSIC METAL FINISHES

- Choose from 8 vintage wallplate finishes
- U.S. made from the finest steel alloy

Standard Size




**Hammered
Black
215**




**Regal Black
220**



**Regal Gold
222**



**Hammered
Copper
214**



**Regal
Copper
221**

Princess Size



**Polished
Chrome
(plated steel)
217**



**Polished
Brass
(plated steel)
218**





**Brushed
Brass
(plated steel)
225**

NOTE: 1 to 3-gang wall plates with Classic Finishes are also available on POP cards. Consult factory.

CLASSIC METAL FINISHES

Standard Size




WALLPLATES WITH CLASSIC METAL FINISHES

	1-Toggle Switch	21471	21571	22071	22171	22271
	2-Toggle Switches	21472	21572	22072	22172	22272
	3-Toggle Switches	21473	21573	22073	22173	22273
	1-Duplex Receptacle	21401	21501	22001	22101	22201
	2 Duplex Receptacles	21402	21502	22002	22102	22202
	1 Single Recept. (1.405")	21491	21591	22091	22191	22291
	1 Blank (Box Mntg 3.281")	21451	21551	22051	22151	22251
	2 Blanks (Box Mntg 3.281")	21452	21552	22052	22152	22252
	One 1/2" ID Phone/TV (Box Mntg 3.281")	21450	21550	22050	22150	22250
	30/50A 3 Wire Range/ Dryer Recept. 2.125" ID Hole	21425	21525	22025	22125	22225
	30/50A 3 Wire Range/ Dryer Recept. 2.125" ID Hole 2 Gang Plate	21426	21526	22026	22126	22226
	Block Duplex/ GFI Recept.	21435	21535	22035	22135	22235
	2 Block Duplex/ GFI Recepts.	21436	21536	22036	22136	22236
	3 Block Duplex/ GFI Recepts.	21437	21537	22037	22137	22237
	Toggle Switch, Duplex Recept.	21432	21532	22032	22132	22232
	Toggle Switch, Block Duplex/ GFI Recept.	21487	21587	22087	22187	22287
	2 Toggle Switches, Duplex Receptacle	21443	21543	22043	22143	22243

CLASSIC METAL FINISHES

Princess Size



Polished Chrome-Plate-Steel (PCS-PRL)	Polished Brass-Plated Steel (PBS-PRL)	Brushed Brass-Plated Steel (SBS-PRL)
---------------------------------------	---------------------------------------	--------------------------------------

	1-Toggle Switch	21771	21871	22571
	2-Toggle Switches	21772	21872	22572
	3-Toggle Switches	21773	21873	22573
	1-Duplex Receptacle	21701	21801	22501
	2 Duplex Receptacles	21702	21802	22502
	1 Single Recept. (1.405")	21791	21891	22591
	1 Blank (Box Mntg 3.281")	21751	21851	22551
	2 Blanks (Box Mntg 3.281")	21752	21852	22552
	One 1/2" ID Phone/TV (Box Mntg 3.281")	21750	21850	22550
	30/50A 3 Wire Range/ Dryer Recept. 2.125" ID Hole	21725	21825	22525
	30/50A 3 Wire Range/ Dryer Recept. 2.125" ID Hole 2 Gang Plate	21726	21826	22526
	Block Duplex/ GFCI Recept.	21735	21835	22535
	2 Block Duplex/ GFCI Recept.	21736	21836	22536
	3 Block Duplex/ GFCI Recept.	21737	21837	22537
	Toggle Switch, Duplex Recept.	21732	21832	22532
	Toggle Switch, Block Duplex/ GFCI Recept.	21787	21887	22587
	2 Toggle Switches, Duplex Receptacle	21743	21843	22543

WALLPLATES WITH CLASSIC METAL FINISHES

DEEP PLATES

Available in 9/16 and 3/8 inch depths



9/16"

Ideal for use where box extends out from wall. Single gang only, no bevel, 90 degree return.

	White Semi-Gloss (WA)	White Wrinkle (DW)	Ivory Semi-Gloss (IA)	Ivory Wrinkle (DI)	Brown Wrinkle (DB)	Satin Brass .030" (4BB)	Stainless Steel Type 430 Satin .030" (SS)
--	-----------------------	--------------------	-----------------------	--------------------	--------------------	-------------------------	---



1 Toggle Switch (1T-GP)



1 Duplex Receptacle (10DR-GP)



1 Single Receptacle (1.405") (10R-GP)



1 Blank (Box Mntg. 3.281") (1B-GB)

86752	85752	84752	99752	98752	94752	97752
86753	85753	84753	99753	98753	94753	97753
86754	85754	84754	99754	98754	94754	97754
86755	85755	84755	99755	98755	94755	97755



3/8"

Ideal for use where box extends out from wall. With bevel edge. (Custom sizes and openings available; consult factory).



1 Toggle Switch (1T-NGP)



2 Toggle Switches (2T-NGP)



3 Toggle Switches (3T-NGP)



1 Duplex Receptacle (10DR-NGP)



2 Duplex Receptacles (20DR-NGP)



1 Single Receptacle (1.405") (10R-NGP)



1 Blank (Box Mntg. 3.281") (1B-NGP)



2 Blanks (Box Mntg. 3.281") (2B-NGP)



Block Duplex/GFI Recept. (Box Mntg. 3.821") (SRM-BS-NGP)



Toggle Switch, Duplex Receptacle (1T-10DR-NGP)



2 Toggle Switches, Duplex Recept. (2T-10DR-NGP)

86821	85821	84821	99821	98821	94821	97821
86824	85824	84824	99824	98824	94824	97824
86828	85828	84828	99828	98828	94828	97828
86822	85822	84822	99822	98822	94822	97822
86826	85826	84826	99826	98826	94826	97826
86823	85823	84823	99823	98823	94823	97823
86831	85831	84831	99831	98831	94831	97831
86827	85827	84827	99827	98827	94827	97827
86820	85820	84820	99820	98820	94820	97820
86825	85825	84825	99825	98825	94825	97825
86829	85829	84829	99829	98829	94829	97829

NARROW PLATES

Available in 1-1/2, 1-3/4, 2 and 2-1/4 inch widths and in 4-1/2 inches, 6-1/8 and 8-1/8 inch heights.

Ideal for curtain walls, moveable office partitions, trailers, mobile homes, marine installations, narrow door and window mullions.

1 Toggle Switch



1.5 in. width pictured above

	Aluminum-Clear Anodized .040" (4AA)	Stainless Steel Type 302 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
1.5 inches wide (1T-NP15)	95066	93066	97066
1.75 inches wide (1T-NP175)	95067	93067	97067
2 inches wide (1T-NP2)	95068	93068	97068
2.25 inches wide (1T-NP225)	95069	93069	97069

1 Duplex Receptacle




1.75 in. width pictured above

1.75 inches wide (10DR-NP175)	95057	93057	97057
2 inches wide (10DR-NP2)	95058	93058	97058
2.25 inches wide (10DR-NP225)	95059	93059	97059

1 Blank

(Box Mounting 3.281")



2 in. width pictured above

1.5 inches wide (1B-NP15)	95256	93256	97256
1.75 inches wide (1B-NP175)	95257	93257	97257
2 inches wide (1B-NP2)	95258	93258	97258
2.25 inches wide (1B-NP225)	95259	93259	97259

5/8" ID phone opening

(Box Mounting 3.281")



2.25 in. width pictured above

1.5 inches wide (01-NP15)	95246	93246	97246
1.75 inches wide (01-NP175)	95247	93247	97247
2 inches wide (01-NP2)	95248	93248	97248
2.25 inches wide (01-NP225)	95249	93249	97249

Interchangeable 1 Hole vertical

(Device mounting 2.375")
Use 40484 (M1657) mounting strap



1.5 in. width pictured above

1.5 inches wide (71GDE-NP15)	95146	93146	97146
1.75 inches wide (71GDE-NP175)	95147	93147	97147
2 inches wide (71GDE-NP2)	95148	93148	97148
2.25 inches wide (71GDE-NP225)	95149	93149	97149

Interchangeable 1 Hole vertical

(Interchangeable mounting 3.812")
Use 40475 (M1347) mounting strap



1.5 in. width pictured above

1.5 inches wide (71G-NP15)	95136	93136	97136
1.75 inches wide (71G-NP175)	95137	93137	97137
2 inches wide (71G-NP2)	95138	93138	97138
2.25 inches wide (71G-NP225)	95139	93139	97139

NARROW PLATES

Available in 1-1/2, 1-3/4, 2 and 2-1/4 inch widths and in 4-1/2 inches, 6-1/8 and 8-1/8 inch heights.

Ideal for curtain walls, moveable office partitions, trailers, mobile homes, marine installations, narrow door and window mullions.

Aluminum-Clear Anodized (5AA)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
95347	93347	97347
95348	93348	97348
95349	93349	97349

Interchangeable 1 Hole Horizontal
(Interchangeable mounting 3.812")
Use 40476 (M1348) mounting strap



- 1.75 inches wide (71A-NP175)
- 2 inches wide (71A-NP2)
- 2.25 inches wide (71A-NP225)

95167	93167	97167
95168	93168	97168
95169	93169	97169

Interchangeable 2 Hole Horizontal
(Interchangeable mounting 3.812")
Use 40476 (M1348) mounting strap



- 1.75 inches wide (71B-NP175)
- 2 inches wide (71B-NP2)
- 2.25 inches wide (71B-NP225)

95177	93177	97177
95178	93178	97178
95179	93179	97179

Interchangeable 3 Hole Horizontal
(Interchangeable mounting 3.812")
Use 40476 (M1348) mounting strap



- 1.75 inches wide (71C-NP175)
- 2 inches wide (71C-NP2)
- 2.25 inches wide (71C-NP225)

95197	93197	97197
-------	-------	-------

Interchangeable 2 Hole Vertical
(M1652)
6.125 inches high
(Screw holes spaced 4.375" between centers)




- 1.75 inches wide x 6.125" high

Interchangeable 3 Hole Vertical
(M1653)
8.125 inches high
(Screw holes spaced 6.375" between centers)



- 1.75 inches wide x 8.125" high

95237	93237	97237
-------	-------	-------





NOTE: Other finishes available.

Choose the appropriate 2 digit finish from our Wall Plate Color Guide and add the appropriate 3 digit suffix found in the columns below. For mounting straps and grommets, see our Accessories pages.

White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
-----------------------	--------------------	--	---








 3/8" ID Grommet with Mounting Strap (Device mntg. 2.375")	86181	99181	93181	97181
 5/8" ID Hole (Box mntg. 3.281") (01)	86201	99201	93201	97201
 5/8" ID Hole, 2 Gang Plate with Mounting Straps (Device mntg. 2.375") (01-2BDS)	86715	99715	93715	97715
 5/8" ID Hole 2 Gang Plate (Box mntg. 3.281") (01-2BBS)	86705	99705	93705	97705
 1/2" ID Rubber Grommet Split Plate (Box mntg. 3.281")	86421	99421	93421	97421
 1/2" ID Rubber Grommet 2 Gang Split Plate with Mounting Straps (Device mntg. 2.375")	86380	99380	93380	97380
 5/8" ID Metal Grommet (Box mntg. 3.281") (61)	86591	99591	93591	97591
 5/8" ID Metal Grommet 2 Gang Plate (Box mntg. 3.281") (61-2BBS)	86707	99707	93707	97707
 3/4" ID Plastic Bushing (Box mntg. 3.281")	86461	99461	93461	97461
 1" ID Plastic Grommet (Box mntg. 3.281") (71)	86581	99581	93581	97581

White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
-----------------------	--------------------	--	---














-  1" ID Rubber Grommet Split Plate (Box mntg. 3.281")
-  1" ID Rubber Grommet 2 Gang Split Plate (Box mntg. 3.281")
-  1" ID Plastic Grommet 2 Gang Plate (Box mntg. 3.281") (71-2BBS)
-  Square Hole for Plug Type Jack (Device mntg. 2.375") (1W)
-  1/2" Knockout (Actual 0.875" ID) (Box mntg. 3.281") (31)
-  1-1/4" ID Hole for Western Elec. #548A (Device mntg. 2.375") (081)
-  1-1/4" ID Hole for Western Elec. #548A (Box mntg. 3.281") (81)
-  1-1/4" ID Hole for Telephone Jack (1.875 Screw Spacing)
-  1-1/4" ID Hole for Telephone Jack (1.875 Screw Spacing)
-  Cutout for 4 or 6 Wire Modular Connector (.542" x .762") (Box mntg. 3.281") (RJ11)
-  Cutouts for two 4 or 6 Wire Modular Connectors (.542" x .762") (Box mntg. 3.281") (RJ11)
-  Cutouts for three 4 or 6 Wire Modular Connectors (.542" x .762") (Box mntg. 3.281") (RJ11)

86625	99625	93625	97625
86626	99626	93626	97626
86706	99706	93706	97706
86191	99191	93191	97191
86171	99171	93171	97171
86661	99661	93661	97661
86651	99651	93651	97651
86661A	99661A	93661A	97661A
86661B	99661B	93661B	97661B
86467	99467	93467	97467
86468	99468	93468	97468
86469	99469	93469	97469





White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
-----------------------	--------------------	--	---

 Cutouts for four 4 or 6 Wire Modular Connectors (.542" x .762") (Box mntg. 3.281")(RJ11)	86486	99486	93486	97486
 Cutout for one 8 Wire Modular Connector (Cat 5/6) (.580" x .770") (Box mntg. 3.281")(RJ45)	86477	99477	93477	97477
 Cutouts for two 8 Wire Modular Connectors (Cat 5/6) (.580" x .770") (Box mntg. 3.281")(RJ45)	86478	99478	93478	97478
 Cutouts for three 8 Wire Modular Connectors (Cat 5/6) (.580" x .770") (Box mntg. 3.281")(RJ45)	86479	99479	93479	97479
 Cutouts for four 8 Wire Modular Connectors (Cat 5/6) (.580" x .770") (Box mntg. 3.281")(RJ45)	86487	99487	93487	97487
 Cutout for Tandem 8 Wire Modular Connectors (Box mntg. 3.281")	86508	99508	93508	97508
 3/8" ID Hole (Box mntg. 3.281")	86696	99696	93696	97696
 Two 3/8" ID Holes on 1-1/2" Centers (Box mntg. 3.281")	86520	99520	93520	97520
 1/2" ID Hole (Box mntg. 3.281") (21)	86381	99381	93381	97381
 Two 1/2" ID Holes on 1-1/2" Centers (Box mntg. 3.281")	86510	99510	93510	97510
 1/2" "D" Hole for Coaxial Connector (Box mntg. 3.281")	86431	99431	93431	97431

White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
-----------------------	--------------------	--	---

 Two 1/2" "D" Holes on 1-1/2" Centers for Coaxial Connector (Box mntg. 3.281")	86551	99551	93551	97551
 25/32" Hole for Bulkhead Connector (Box mntg. 3.281")	86411	99411	93411	97411
 "D" Hole for Twin Axial Bulkhead Connectors (Box mntg. 3.281")	86475	99475	93475	97475
 "D" Hole for 2 Twin Axial Bulkhead Connectors (Box mntg. 3.281")	86483	99483	93483	97483
 Cutout for 9 Pin Connector (Box mntg. 3.281")	86278	99278	93278	97278
 Cutout for 15 Pin Connector (Box mntg. 3.281")	86308	99308	93308	97308
 Cutout for One RS232 25 Pin Connector (Box mntg. 3.281")	86261	99261	93261	97261
 Cutouts for Two RS232 25 Pin Connectors (Box mntg. 3.281")	86262	99262	93262	97262
 Cutout for One RS232 25 Pin Connector and One 1/2" "D" Hole (Box mntg. 3.281")	86446	99446	93446	97446
 Cutout for One RS232 25 Pin Connector and Two 1/2" "D" Holes (Box mntg. 3.281")	86448	99448	93448	97448
 Cutouts for One RS232 Connector with One 6 Wire Modular Connector (RJ11)	86320	99320	93320	97320
 Cutout for 50 Pin Connector (Box mntg. 3.281") (DB50)	86297	99297	93297	97297
 50 Pair Telco Data Transmission Connector	86466	99466	93466	97466

White Semi-Gloss (WA)	Ivory Wrinkle (DI)	Stainless Steel Type 304 Satin .030" (302SS)	Stainless Steel Type 430 Satin .030" (SS)
-----------------------	--------------------	--	---

-  Cutout for IBM type Data Connector (Box mntg. 3.281")
-  Cutout for IBM type Data Connector (Box mntg. 3.281")
-  Cutout for IBM type Data Connector & 6 Wire Modular Connector (Box mntg. 3.281") (RJ11)
-  Cutout for IBM type Data Connector & Two 6 Wire Modular Connectors (Box mntg. 3.281") (RJ11)

86557	99557	93557	97557
86558	99558	93558	97558
86568	99568	93568	97568
86569	99569	93569	97569



POLYCARBONATE

Standard Size



Listed

Listed unless marked with an asterisk (*)



THERMOPLASTIC WALLPLATES - STANDARD SIZE



1-Toggle Switch (1T)

2-Toggle Switch (2T)

3-Toggle Switch (3T)

4-Toggle Switch (4T)

5-Toggle Switch (5T)

6-Toggle Switch (6T)

1-Duplex Receptacle (10DR)

2-Duplex Receptacles (20DR)

3-Duplex Receptacles (30DR)

4-Duplex Receptacles (40DR)


1 Single Receptacle
(1.405") (10R)

2 Single Receptacles
(1.405") (20R)

	White	Light Almond	Ivory	Red	Brown
1-Toggle Switch (1T)	32071	33071	34071	36071	38071
2-Toggle Switch (2T)	32072	33072	34072	36072	38072
3-Toggle Switch (3T)	32073	33073	34073		
4-Toggle Switch (4T)	32074	33074	34074		
5-Toggle Switch (5T)	32075	33075	34075		
6-Toggle Switch (6T)	32076	33076	34076		
1-Duplex Receptacle (10DR)	32101	33101	34101	36101	38101
2-Duplex Receptacles (20DR)	32102	33102	34102	36102	38102
3-Duplex Receptacles (30DR)	32103	33103	34103		
4-Duplex Receptacles (40DR)	32104				
1 Single Receptacle (1.405") (10R)	32091	33091	34091	36091	
2 Single Receptacles (1.405") (20R)	32092	33092	34092	36092	

POLYCARBONATE

Standard Size



1 Blank
(Box Mntg. 3.281")
(1B)

2 Blank
(Box Mntg. 3.281")
(2B)

3 Blank
(Box Mntg. 3.281")
(3B)

4 Blank
(Box Mntg. 3.281")
(4B)

One 20A TL Receptacle
(1.620" ID Hole) (3R)

30/50A 3 Wire
Range/Dryer Receptacle
(2.125" ID Hole) (3D)

30/50A 3 Wire
Range/Dryer Receptacle
(2.125" ID Hole) (N23D)

30/50/60A
3 Wire Receptacles
(2.625" ID Hole) (L5R)

One 1/2" ID Phone
(Box mntg. 3.281") (21)


White	Light Almond	Ivory	Red	Brown
-------	--------------	-------	-----	-------

32151	33151	34151		38151
32152	33152	34152		38152
32153	33153	34153		
32154				
32111	33111	34111	36111	
32221	33221	34221		
32227	33227	34227		
32225	33225	34225		
32381	33381	34381		

THERMOPLASTIC WALLPLATES - STANDARD SIZE

POLYCARBONATE

Standard Size



THERMOPLASTIC WALLPLATES - STANDARD SIZE



One 5/8" ID Phone
(Box Mntg. 3.281")
(01*)

One Phone 1.405"
w/ 1" ID Plastic Bushing
(Box Mntg. 3.281")(71)*

Block
Duplex/
GFI Recept. (SRM)

2 Block Duplex/
GFI Recept.
(SRM)

3 Block Duplex/
GFI Recept. (SRM)

4 Block Duplex/
GFI Recept. (SRM)

5 Block Duplex/
GFI Recept. (SRM)

6 Block Duplex/
GFI Recept. (SRM)


Toggle Switch,
Duplex Receptacle
(1T-10DR)

White	Light Almond	Ivory	Red	Brown
-------	--------------	-------	-----	-------

32201	33201	34201		
32581	33581	34581		
32401	33401	34401	36401	38401
32402	33402	34402	36402	38402
32403	33403	34403		
32404	33404	34404		
32405	33405	34405		
32406	33406	34406		
32532	33532	34532		

POLYCARBONATE

Standard Size



Duplex Recept., Block Duplex/GFI Recept. (10DR-SRM)

Toggle Switch, Block Duplex/GFI Receptacle (1T-SRM)

Toggle Switch, Blank (Box Mntg. 3.281") (1T-1B)

Duplex Recept., Blank (Box Mntg. 3.281") (10DR-1B)

Block Duplex/GFI Recept., Blank (Box Mntg. 3.281") (SRM-1B)


Duplex Recept., Single Recept. (1.405" ID Hole) (10DR-10R)

Toggle Switch, Single Recept. (1.405" ID Hole) (1T-10R)

Single Recept. (1.405" ID Hole) Blank (Box Mntg. 3.281") (10R-1B)

Single Recept. (1.405" ID Hole) Block Duplex/GFI Recept. (10R-SRM)

2 Toggle Switches, Duplex Receptacle (2t-10DR)





	White	Light Almond	Ivory	Red	Brown
32672	33672	34672	36672		
32432	33432	34432	36432		
32522	33522	34522			
32542	33542	34542			
32422	33422	34422			
32572	33572	34572			
32512	33512	34512	36512		
32552	33552	34552			
32442	33442	34442	36442		
32543	33543	34543			

THERMOPLASTIC WALLPLATES - STANDARD SIZE


POLYCARBONATE

Standard Size

TERMOPLASTIC WALLPLATES - STANDARD SIZE




- Toggle Switch, 2 Block Duplex/GFI Recept. (1T-2SRM)
- 2 Toggle Switches, Block Duplex/GFI Recept. (2T-SRM)
- 2 Duplex Recept., Block Duplex/GFI Recept. (2ODR-SRM)
- 3 Duplex Recept., Block Duplex/GFI Recept. (3ODR-SRM)
- Duplex Recept., 2 Block Duplex/GFI Recept., (1ODR-2SRM)
- 3 Toggle Switches, Block Duplex/GFI Recept. (3T-SRM)
- Toggle Switch, 3 Block Duplex/GFI Recept. (1T-3SRM)
- 2 Toggle Switches, 2 Block Duplex/GFI Recept. (2T-2SRM)
- 4 Toggle Switches, Block Duplex/GFI Recept. (4T-SRM)



	White	Light Almond	Ivory	Red	Brown
32453	33453	34453			
32443	33443	34443			
32673	33673	34673			
32674					
32683	33683	34683			
32454	33454	34454			
32654	33654	34654			
32664	33664	34664			
32465	33465	34465			

POLYCARBONATE

Midi Size



- 1-Toggle Switch (1T-MIDI)
- 2-Toggle Switch (2T-MIDI)
- 3-Toggle Switch (3T-MIDI)
- 4-Toggle Switch (4T-MIDI)
- 1-Duplex Receptacle (1ODR-MIDI)
- 2-Duplex Receptacles (2ODR-MIDI)
- Block Duplex/
GFI Recept. (SRM-MIDI)
- 2 Block Duplex/
GFI Recept. (SRM-MIDI)
- 3 Block Duplex/
GFI Recept. (SRM-MIDI)
- 4 Block Duplex/
GFI Recept. (SRM-MIDI)
- 1 Blank
(Box Mntg. 3.281")
(1B-MIDI)


White	Light Almond	Ivory
-------	--------------	-------

	White	Light Almond	Ivory
1-Toggle Switch (1T-MIDI)	32871	33871	34871
2-Toggle Switch (2T-MIDI)	32872	33872	34872
3-Toggle Switch (3T-MIDI)	32873	33873	34873
4-Toggle Switch (4T-MIDI)	32874	33874	34874
1-Duplex Receptacle (1ODR-MIDI)	32801	33801	34801
2-Duplex Receptacles (2ODR-MIDI)	32802	33802	34802
Block Duplex/ GFI Recept. (SRM-MIDI)	32834	33834	34834
2 Block Duplex/ GFI Recept. (SRM-MIDI)	32835	33835	34835
3 Block Duplex/ GFI Recept. (SRM-MIDI)	32836	33836	34836
4 Block Duplex/ GFI Recept. (SRM-MIDI)	32837	33837	34837
1 Blank (Box Mntg. 3.281") (1B-MIDI)	32851	33851	34851

THERMOPLASTIC WALLPLATES - MIDI SIZE

POLYCARBONATE

Midi Size



White	Light Almond	Ivory
-------	--------------	-------



- 2 Blank
(Box Mntg. 3.281")
(2B-MIDI)
- 1 Single Receptacle
(1.405") (1B-MIDI)
- Toggle Switch,
Duplex Receptacle
(1T-10DR-MIDI)
- Toggle Switch, Block
Duplex/GFI Receptacle
(1T-SRM-MIDI)
- Duplex Recept., Block
Duplex/GFI Recept.
(10DR-SRM-MIDI)
- 2 Toggle Switches,
Block Duplex/GFI Recept.
(2T-SRM-MIDI)

32852	33852	34852
32891	33891	34891
32832	33832	34832
32865	33865	34865
32862	33862	34862
32883	33883	34883

THERMOPLASTIC WALLPLATES - MIDI SIZE

POLYCARBONATE






Standard Size — Decorator Screwless Wall Plates



- Provides a clean, seamless look.
- Available in White or Light Almond from 1 to 5-gang.
- Two-piece screwless wall plate and sub plate allow for quick and easy installation.
- An extra 1/8 inch in width and height than standard size wall plates (helps cover any wall imperfections).

White	Light Almond
-------	--------------




-  1 Gang Screwless Wall Plate
Block Duplex/GFI Recept.
-  2 Gang Screwless Wall Plate
Block Duplex/GFI Recepts.
-  3 Gang Screwless Wall Plate
Block Duplex/GFI Recepts.
-  4 Gang Screwless Wall Plate
Block Duplex/GFI Recepts.
-  5 Gang Screwless Wall Plate
Block Duplex/GFI Recepts.

35401	37401
35402	37402
35403	37403
35404	37404
35405	37405

THERMOPLASTIC WALLPLATES - SCREWLESS

EMERGENCY, OIL & GAS BURNER, GFCI, ISOLATED GROUND

Plates & Covers



EMERGENCY, OIL & GAS BURNER PLATES

OIL BURNER

GAS BURNER



Description	Cat. No.
1-Gang Oil Burner Wall Plate (Red with Silk Screened white letters) (SO)	41001
2-Gang Oil Burner Wall Plate (Red with Silk Screened white letters) (2SO)	41002
3-Gang Oil Burner Wall Plate (Red with Silk Screened white letters) (3SO)	41003
4-Gang Oil Burner Wall Plate (Red with Silk Screened white letters) (4SO)	41015
1-Gang Oversize Oil Burner Wall Plate (Red with Silk Screened white letters) (SO-SL)	41004
Utility/Handy Box Oil Burner Cover (Red with Silk Screened white letters) (UO)	41005
4 Inch Square Oil Burner Cover raised 1/2 inch (Red with Silk Screened white letters)(190)	41006



Description	Cat. No.
1-Gang Gas Burner Wall Plate (Red with Silk Screened white letters) (SG)	41020
2-Gang Gas Burner Wall Plate (Red with Silk Screened white letters) (2SG)	41021
3-Gang Gas Burner Wall Plate (Red with Silk Screened white letters) (3SG)	41022
4-Gang Gas Burner Wall Plate (Red with Silk Screened white letters) (4SG)	41017
1-Gang Oversize Gas Burner Wall Plate (Red with Silk Screened white letters) (SO-SL)	41023
Utility/Handy Box Gas Burner Cover (Red with Silk Screened white letters) (UG)	41024
4 Inch Square Gas Burner Cover raised 1/2 inch (Red with Silk Screened white letters)	41025

EMERGENCY, OIL & GAS BURNER, GFCI, ISOLATED GROUND

Plates & Covers

OIL BURNER



Description	Cat. No.
4 Inch Square Oil Burner Cover raised 1/2 inch (Red with Silk Screened white letters) (1920)	41009
3.5 Inch Round Oil Burner Cover (Red with Silk Screened white letters) (30C)	41011
4 Inch Round Oil Burner Cover (Red with Silk Screened white letters) (40C)	41012



GAS BURNER



Description	Cat. No.
4 Inch Square Gas Burner Cover raised 1/2 inch (Red with Silk Screened white letters) (192G)	41026
3.5 Inch Round Gas Burner Cover (Red with Silk Screened white letters) (3GC)	41027
4 Inch Round Gas Burner Cover (Red with Silk Screened white letters) (4GC)	41028



Material, Lettering	Red Painted Metal	Red Thermo-Plastic	Type 302 .030 SS
	White 1/4" Silk Screening	White 1/4" Silk Screening	Painted Red White Fill 1/4" Engraving
Opening, Text			
1-Gang Wall Plate, Toggle opening, "Emergency Switch/On-Off"	41052		
Utility/Handy Box Toggle Switch "Emergency Switch/On-Off"	41055		
1-Gang Wall Plate, Toggle opening, "Emergency"		42071	41241
2-Gang Wall Plate, Toggle opening, "Emergency"	41056	42072	41243
1-Gang Wall Plate, Duplex opening, "Emergency"	41057	42101	41240


Material, Lettering	Red Painted Metal	Red Thermo-Plastic	Type 302 .030 SS
	White 1/4" Silk Screening	White 1/4" Silk Screening	Painted Red White Fill 1/4" Engraving
Opening, Text			
2-Gang Wall Plate, 2 Duplex openings, "Emergency"	41058	42102	41242
1-Gang Wall Plate, Single receptacle opening "Emergency"	41059	42091	41245
1-Gang Wall Plate, Block Duplex/GFI receptacle opening, "Emergency"		42035	41244
2-Gang Wall Plate, 2 Block Duplex/GFI receptacle openings, "Emergency"		42036	

EMERGENCY, OIL & GAS BURNER PLATES

EMERGENCY, GFCI, ISOLATED GROUND

Plates & Covers

EMERGENCY, OIL & GAS BURNER PLATES



Material, Lettering	Yellow #13655 Federal Color Std. 595A	Type 304 .030 SS	Type 304 .030 SS	Type 304 .030 SS	Type 304 .030 SS	Ivory Thermo-Plastic
Opening, Text	Black 1/4" Silk Screening	Black 1/4" Silk Screening	Red 1/4" Silk Screening	Red Fill 1/4" Engraving	Black Fill 1/4" Engraving	Black 1/4" Silk Screening
1-Gang Wall Plate, Toggle opening, "Emergency Switch/On-Off"	41110					
1-Gang Wall Plate, Toggle opening, "Emergency/On-Off"		41113	41112			
1-Gang Wall Plate, Toggle opening, "Emergency"				41211		
2-Gang Wall Plate, 2 Toggle openings, "Emergency"		41114		41213		
1-Gang Wall Plate, Duplex opening, "Emergency"	41101	41117	41116	41210		
Horizontal Duplex				41217		
2-Gang Wall Plate, 2 Duplex openings, "Emergency"	41102	41118	41115	41212		
1-Gang Wall Plate, Single receptacle opening, "Emergency"				41215		
1-Gang Wall Plate, Block Duplex/GFI receptacle opening, "Emergency"				41214		
2-Gang Wall Plate, Block Duplex/GFI receptacle openings, "Emergency"				41216		
1-Gang Wall Plate, Duplex opening, "GFCI Protected"		41137			41220	42112
1-Gang Wall Plate, Block Duplex/GFI receptacle opening, "GFCI Protected"		41134			41224	42111
1-Gang Wall Plate, Duplex opening, "Isolated Ground"					41231	
1-Gang Wall Plate, Single Receptacle opening, "Isolated Ground"					41235	
1-Gang Wall Plate, Block Duplex/GFI opening, "Isolated Ground"					41234	

RECESSED WALLPLATES

FOR FLUSH-TO-THE-WALL APPLICATIONS



RECESSED WALLPLATES

Home Entertainment Covers

Ideal for wall mounted flat panel televisions. Easily mounts to a 1 or 2-gang plastic or metal outlet box. Receptacles and connectors included



Plug-In Receptacle

Size **1-gang**
 Components **15 amp plug-in receptacle**
 Smooth White **40550**
 Smooth Ivory **40555**
 Stainless Steel **40560**




F-Connector*

Size **2-gang**
 Components **15 amp plug-in receptacle
 F-Type Connector**
 Smooth White **40551**
 Smooth Ivory **40556**
 Stainless Steel **40561**



HDMI

Size **1-gang**
 Components **HDMI, female/female**
 Smooth White **40565**
 Smooth Ivory **40568**
 Stainless Steel **40571**



HDMI*

Size **2-gang**
 Components **15 amp plug-in receptacle
 HDMI, female/female**
 Smooth White **40566**
 Smooth Ivory **40569**
 Stainless Steel **40572**



Cat 6 and F-Connector*

Size **2-gang**
 Components **15 amp plug-in receptacle
 Cat 6 and F-Type Connector**
 Smooth White **40552**
 Smooth Ivory **40557**
 Stainless Steel **40562**



HDMI (not recessed)

Size **1-gang**
 Components **HDMI, female/female**
 Smooth White **86458**
 Smooth Ivory **84458**
 Stainless Steel **97458**



Cat 6 Connectors*

Size **2-gang**
 Components **15 amp plug-in receptacle
 Two (2) Cat 6 Connectors**
 Smooth White **40553**
 Smooth Ivory **40558**
 Stainless Steel **40563**




1.375" Opening*

Size **2-gang**
 Components **15 amp plug-in receptacle
 1.375 Feed-Thru Opening**
 Smooth White **40567**
 Smooth Ivory **40570**
 Stainless Steel **40573**



Plug-In Receptacles*

Size **1-gang**
 Components **(2) 15 amp plug-in receptacles**
 Smooth White **40574**
 Smooth Ivory **40576**
 Stainless Steel **40578**



ACCESSORIES

Standard Clock Hanger



Hang electric clocks from a recessed 1-gang wall plate that comes with a UL Listed single receptacle. Receptacle has three lead wires, each 6 inches in length, and is rated at 15 amps at 125 volts. Comes with a sturdy clock hanger hook.

Painted Steel


White Semi-Gloss	White Wrinkle	Ivory Semi-Gloss	Ivory Wrinkle	Brown Wrinkle	Aluminum
Painted Steel	Painted Steel	Painted Steel	Painted Steel	Painted Steel	Painted Steel
(3WIHPWA)	(3WIHPDW)	(3WIHPA)	(3WIHPDI)	(3WIHPDB)	(3WIHPSL)
40582	40583	40581	40585	40584	40586

For related items, see Page 83.

Stainless Steel, Aluminum, Chrome, Brass & Bronze

304 Type Stainless Steel	430 Type Stainless Steel	Aluminum	Chrome Plated	Solid Brass
Satin Finish (3WIHP302SS)	Satin Finish (3WIHPSS)	Clear Anodized (3WIHP4AA)	Steel Polished (3WIHP4CA)	Satin Finish US#4 (3WIHP4BB)
40591	40590	40588	40589	40592

Energy-Saving Insulating Gaskets



Comply With Current Code Requirements

Mulberry's energy saving gaskets prevent the loss of heat and cold through outlets and switches located on outside walls. Constructed of UL Listed cross-link, close cell polyethylene insulating foam, they are available for single gang switch and duplex receptacles. UL Listed as fire-retardant. Easy to install, they can be ganged by trimming or overlapping.



40671

1 Toggle Switch



40601

1 Duplex Receptacle



40635

1 GFI Receptacle

Box: 50 Carton: 500

ACCESSORIES

Black Nylon Telephone Bushings



Catalog No.	Fits Hole Size	Inside Dia.
40447	.500"	.375"
40448	.625"	.500"
40449	.875"	.750"
40450	1.375"	1.000"

Black Vinyl Telephone Bushings



Catalog No.	Fits Hole Size	Inside Dia.
40451	.375"	.250"
40452	.500"	.375"
40453	.625"	.500"
40454	.875"	.750"
40455	1.375"	1.000"

Pilot Light Jewels (Bull's Eyes)

Round Fits Single Receptacle Hole (1.375" - 1.405" diam.)



Catalog No.	Color
40540 (RBA)	Amber
40541 (RBG)	Green
40542 (RBR)	Red
40543 (RBW)	White

Rectangular Fits Toggle Switch Hole (.406" x .925")



Catalog No.	Color
40546 (TBA)	Amber
40547 (TBG)	Green
40548 (TBR)	Red
40549 (TBW)	White

Mounting Straps



40481



40475



40484



40487

Catalog No.
40481 (Y40)
40480 (AYP)
40475 (M1347)

Catalog No.
40484 (M1657)
40487 (M1663)

Replacement Gaskets



1 gang switch



1 gang blank



1 gang single receptacle



1 gang telephone



1 gang duplex receptacle



1 gang duplex skeleton (for GFI receptacles)



1 gang louver

USE



30671

USE



30661



2 gang blank



2 gang switch



2 gang duplex receptacle



2 gang single receptacle



2 gang, 1 switch & 1 duplex receptacle



2 gang, 1 single & 1 duplex receptacle




3 gang switch




3 gang blank

USE



30672

USE



30673

ACCESSORIES

Screws

Standard Slotted 6-32 Oval Head



- Almond Semi-Gloss (Painted Steel) (ALM)
- Black Matte (Painted Steel) (BK)
- Brass (Solid-Spec. Grade)
- Brass (Plated Steel) (BS)
- Bronze - US #10 Solid-Spec. Grade (BZS)
- Brown Semi-Gloss (Painted Steel) (DB)
- Nickel (Plated Steel)
- Ivory Semi-Gloss (Painted Steel) (DI)
- Red Semi-Gloss (Painted Steel) (RS)
- White Semi-Gloss (Painted Steel) (WS)
- Stainless Steel (Type 304 Spec. Grade non-magnetic) (XS)

	5/16"	1/2"	1"	1-1/2"	2"
		40226			
40207		40229	40236	40246	40256
40208		40227			
40201		40220	40230	40240	40250
		40228			
40203		40222	40232	40242	40252
40202		40221	40231	40241	40251
40204		40223	40233	40243	40253
		40218			
40205		40224	40234	40244	40254
40206		40225	40235		

Plastic Slotted 6-32 Oval Head



- Brown
- Ivory
- White

	5/16"	1/2"	1"	1-1/2"	2"
--	--	40294	--	--	--
--	--	40295	--	--	--
--	--	40296	--	--	--

Spanner Head Tamperproof 6-32 Oval Head



- Brass (Solid-Spec. Grade) (SBS)
- Bronze (US#10 Solid-Spec. Grade) (SBZS)
- Nickel (Plated Steel)

	1/2"	1"	1-1/2"	2"
	40260	40305	40270	40275
	40262	40306	40272	40277
	40261	40304	40271	40276

Rosette Head 6-32


Screwdrivers



40299

Spanner Head (SSD)

Ceiling Outlet Blankup Canopies



40482
Fixture Canopy Crossbar
with Ground Screw

	Ivory Semi-Gloss Painted Steel (IA)	White Semi-Gloss Painted Steel (WA)	Sprayed Brass Matte Painted Steel (BA)	Aluminum (.040") Satin Finish (SAL)	Stainless Steel (Type 430) Satin Finish (SS)
Flat .15" deep – 5" diameter Two 8-32 x 7/8" screws, screw holes – 3-1/2" cc (Fits 4" Round Box)		40430			40428
Flat .15" deep – 5" diameter Two 8-32 x 7/8" screws, screw holes – 2-3/4" cc (Fits 3-1/4" Round Box)		40431			40429
Flat .15" deep – 5" diameter Screw Hole in Center (Fits 3-1/4" and 4" Round Box). Supplied with universal strap and 3 screws		40435			
Standard 1.875" deep – 5" diameter With Kit* (K5) <small>*Kit includes 1/8" x 2" plated nipple, 1/8" nut and matching canopy and knob</small>	40416	40418	40415	40417	
Shallow 1.375" deep – 5" diameter With Kit* (KSS) <small>*Kit includes 1/8" x 2" plated nipple, 1/8" nut and matching canopy and knob</small>	40402	40404	40401	40403	
Modern .75" deep – 5" diameter With Kit* (K4M) <small>*Kit includes 1/8" x 2" plated nipple, 1/8" nut and matching canopy and knob</small>	40409	40411	40408	40410	
Oversize 1.625" deep – 5" diameter With Kit* (K5M) <small>*Kit includes 1/8" x 2" plated nipple, 1/8" nut and matching canopy and knob</small>	40423	40425	40422	40424	
Plastic Knobs (painted) Threaded for 1/8" pipe	40443	40442	40441	40445	

ACCESSORIES

Lockout Bracket



Lockout Bracket with 304-type stainless steel wallplate

Cat. No. 40483

Ideal for any application where it is necessary to prevent unauthorized use of a toggle switch. Turn lockout bracket with identification letter 'T' upright to prevent turn on; turn upside down to prevent turn off. Can be used with any standard toggle wallplate and toggle switch.



Lockout Bracket Kit with bracket made of 304 stainless steel, two tamperproof screws and spanner bit.

Cat. No. 40486

Switch Guard



Wallplate not included

Cat. No. 40460


Switch Guard mounts right over a standard toggle switch and can protect against accidental turn on or turn off. Made of 304-type stainless steel.

ORDERING INSTRUCTIONS FOR CUSTOM PLATES

- Standard and Princess
- Jumbo/Oversize
- Maxi
- Narrow
- Special Sizes

Custom Standard, Princess, Maxi, Jumbo or Narrow Size Plates

Example: 5 Gang Standard Size Wallplate with Toggle/Louver/Single Receptacle/Blank/Dryer Openings made of Satin Brass



Step 1: Select Wallplate Finish

Find the wallplate finish in our Material Specification Table on Pages A9 and A10. (Custom colors are also available; consult factory.)

	Finish	Shape	Thickness	US Bureau of Standards Symbols	Finish Designator
Satin Brass (4BB)	Satin #4 Polish	S	.40	US #4	94000

Step 2: Select the Gang Size Suffix

Gang Size	Standard Size 4.5 in. high	Princess Size 5.0 in. high	Maxi Size 5.0 in. high	Jumbo Size 5.5 in. high	Narrow Size	
	Suffix	Suffix	Suffix	Suffix	Dimensions	Suffix
1-gang	001	001	741	811	(4.5" x 1.5"W)	425
2-gang	002	002	n/a	812	(4.5" x 1.75"W)	426
3-gang	003	003	n/a	813	(4.5" x 2.0"W)	427
4-gang	004	004	n/a	814	(4.5" x 2.25"W)	428
5-gang	005	005	n/a	815	(6.125" x 1.75"W)	429
6-gang	006	006	n/a	816	(8.125" x 1.75"W)	430
7-gang	007	n/a	n/a	consult factory		
8-gang	008	n/a	n/a	consult factory		
9-gang	009	n/a	n/a	consult factory		
10-gang	010	n/a	n/a	consult factory		

Add Gang Size to Finish Prefix

94000
+005

94005 Custom Wallplate Prefix


ORDERING INSTRUCTIONS FOR CUSTOM PLATES

- Standard and Princess
- Jumbo/Oversize
- Maxi
- Narrow
- Special Sizes

Custom Standard, Princess, Maxi, Jumbo or Narrow Size Plates (continued)

Step 3: Add Opening Numbers

Find Opening Number(s) in Opening Selector Guide, Pages A93 to A103.



Step 4: Create Ordering Number

94005 – 071 – 631 – 091 – 151 – 221

Custom Wallplate Prefix

Custom Opening Suffix

QUANTITY – Always indicate the number of custom wallplates required, particularly when there are several plates with the identical gang size, material and openings.

PRICING – Please contact the factory for pricing. Feel free to send your requirements to our fax number below or to customerservice@mulberrymetal.com. We will confirm your requirements and, in most cases, provide you with a detailed drawing.


DELIVERY – Allow 2 to 3 weeks when ordering.

RETURNS – Please order with care since custom items can not be exchanged or returned for credit.

ORDERING INSTRUCTIONS FOR CUSTOM PLATES

Custom Special Size Plates

Example: All custom orders and requests for quotation for wallplates with dimensions other than shown in this catalog must be accompanied by a clear sketch that includes the following dimensions (A, B, C & D).



STEP 1 – Select the wallplate finish. Find the wallplate finish in our Material Specification Table on Pages A9 and A10. (Custom colors are also available; consult factory.)

STEP 2 – Specify the size of the custom plate, as well as the location(s) of opening(s).

STEP 3 – Add desired opening(s). Find the opening number(s) in our Opening Selector Guide on Pages A93 to A103.

STEP 4 – Select Standard (approximately 45°) or Bevel Edge. Please Specify.

Contact Factory for Pricing. Allow 4 to 5 weeks for delivery. Custom items may not be exchanged or returned for credit.

CUSTOM ENGRAVING AND SILK SCREENING



Engraving

The most durable method of custom marking. The wallplate surface is deeply etched and the resultant 'grooves' are paint filled. The marking is below the surface of the wallplate so the plate is protected from frequent and rough contact. Ideal for hospitals, schools and other public institutions.

Letter Size: 1/8, 3/16, 1/4 and 3/8 inch sizes available. (Consult factory for other sizes.)

Color: Black, Red and White filled letters are standard. Other colors are available; consult factory.

Material: Brushed or polished stainless steel; brass or bronze; thermoplastic; anodized aluminum. Chrome and painted cold-rolled steel wallplates are not recommended since cutting into steel may result in rust. If colored plates are required, we recommend using painted stainless steel or plastic material. (Galvanized steel raised box covers and many of our weatherproof items can also be engraved. Consult factory.)

Art: A sketch of the wallplate along with the engraved layout is required.

ORDERING CHECKLIST

1. Letter Size - If not specified, height of letters will be chosen to best fit space.
2. Color - Specify one of the above paint fills.
3. Material - See above - only brass, bronze and polished stainless steel, thermoplastic and anodized aluminum can be engraved
4. Sketch of plates and engraved layout is required.
5. Availability - small quantities 4 to 5 weeks. Allow 5 to 6 weeks for larger quantities.
6. Engraved plates are not returnable for credit.
7. Minimum order: 1 piece.

Silk Screening

The 'silk screen' is the best method of marking plates when there is a large quantity of wallplates or when complex designs are required. A photo negative of the desired marking is made for each group of plates and is then transferred onto a porous screen held to a frame. A special ink is then squeezed through the screen onto the surface of successive wallplates to produce the desired copy.

Letter Size: If not specified, the height of letters will be selected to best fit space.

Color: Black, Red and White lettering is standard. Other colors available; consult factory.


Material: Smooth painted cold-rolled steel, brushed stainless steel, brushed brass or bronze, anodized aluminum or thermoplastic wallplates.

Art: Photo reproducible artwork is required where trademarks or complex designs are to be silk screened.


ORDERING CHECKLIST

1. Letter Size - If not specified, height of letters will be chosen to best fit space.
 2. Color - Specify one of the above paint fills.
 3. Material - Only satin finish, smooth painted plates and polycarbonate plates may be silk screened.
 4. Sketch is required to show layout. Photo reproducible artwork is required where trademarks or complex designs are to be screened
 5. Minimum order: while silk screening is ideally suited for 50 or more wallplates, as few as 10 pcs. may be practical, in some cases, when there are many identical characters required for the same wallplate.
- Availability - Small quantities 4 to 5 weeks. Allow 5 to 6 weeks for larger quantities. Silk screened wallplates are not returnable for credit.


OPENING SELECTOR GUIDE FOR CUSTOM PLATES




OPENING SELECTOR GUIDE FOR CUSTOM PLATES




OPENING SELECTOR GUIDE FOR CUSTOM PLATES




OPENING SELECTOR GUIDE FOR CUSTOM PLATES




OPENING SELECTOR GUIDE FOR CUSTOM PLATES




Fasco Snap-In
Rocker Switch **366**




Momentary Contact,
Offset Push Button **369**
(MC)




Leviton Rocker
Switch **371**
(LRX)




1/2" Diameter
Opening
Box Mounting **381**
(21)




Leviton Centura
Duplex Switch **391**
(CD)




Block Duplex/GFI
Recept. **401**
(SRM)




Bulkhead
Connector **411**




Low
Voltage **417**




Low
Voltage **418**



Low
Voltage **419**




Low
Voltage **420**




Coaxial
Connector
BNC **431**







OPENING SELECTOR GUIDE FOR CUSTOM PLATES




OPENING SELECTOR GUIDE FOR CUSTOM PLATES




OPENING SELECTOR GUIDE FOR CUSTOM PLATES

 <p>Key Switch Double-D opening .67 x .75"</p> <p>528</p>	 <p>3/4" Diameter Opening Box Mounting</p> <p>530 (X75)</p>	 <p>Slot for Razor Blades</p> <p>550 (RHH)</p>
 <p>Coaxial Connector BNC</p> <p>551</p>	 <p>IBM Type Data Connector</p> <p>557</p>	 <p>Biplax / Triplex</p> <p>561 (SLR)</p>
 <p>Telephone 1" Inner Diameter Plastic Grommet</p> <p>581</p>	 <p>Telephone Opening With Metal Bushing</p> <p>591 (61)</p>	 <p>Long Toggle DPDT</p> <p>600 (L.T)</p>
 <p>"Smully" Rocker Switch</p> <p>601</p>	 <p>Blank, Interchangeable Mounting</p> <p>611</p>	 <p>620</p>


OPENING SELECTOR GUIDE FOR CUSTOM PLATES



OPENING SELECTOR GUIDE FOR CUSTOM PLATES



OPENING SELECTOR GUIDE FOR CUSTOM PLATES



WEATHERPROOF PRODUCT LIST

30001, W, Z	B23	30287	B9	30475	B16	30598	B7
30015, W, Z	B23	30288	B9	30477	B16	30599	B7
30060, W, Z	B23	30289	B9	30478	B20	30601	B7
30113, B, Z	B24	30290, W, Z	B29	30479	B15	30603	B7
30114, B, Z	B24	30291	B29	30480, W, Z	B19	30661	B31
30141 B, W, Z	B24	30292, W, Z	B29	30481	B19	30671	B31
30142, B, W, Z	B24	30293	B29	30482	B19	30672	B31
30201, B, W, Z	B5	30294, W, Z	B29	30483	B19	30673	B31
30203, B, W, Z	B4	30295	B9	30484	B20	30690	B31
30204, W, Z	B5	30296	B9	30485	B20	30697	B31
30206, W, Z	B4	30297	B30	30486	B19	30698	B31
30207, W, Z	B5	30298	B30	30487	B20	30820	B28
30209, W, Z	B4	30316, B, W, Z	B8	30488, W, Z	B19	30821	B28
30210, W, Z	B5	30318, W, Z	B8	30489	B19	30825	B25
30212, W, Z	B4	30326, W, Z	B8	30490	B19	30826	B25
30213, W, Z	B5	30328, W, Z	B8	30491	B20	30830	B25
30215, W, Z	B4	30333	B8	30492	B20	30832	B25
30216	B5	30335	B8	30493	B20	30834	B27
30218	B4	30346	B22	30494	B19	30837	B27
30219	B5	30351, B, W, Z	B18	30495	B15	30842	B27
30221	B4	30356, B, W, Z	B18	30496	B20	30844	B27
30222	B5	30361, B, W, Z	B18	30497	B20	30846	B27
30224	B4	30367, B, W, Z	B17	30498	B20	30847	B25
30226	B5	30372, B, W, Z	B17	30499	B20	30850	B26
30227	B4	30377, B, W, Z	B17	30501, W, Z	B13	30853	B26
30228	B4	30381, W, Z	B17	30501U	B13	30855	B26
30229, W, Z	B9	30385	B8	30505, W, Z	B13	30862	B27
30230	B9	30387	B8	30507	B13	30981, W, Z, G	B10
30233, W, Z	B6	30389	B8	30509, W, Z	B13	30982	B10
30236, W, Z	B6	30404, W, Z	B16	30513	B14	30983G, W, Z	B11
30239, W, Z	B6	30405, W, Z	B16	30522, W, Z	B14	30984	B10
30242	B6	30406, W, Z	B16	30523	B14	30985	B12
30245, W, Z	B6	30426	B15	30525	B14	30986	B12
30248	B6	30427	B15	30526	B14	30987	B12
30251	B6	30428	B15	30528	B14	30988	B11
30254	B6	30429	B15	30531	B14	30989	B12
30257	B6	30450	custom item	30532	B14	40319	B29
30260	B6	30451, W, Z	B13	30534	B14	40320	B29
30263	B6	30452, W, Z	B15	30535	B14	40495	B30
30266	B6	30455	B15	30537, W, Z	B14	40501	B30
30267, W, Z	B6	30456	B15	30538	B14	40502	B30
30269	B6	30457	B15	30550, W, Z	B13	40503	B30
30270	B6	30458, W, Z	B15	30552, W, Z	B13	40504	B30
30272	B6	30460	B15	30554, W, Z	B13	40505	B31
30273, W, Z	B9	30461, W, Z	B15	30560	custom item	40507	B30
30274	B9	30464	B16	30583	B5	40509	B31
30275	B9	30465	B16	30584	B5	40513	B31
30277	B21	30466	B16	30586	B5	40514	B31
30278, W, Z	B21	30467	B16	30587	B5	40225-40299	B29
30279	B21	30468	B15	30589	B5		
30282	B21	30470	B15	30593	B7		
30283, W, Z	B21	30472	B15	30595	B7		
30284	B21	30473, W, Z	B16	30596	B7		
30286	B21	30474	B20	30597	B7		



STEEL BOX COVERS & CONDUIT BODIES PRODUCT LIST

10001	C8	11224	C5	11411	C9	11702	C17	11876	C15
10002	C8	11225	C5	11412	C9	11703	C17	11881	C15
10003	C8	11226	C5	11413	C9	11704	C17	11882	C15
10004	C8	11227	C5	11414	C9	11705	C17	11883	C15
10005	C8	11228	C5	11415	C9	11710	C17	11884	C15
10006	C8	11230	C5	11421	C9	11711	C17	11885	C15
10008	C8	11231	C5	11422	C9	11712	C17	11886	C15
10009	C8	11232	C5	11423	C10	11713	C17	11891	C15
10010	C8	11235	C5	11424	C10	11714	C17	11892	C15
10013	C8	11236	C5	11425	C10	11715	C17	11893	C15
10016	C8	11237	C5	11426	C10	11716	C17	11894	C15
10021	C8	11238	C5	11427	C10	11720	C17	11895	C15
10082	C13	11239	C5	11428	C10	11721	C17	11896	C15
10083	C13	11240	C5	11429	C10	11722	C17	11901	C16
10084	C13	11241	C5	11432	C10	11723	C17	11902	C16
10085	C13	11242	C5	11433	C10	11724	C17	11903	C16
10086	C13	11244	C5	11435	C10	11725	C17	11904	C16
10087	C13	11245	C5	11436	C10	11726	C17	11905	C16
10088	C13	11248	C5	11442	C11	11730	C17	11906	C16
10089	C13	11249	C5	11500	C11	11731	C17	11914	C16
10090	C13	11250	C5	11501	C11	11732	C17	11915	C16
10092	C13	11251	C5	11502	C11	11733	C17	11916	C16
10093	C13	11252	C5	11503	C11	11734	C17	11917	C16
10094	C13	11253	C5	11510	C11	11735	C17	11918	C16
10095	C13	11261	C7	11511	C11	11736	C17	11919	C16
10096	C13	11262	C7	11512	C11	11801	C15	11920	C16
10097	C13	11263	C7	11513	C11	11802	C15	11921	C15
10098	C13	11264	C7	11514	C11	11803	C15	11922	C15
10099	C13	11265	C7	11515	C11	11804	C15	11923	C15
10100	C13	11266	C7	11521	C11	11805	C15	11924	C15
10103	C13	11271	C7	11522	C11	11806	C15	11925	C15
10104	C13	11272	C7	11523	C11	11811	C15	11926	C15
10105	C13	11273	C7	11524	C11	11812	C15	12801	C15
10111	C13	11274	C7	11525	C11	11813	C15	12802	C15
10122	C13	11275	C7	11526	C11	11814	C15	12803	C15
10123	C13	11276	C7	11527	C11	11815	C15	12804	C15
10124	C13	11301	C4	11528	C11	11816	C15	12805	C15
10125	C13	11303	C4	11529	C11	11821	C15	12806	C15
10126	C13	11311	C4	11532	C11	11822	C15	12807	C15
10127	C13	11314	C4	11533	C11	11823	C15	12808	C15
10128	C13	11315	C4	11535	C11	11824	C15	12809	C15
10129	C13	11321	C6	11536	C11	11825	C15	12810	C15
10130	C13	11323	C6	11538	C11	11826	C15	12811	C15
11001	C3	11326	C6	11600	C12	11831	C15	12812	C15
11002	C3	11327	C6	11601	C12	11832	C15	12813	C15
11003	C3	11328	C6	11602	C12	11833	C15	12814	C15
11006	C3	11330	C6	11603	C12	11834	C15	12815	C15
11008	C3	11331	C6	11605	C12	11835	C15	12816	C15
11009	C3	11335	C6	11606	C12	11836	C15	12817	C15
11101	C3	11337	C6	11607	C12	11841	C15	12818	C15
11102	C3	11340	C6	11608	C12	11842	C15	12819	C15
11103	C3	11341	C6	11609	C12	11843	C15	12820	C15
11104	C3	11342	C6	11611	C12	11844	C15	12821	C15
11105	C3	11344	C6	11612	C12	11845	C15	12822	C15
11106	C3	11345	C6	11613	C12	11846	C15	12823	C15
11108	C3	11361	C7	11614	C12	11851	C15	12824	C15
11121	C3	11362	C7	11615	C12	11852	C15	12825	C15
11122	C3	11363	C7	11616	C12	11853	C15	12826	C15
11123	C3	11364	C7	11618	C12	11854	C15	12827	C15
11124	C3	11365	C7	11620	C12	11855	C15	12828	C15
11125	C3	11366	C7	11621	C12	11856	C15	12829	C15
11201	C4	11371	C7	11622	C12	11861	C15	12830	C15
11202	C4	11372	C7	11623	C12	11862	C15	12831	C15
11203	C4	11373	C7	11624	C12	11863	C15	12832	C15
11211	C4	11374	C7	11625	C12	11864	C15	12833	C15
11212	C4	11375	C7	11626	C12	11865	C15	12834	C15
11214	C4	11376	C7	11628	C12	11866	C15	12835	C15
11215	C4	11400	C9	11629	C12	11871	C15	12836	C15
11216	C4	11401	C9	11630	C12	11872	C15	12837	C15
11221	C5	11402	C9	11699	C17	11873	C15	12838	C15
11222	C5	11403	C9	11700	C17	11874	C15	12841	C15
11223	C5	11410	C9	11701	C17	11875	C15	12842	C15

STEEL BOX COVERS & CONDUIT BODIES PRODUCT LIST

12843	C15	12922	C15	14811	C15	17830	C16	40022	C14
12844	C15	12923	C15	14812	C15	17831	C16	40023	C14
12845	C15	12924	C15	14813	C15	17832	C16	40024	C14
12846	C15	12925	C15	14814	C15	17833	C16	40025	C14
12847	C15	12926	C15	14815	C15	17834	C16	40026	C14
12848	C15	13801	C15	14816	C15	17835	C16	40027	C14
12851	C15	13802	C15	14821	C15	17836	C16	40028	C14
12852	C15	13803	C15	14822	C15	17837	C16	40029	C14
12853	C15	13804	C15	14823	C15	17838	C16	40030	C14
12854	C15	13805	C15	14824	C15	17839	C16	40031	C14
12855	C15	13806	C15	14825	C15	17840	C16	40032	C14
12856	C15	13811	C15	14826	C15	17841	C16	40033	C14
12857	C15	13812	C15	14831	C15	17842	C16	40034	C14
12858	C15	13813	C15	14832	C15	17843	C16	40035	C14
12859	C15	13814	C15	14833	C15	17844	C16	40036	C14
12860	C15	13815	C15	14834	C15	17845	C16	40037	C14
12861	C15	13816	C15	14835	C15	17846	C16	40038	C14
12862	C15	13821	C15	14836	C15	17847	C16	40039	C14
12863	C15	13822	C15	14841	C15	17848	C16	40040	C14
12864	C15	13823	C15	14842	C15	17849	C16	40041	C14
12865	C15	13824	C15	14843	C15	17850	C16	40042	C14
12866	C15	13825	C15	14844	C15	40001	C14	40043	C14
12871	C15	13826	C15	14845	C15	40002	C14	40044	C14
12872	C15	13831	C15	14846	C15	40003	C14	40045	C14
12873	C15	13832	C15	17801	C16	40005	C14	40046	C14
12874	C15	13833	C15	17802	C16	40006	C14	40047	C14
12875	C15	13834	C15	17803	C16	40007	C14	40048	C14
12876	C15	13835	C15	17804	C16	40008	C14	40049	C14
12881	C15	13836	C15	17805	C16	40009	C14	40111	C18
12882	C15	13841	C15	17806	C16	40010	C14	40112	C18
12883	C15	13842	C15	17809	C16	40011	C14	40113	C18
12884	C15	13843	C15	17810	C16	40012	C14	40114	C18
12885	C15	13844	C15	17821	C16	40013	C14	40115	C18
12886	C15	13845	C15	17822	C16	40014	C14	40116	C18
12891	C15	13846	C15	17823	C16	40015	C14	40465	C18
12892	C15	14801	C15	17824	C16	40016	C14	40470	C18
12893	C15	14802	C15	17825	C16	40017	C14	40490	C18
12894	C15	14803	C15	17826	C16	40018	C14	40492	C18
12895	C15	14804	C15	17827	C16	40019	C14		
12896	C15	14805	C15	17828	C16	40020	C14		
12921	C15	14806	C15	17829	C16	40021	C14		

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

21401 - 21402	A62	21825 - 21826	A63	22225 - 22226	A62	32422	A75	32852	A78
21425 - 21426	A62	21832 - 21837	A63	22232 - 22237	A62	32432	A75	32862	A78
21432 - 21437	A62	21843	A63	22243	A62	32442	A75	32865	A78
21443	A62	21850 - 21852	A63	22250 - 22252	A62	32443	A76	32871 - 32874	A77
21450 - 21452	A62	21871 - 21873	A63	22271 - 22273	A62	32453	A76	32883	A78
21471 - 21473	A62	21887	A63	22287	A62	32454	A76	33071 - 33076	A72
21487	A62	21891	A63	22291	A62	32512	A75	33091 - 33092	A72
21491	A62	22001 - 22002	A62	22501 - 22502	A63	32522	A75	33101 - 33103	A72
21501 - 21502	A62	22025 - 22026	A62	22525 - 22526	A63	32532	A74	33111	A73
21525 - 21526	A62	22032 - 22037	A62	22543	A63	32542	A75	33151 - 33153	A73
21532 - 21537	A62	22043	A62	22550 - 22552	A63	32543	A75	33201	A74
21543	A62	22050 - 22052	A62	22571 - 22573	A63	32552	A75	33221 - 33227	A73
21571 - 21573	A62	22071 - 22073	A62	23532 - 22537	A63	32572	A75	33381	A73
21587	A62	22087	A62	22587	A63	32581	A74	33401 - 33406	A74
21591	A62	22091	A62	22591	A63	32654	A76	33422	A75
21701 - 21702	A63	22101 - 22102	A62	32071 - 32076	A72	32664	A76	33432	A75
21725 - 21726	A63	22125 - 22126	A62	32091 - 32092	A72	32672	A75	33442	A75
21732 - 21737	A63	22132 - 22137	A62	32101 - 32104	A72	32673	A76	33443	A76
21743	A63	22143	A62	32111	A73	32674	A76	33453	A76
21750 - 21752	A63	22150 - 22152	A62	32151 - 32154	A73	32683	A76	33454	A76
21771 - 21773	A63	22171 - 22173	A62	32201	A74	32801 - 32802	A77	33512	A75
21787	A63	22187	A62	32221 - 32227	A73	32832	A78	33522	A75
21791	A63	22191	A62	32381	A73	32834 - 32837	A77	33532	A74
21801 - 21802	A63	22201 - 22202	A62	32401 - 32406	A74	32851	A77	33542	A75



METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

33543	A75	40401 - 40445	A87	51512	A17	53582	A53	57041X - 57172X	A52
33552	A75	40447 - 40455	A85	51522	A17	53584	A56	57071 - 57076	A47
33572	A75	40460	A88	51532	A17	53591	A49	57091 - 57092	A48
33581	A74	40475 - 40481	A85	51533	A18	53593	A55	57101 - 57106	A47
33654	A76	40482	A87	51542	A17	53630 - 53632	A51	57111	A50
33664	A76	40483	A88	51543	A18	53672	A53	57113	A50
33672	A75	40484	A85	51544	A20	53701	A57	57121 - 57123	A48
33673	A76	40486	A88	51552	A18	53751	A57	57133	A54
33674	A76	40487 - 40549	A85	51553	A19	53761	A57	57151 - 57156	A48
33683	A76	40550 - 40578	A83	51554	A20	53771	A57	57163	A55
33801 - 33802	A77	40581 - 40671	A84	51564	A20	53772	A53	57164	A56
33832	A78	41001 - 41006	A80	51565	A21	53773 - 53775	A54	57180	A53
33834 - 33837	A77	41009 - 41012	A81	51572	A17	54011X - 54032X	A51	57181	A49
33851	A77	41015 - 41025	A80	51574	A20	54041X - 54172X	A52	57193	A55
33852	A78	41026 - 41059	A81	51575	A21	54071 - 54076	A47	57201 - 57202	A49
33862	A78	41101 - 41235	A82	51576	A22	54091 - 54092	A48	57221 - 57229	A50
33865	A78	41240 - 41245	A81	51581	A14	54101 - 54106	A47	57233	A55
33871 - 33874	A77	43071 - 43073	A23	51582	A17	54111	A50	57390	A53
33883	A78	43091	A24	51584	A20	54121 - 54123	A48	57401	A48
34071 - 34076	A72	43101 - 43102	A23	51591	A14	54133	A54	57402 - 57406	A49
34091 - 34092	A72	43151 - 43152	A24	51593	A19	54151 - 54156	A48	57422	A53
34101 - 34103	A72	43401 - 43403	A25	51593	A19	54163	A55	57423	A55
34111	A73	43432	A28	51630 - 51632	A15	54164	A56	57432	A52
34151 - 34153	A73	43443	A29	51672	A17	54180	A53	57443	A54
34201	A74	43532	A28	51772 - 51775	A18	54181	A49	57453	A54
34221 - 34227	A73	44071 - 44080	A11	53011X - 53032X	A51	54193	A55	57454	A55
34381	A73	44091	A12	53041X - 53172X	A52	54201 - 54202	A49	57465	A56
34401 - 34406	A74	44101 - 44102	A11	53071 - 53076	A47	54221 - 54229	A50	57472	A52
34422	A75	44103	A12	53091 - 53092	A48	54233	A55	57503	A54
34432	A75	44151 - 44153	A12	53101 - 53106	A47	54390	A53	57512	A52
34442	A75	44401 - 44406	A13	53111	A50	54401 - 54406	A49	57522	A52
34443	A76	44407 - 44410	A14	53113	A50	54422	A53	57532	A52
34453	A76	44432	A17	53121 - 53123	A48	54423	A55	57533	A54
34454	A76	44532	A17	53133	A54	54432	A52	57542	A52
34512	A75	44543	A18	53151 - 53156	A48	54443	A54	57543	A54
34522	A75	44554	A20	53163	A55	54453	A54	57544	A55
34532	A74	44630	A15	53164	A56	54454	A55	57552	A53
34542	A75	44631	A15	53180	A53	54465	A56	57553	A54
34543	A75	44672	A17	53181	A49	54472	A52	57554	A55
34552	A75	51011X - 51062X	A16	53193	A55	54503	A54	57564	A55
34572	A75	51071 - 51080	A11	53201 - 53202	A49	54512	A52	57565	A56
34581	A74	51091 - 51093	A12	53221 - 53229	A50	54522	A52	57572	A53
34654	A76	51101 - 51102	A11	53233	A55	54532	A52	57574	A55
34664	A76	51103 - 51106	A12	53390	A53	54533	A54	57575 - 57576	A56
34672	A75	51111 - 51113	A14	53401 - 53406	A49	54542	A52	57581	A49
34673	A76	51121 - 51123	A12	53422	A53	54544	A54	57582	A53
34674	A76	51132X - 51142X	A16	53423	A55	54543	A54	57584	A56
34683	A76	51133	A18	53432	A52	54544	A55	57591	A49
34801 - 34802	A77	51151 - 51153	A12	53443	A54	54552	A53	57593	A55
34832	A78	51154 - 51160	A13	53453	A54	54553	A54	57630 - 57632	A51
34834 - 34837	A77	51163	A19	53454	A55	54554	A55	57672	A53
34851	A77	51164	A20	53465	A56	54564	A55	57701	A57
34852	A78	51172X	A17	53472	A52	54565	A56	57751	A57
34862	A78	51180	A17	53503	A54	54572	A53	57761	A57
34865	A78	51181	A14	53512	A52	54574	A55	57771	A57
34871 - 34874	A77	51193	A19	53522	A52	54575 - 54576	A56	57772	A53
34883	A78	51201 - 51202	A14	53532	A52	54581	A49	57773 - 57775	A54
35401 - 35405	A79	51221 - 51229	A15	53533	A54	54582	A53	58011X - 58142X	A16
36071 - 36072	A72	51390	A17	53542	A52	54584	A56	58071 - 58080	A11
36091 - 36092	A72	51401 - 51406	A13	53543	A54	54591	A49	58091 - 58093	A12
36101 - 36102	A72	51407 - 51410	A14	53544	A55	54593	A55	58101 - 58102	A11
36111	A73	51422	A18	53552	A53	54630 - 54632	A51	58103 - 58106	A12
36401 - 36402	A74	51423	A19	53553	A54	54672	A53	58111	A14
36432	A75	51432	A17	53554	A55	54701	A57	58113	A14
36442	A75	51443	A18	53554	A55	54751	A57	58121 - 58123	A12
36512	A75	51453	A19	53564	A55	54761	A57	58132X - 58142X	A16
36672	A75	51454	A20	53565	A56	54771	A57	58133	A19
37401 - 37405	A79	51465	A21	53572	A53	54772	A53	58151 - 58153	A12
40201 - 40306	A86	51465	A21	53574	A55	54773 - 54775	A54	58154 - 58160	A13
		51472	A17	53575 - 53576	A56	57011X - 57032X	A51		
		51503	A19	53581	A49				

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

58163	A19	64407 - 64410	A40	65423	A45	66533	A44	68575 - 68576	A46
58164	A20	64422	A44	65432	A43	66542	A43	68581	A40
58172X	A17	64423	A45	65443	A44	66543	A44	68582	A43
58180	A17	64432	A43	65453	A44	66544	A45	68584	A46
58181	A14	64443	A44	65454	A45	66552	A44	68591	A40
58193	A19	64453	A44	65465	A46	66553	A44	68593	A45
58201 - 58202	A14	64454	A45	65472	A43	66554	A45	68630 - 68632	A41
58221 - 58229	A15	64465	A46	65503	A44	66564	A45	68672	A43
58233	A19	64472	A43	65512	A43	66565	A46	68772 - 68775	A44
58390	A17	64503	A44	65522	A43	66572	A43	69011X - 69062X	A42
58401 - 58410	A14	64512	A43	65532	A43	66574	A45	69071 - 69080	A37
58422	A18	64522	A43	65533	A44	66575 - 66576	A46	69091 - 69093	A38
58423	A19	64532	A43	65542	A43	66581	A40	69101 - 69102	A37
58432	A17	64533	A44	65543	A44	66582	A43	69103 - 69106	A38
58443	A18	64542	A43	65544	A45	66584	A46	69111	A40
58453	A19	64543	A44	65552	A44	66591	A40	69113	A40
58454	A20	64544	A45	65553	A44	66593	A45	69121 - 69123	A38
58465	A21	64552	A44	65554	A45	66630 - 66632	A41	69132X	A42
58472	A17	64553	A44	65564	A45	66672	A43	69133	A44
58503	A19	64554	A45	65565	A46	66772 - 66775	A44	69142X	A42
58512	A17	64564	A45	65572	A43	68011X - 68062X	A42	69151 - 69153	A38
58522	A17	64565	A46	65574	A45	68071 - 68080	A37	69154 - 69160	A39
58532	A17	64572	A43	65575 - 65576	A46	68091 - 68093	A38	69163	A45
58533	A18	64574	A45	65581	A40	68101 - 68102	A37	69164	A46
58542	A17	64575 - 64576	A46	65582	A43	68103 - 68106	A38	69172X	A43
58543	A18	64581	A40	65584	A46	68111	A40	69180	A43
58544	A20	64582	A43	65591	A40	68113	A40	69181	A40
58552	A18	64584	A46	65593	A45	68121 - 68123	A38	69193	A45
58553	A19	64591	A40	65630 - 65632	A41	68132X	A42	69201 - 69202	A40
58554	A20	64593	A45	65672	A43	68133	A44	69221 - 69229	A41
58564	A20	64630 - 64632	A41	65772 - 65775	A44	68142X	A42	69233	A45
58565	A21	64672	A43	66011X - 66062X	A42	68151 - 68153	A38	69390	A43
58572	A17	64772 - 64775	A44	66071 - 66080	A37	68154 - 68160	A39	69401 - 69406	A39
58574	A20	64801 - 64802	A58	66091 - 66093	A38	68163	A45	69407 - 69410	A40
58575	A21	64832 - 64835	A59	66101 - 66102	A37	68164	A46	69422	A44
58576	A22	64842 - 64843	A60	66103 - 66106	A38	68172X	A43	69423	A45
58581	A14	64851 - 64853	A58	66111	A40	68180	A43	69432	A43
58582	A17	64861	A58	66113	A40	68181	A40	69443	A44
58584	A20	64863	A60	66121 - 66123	A38	68193	A45	69453	A44
58591	A14	64865	A59	66132X	A42	68201 - 68202	A40	69454	A45
58593	A19	64871 - 64873	A58	66133	A44	68221 - 68229	A41	69465	A46
58630 - 58632	A15	64883	A60	66142X	A42	68233	A45	69472	A43
58672	A17	64891	A58	66151 - 66153	A38	68390	A43	69503	A44
58772 - 58775	A18	65011X - 65062X	A42	66154 - 66160	A39	68401 - 68406	A39	69512	A43
64011X - 64062X	A42	65071 - 65080	A37	66163	A45	68407 - 68410	A40	69522	A43
64071 - 64080	A37	65091 - 65093	A38	66164	A46	68422	A44	69532	A43
64091 - 64093	A38	65101 - 65102	A37	66172X	A43	68423	A45	69533	A44
64101 - 64102	A37	65103 - 65106	A38	66180	A43	68432	A43	69542	A43
64103 - 64106	A38	65111	A40	66181	A40	68443	A44	69543	A44
64111	A40	65113	A40	66193	A45	68453	A44	69544	A45
64113	A40	65121 - 65123	A38	66201 - 66202	A40	68454	A45	69552	A44
64121 - 64123	A38	65132X	A42	66221 - 66229	A41	68465	A46	69553	A44
64132X	A42	65133	A44	66233	A45	68472	A43	69554	A45
64133	A44	65142X	A42	66390	A43	68503	A44	69564	A45
64142X	A42	65151 - 65153	A38	66401 - 66406	A39	68512	A43	69565	A46
64151 - 64153	A38	65154 - 65160	A39	66407 - 66410	A40	68522	A43	69572	A43
64154 - 64160	A39	65163	A45	66422	A44	68532	A43	69574	A45
64163	A45	65164	A46	66423	A45	68533	A44	69575 - 69576	A46
64164	A46	65172X	A43	66432	A43	68542	A43	69581	A40
64172X	A43	65180	A43	66443	A44	68543	A44	69582	A43
64180	A43	65181	A40	66453	A44	68544	A45	69584	A46
64181	A40	65193	A45	66454	A45	68552	A44	69591	A40
64193	A45	65201 - 65202	A40	66465	A46	68553	A44	69593	A45
64201 - 64202	A40	65221 - 65229	A41	66472	A43	68554	A45	69630 - 69632	A41
64221 - 64229	A41	65233	A45	66503	A44	68564	A45	69672	A43
64233	A45	65390	A43	66512	A43	68565	A46	69772 - 69775	A44
64390	A43	65401 - 65410	A40	66522	A43	68572	A43	70011X - 70062X	A42
64401 - 64406	A39	65422	A44	66532	A43	68574	A45	70071 - 70076	A37



METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

70091 - 70093	A38	73390	A53	74542	A28	75591	A25	76630 - 76632	A26
70101 - 70102	A37	73401	A48	74543	A29	75593	A30	76654	A30
70103 - 70106	A38	73402 - 73406	A49	74544	A31	75630 - 75632	A26	76656	A32
70111	A40	73422	A53	74552	A28	75672	A28	76664	A31
70113	A40	73423	A55	74553	A29	75701	A33	76665	A32
70121 - 70123	A38	73432	A52	74554	A30	75750	A33	76672	A28
70132X	A42	73443	A54	74564	A31	75751	A33	76673	A30
70133	A44	73453	A54	74565	A32	75761	A33	76674	A31
70142X	A42	73454	A55	74572	A28	75771	A33	76683	A30
70151 - 70153	A38	73465	A56	74574	A31	75772 - 75775	A29	76684	A31
70154	A39	73472	A52	74575 - 74576	A32	75787	A33	76694	A31
70163	A45	73503	A54	74581	A25	75791	A33	76701	A33
70164	A46	73512	A52	74582	A28	76011X - 76172X	A27	76750	A33
70164	A46	73522	A52	74584	A31	76071 - 76076	A23	76751	A33
70172X	A43	73532	A52	74591	A25	76091 - 76092	A24	76761	A33
70180	A43	73533	A54	74593	A30	76101 - 76106	A23	76771	A33
70181	A40	73542	A52	74630 - 74632	A26	76111	A25	76772 - 76775	A29
70193	A45	73543	A54	74672	A28	76113	A26	76787	A33
70201 - 70202	A40	73544	A55	74701	A33	76121 - 76123	A24	76791	A33
70221 - 70229	A41	73552	A53	74750	A33	76133	A29	78011X - 78172X	A27
70233	A45	73553	A54	74751	A33	76151 - 76156	A24	78091 - 75092	A24
70390	A43	73554	A55	74761	A33	76163	A30	78101 - 78106	A23
70401 - 70406	A39	73564	A55	74771	A33	76164	A31	78111	A25
70422	A44	73565	A56	74773 - 74775	A29	76180	A28	78113	A26
70423	A45	73572	A53	74787	A33	76181	A25	78121 - 78123	A24
70432	A43	73574	A55	74791	A33	76193	A30	78133	A29
70443	A44	73575 - 73576	A56	75011X - 75172X	A27	76196	A32	78151 - 78156	A24
70453	A44	73581	A49	75071 - 78076	A23	76201 - 76202	A25	78163	A30
70454	A45	73582	A53	75091 - 75092	A24	76221 - 76229	A26	78164	A31
70465	A46	73584	A56	75101 - 75106	A23	76233	A30	78180	A28
70472	A43	73591	A49	75111	A25	76324	A31	78181	A25
70503	A44	73593	A55	75113	A26	76343	A30	78193	A30
70512	A43	73630 - 73632	A51	75121 - 75123	A24	76344	A31	78201 - 78202	A25
70522	A43	73672	A53	75133	A29	76360	A28	78221 - 78229	A26
70532	A43	73701	A57	75151 - 75156	A24	76383	A30	78233	A30
70533	A44	73751	A57	75163	A30	76384	A31	78390	A28
70542	A43	73761	A57	75164	A31	76390	A28	78401 - 78406	A25
70543	A44	73771	A57	75180	A28	76401 - 76406	A25	78422	A29
70544	A45	73772	A53	75181	A25	76422	A29	78423	A30
70552	A44	73773 - 73775	A54	75193	A30	76423	A30	78432	A28
70553	A44	74011X - 74172X	A27	75201 - 75202	A25	76432	A28	78443	A29
70554	A45	74071 - 74076	A23	75221 - 75229	A26	76442 - 76443	A29	78453	A29
70564	A45	74091 - 74092	A24	75233	A30	76453	A29	78454	A30
70565	A46	74101 - 74106	A23	75390	A28	76454	A30	78465	A32
70572	A43	74111	A25	75401 - 75406	A25	76455	A32	78472	A28
70574	A45	74113	A26	75422	A29	76465	A32	78503	A30
70575 - 70576	A46	74121 - 74123	A24	75423	A30	76472	A28	78512	A28
70581	A40	74133	A29	75432	A28	76476	A32	78522	A28
70582	A43	74151 - 74156	A24	75443	A29	76480	A25	78532	A28
70584	A46	74163	A30	75453	A29	76503	A30	78533	A29
70591	A40	74164	A31	75454	A30	76506	A32	78542	A28
70593	A45	74180	A28	75465	A32	76512	A28	78543	A29
70672	A43	74181	A25	75472	A28	76522	A28	78544	A31
70772 - 70775	A44	74193	A30	75503	A30	76532	A28	78552	A28
73011X - 73032X	A51	74201 - 74202	A25	75512	A28	76533	A29	78553	A29
73041X - 73172X	A52	74221 - 74229	A26	75522	A28	76542	A28	78554	A30
73071 - 73076	A47	74233	A30	75532	A28	76543	A29	78564	A31
73091 - 73092	A48	74390	A28	75533	A29	76544	A31	78565	A32
73101 - 73106	A47	74401 - 74406	A25	75542	A28	76552	A28	78572	A28
73111	A50	74422	A29	75543	A29	76553	A29	78574	A31
73113	A50	74423	A30	75544	A31	76554	A30	78575 - 78576	A32
73121 - 73123	A48	74432	A28	75552	A28	76555	A32	78581	A25
73133	A54	74443	A29	75553	A29	76564	A31	78582	A28
73151 - 73156	A48	74453	A29	75554	A30	76565	A32	78584	A31
73163	A55	74454	A30	75564	A31	76572	A28	78591	A25
73164	A56	74465	A32	75565	A32	76574	A31	78593	A30
73180	A53	74472	A28	75572	A28	76575 - 76576	A32	78630 - 78632	A26
73181	A49	74503	A30	75574	A31	76581	A25	78672	A28
73193	A55	74512	A28	75575 - 75576	A32	76582	A28	78701	A33
73201 - 73202	A49	74522	A28	75581	A25	76584	A31	78750	A33
73221 - 73229	A50	74532	A28	75582	A28	76591	A25		
73233	A55	74533	A29	75584	A31	76593	A30		

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

78751	A33	79673	A30	82591	A14	83582	A43	84544	A20
78761	A33	79674	A31	82593	A19	83584	A46	84552	A18
78771	A33	79683	A30	82630 - 82632	A15	83591	A40	84553	A19
78772 - 78775	A29	79684	A31	82772 - 82775	A18	83593	A45	84554	A20
78787	A33	79694	A31	82801 - 82802	A34	83630 - 83632	A41	84555	A21
78791	A33	79701	A33	82832	A35	83672	A43	84564	A20
79011X - 79172X	A27	79750	A33	82834 - 82835	A35	83772 - 83775	A44	84565	A21
79071 - 79076	A23	79751	A33	82842 - 82844	A36	83801 - 83802	A58	84572	A17
79091 - 79092	A24	79761	A33	82847	A35	83832 - 83836	A59	84574	A20
79101 - 79106	A23	79771	A33	82851 - 82853	A34	83842 - 83844	A60	84575	A21
79111	A25	79772 - 79775	A29	82861	A35	83847	A59	84576	A22
79113	A26	79787	A33	82863	A36	83851 - 83853	A58	84581	A14
79121 - 79123	A24	79791	A33	82865	A36	83861	A58	84582	A17
79133	A29	80071 - 80076	A23	82871 - 82875	A34	83863	A60	84584	A20
79151 - 79156	A24	80091	A24	82881	A35	83865	A59	84591	A14
79163	A30	80101 - 80102	A23	82883	A36	83871 - 83875	A58	84593	A19
79164	A31	80151 - 80152	A24	82891	A34	83881	A59	84630 - 84632	A15
79180	A28	80401 - 80406	A25	82901	A36	83883	A60	84654	A20
79181	A25	80201	A25	82911X - 82931X	A35	83891	A58	84655	A22
79193	A30	80532	A28	82937	A35	83901	A60	84656	A22
79196	A32	80543	A29	82971	A36	83911X - 83931X	A59	84664	A21
79201 - 79202	A25	82011X - 82142X	A16	82991	A36	83937	A59	84665	A22
79221 - 79229	A26	82071 - 82080	A11	83011X - 83062X	A42	83971	A60	84672	A17
79233	A30	82091 - 82093	A12	83071 - 83080	A37	83991	A60	84673	A20
79324	A31	82101 - 82102	A11	83091 - 83093	A38	84011X - 84142X	A16	84674	A21
79343	A30	82103 - 82106	A12	83101 - 83102	A37	84071 - 84080	A11	84683	A20
79401 - 79406	A25	82111	A14	83103 - 83106	A38	84091 - 84093	A12	84684	A21
79344	A31	82113	A14	83111	A40	84101 - 84102	A11	84694	A21
79360	A28	82121 - 82123	A12	83113	A40	84103 - 84106	A12	84752 - 84755	A64
79383	A30	82133	A19	83121 - 83123	A38	84111 - 84113	A14	84772 - 84778	A18
79384	A31	82151 - 82160	A13	83132X	A42	84121 - 84123	A12	84801 - 84802	A34
79390	A28	82163	A19	83133	A44	84133	A19	84820 - 84831	A64
79422	A29	82164	A20	83142X	A42	84151 - 84153	A12	84832	A35
79423	A30	82172X	A17	83151 - 83153	A38	84154 - 84160	A13	84834 - 84838	A35
79432	A28	82180	A17	83154 - 83160	A39	84163	A19	84842 - 84844	A36
79442 - 79443	A29	82181	A14	83163	A45	84164	A20	84847	A35
79453	A29	82193	A19	83164	A46	84172X	A17	84851 - 84855	A34
79454	A30	82201 - 82202	A14	83172X	A43	84180	A17	84861	A35
79455	A32	82221 - 82229	A15	83180	A43	84181	A14	84862	A36
79465	A32	82233	A19	83181	A40	84193	A19	84863	A36
79472	A28	82390	A17	83193	A45	84196	A22	84865	A36
79476	A32	82401 - 82406	A13	83201 - 83202	A40	84201 - 84202	A14	84871 - 84875	A34
79480	A25	82407 - 82410	A14	83221 - 83229	A41	84221 - 84229	A15	84881	A35
79503	A30	82422	A18	83233	A45	84233	A19	84883	A36
79506	A32	82423	A19	83390	A43	84324	A21	84884	A36
79512	A28	82432	A17	83401 - 83406	A39	84343	A20	84891	A34
79522	A28	82443	A18	83407 - 83410	A40	84344	A21	84901	A36
79532	A28	82453	A19	83422	A44	84360	A17	84911X - 84931X	A35
79533	A29	82454	A20	83423	A45	84383	A20	84934	A36
79542	A28	82465	A21	83432	A43	84384	A21	84937	A35
79543	A29	82472	A17	83443	A44	84390	A17	84971	A36
79544	A31	82480	A14	83453	A44	84401 - 84406	A13	84991	A36
79552	A28	82503	A19	83454	A45	84407 - 84410	A14	85011X - 85142X	A16
79553	A29	82512	A17	83465	A46	84422	A18	85071 - 85080	A11
79554	A30	82522	A17	83472	A43	84423	A19	85091 - 85093	A12
79555	A32	82532	A17	83503	A44	84432	A17	85101 - 85102	A11
79564	A31	82533	A18	83512	A43	84442 - 84443	A18	85103 - 85106	A12
79565	A32	82542	A17	83522	A43	84453	A19	85111	A14
79572	A28	82543	A18	83532	A43	84454	A20	85113	A14
79574	A31	82544	A20	83533	A44	84455	A21	85121 - 85123	A12
79575 - 79576	A32	82552	A18	83542	A43	84465	A21	85132X - 85142X	A16
79581	A25	82553	A19	83543	A44	84472	A17	85133	A19
79582	A28	82554	A20	83544	A45	84476	A22	85151 - 85153	A12
79584	A31	82564	A20	83552	A44	84480	A14	85154 - 85160	A13
79591	A25	82565	A21	83553	A44	84503	A19	85163	A19
79593	A30	82572	A17	83554	A45	84506	A22	85164	A20
79630 - 79632	A26	82574	A20	83564	A45	84512	A17	85172X	A17
79654	A30	82575	A21	83565	A46	84522	A17	85180	A17
79656	A32	82576	A22	83572	A43	84532	A17	85181	A14
79664	A31	82581	A14	83574	A45	84533	A18	85193	A19
79665	A32	82582	A17	83575 - 83576	A46	84542	A17	85201 - 85202	A14
79672	A28	82584	A20	83581	A40	84543	A18	85221 - 85229	A15

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

85233	A15	86164	A20	86554	A20	87172X	A17	88512	A17
85390	A17	86171	A68	86555	A21	87180	A17	88522	A17
85401 - 85406	A13	86172X	A17	86557 - 86559	A71	87181	A14	88532	A17
85407 - 85410	A14	86173	A19	86563	A19	87193	A19	88533	A18
85423	A19	86180	A17	86564	A20	87201 - 87202	A14	88542	A17
85432	A17	86181	A14	86565	A21	87221 - 87229	A15	88543	A18
85443	A18	86191	A68	86568 - 86569	A71	87233	A19	88544	A20
85453	A19	86193	A19	86572	A17	87390	A17	88552	A18
85454	A20	86194	A21	86574	A20	87401 - 87410	A14	88553	A19
85465	A21	86196	A22	86575	A21	87423	A19	88554	A20
85472	A17	86201 - 86202	A14	86576	A22	87432	A17	88564	A20
85503	A19	86221 - 86229	A15	86581	A14	87443	A18	88565	A21
85512	A17	86233	A19	86582	A17	87453	A19	88572	A17
85522	A17	86261 - 86262	A70	86584	A20	87454	A20	88574	A20
85532	A17	86278	A70	86588	A71	87465	A21	88575	A21
85533	A18	86297	A70	86591	A14	87472	A17	88576	A22
85542	A17	86308	A70	86593	A19	87503	A19	88581	A14
85543	A18	86320	A70	86625 - 86626	A68	87512	A17	88582	A17
85544	A20	86324	A21	86630 - 86632	A15	87522	A17	88584	A20
85552	A18	86343	A20	86651	A68	87532	A17	88591	A14
85553	A19	86360	A17	86654	A20	87533	A18	88593	A19
85554	A20	86374	A20	86655 - 86656	A22	87542	A17	88630 - 88632	A15
85564	A20	86380	A67	86661, 86661A & B	A68	87543	A18	88772 - 88775	A18
85565	A21	86381	A69	86664	A21	87544	A20	88672	A17
85572	A17	86383	A20	86665	A22	87552	A18	89011X - 89142X	A16
85574	A20	86384	A21	86674	A21	87553	A19	89071 - 89080	A11
85575	A21	86390	A17	86683	A20	87554	A20	89091 - 89093	A12
85576	A22	86401 - 86406	A13	86684	A21	87564	A20	89101 - 89102	A11
85581	A14	86407 - 86410	A14	86696	A69	87565	A21	89103 - 89106	A12
85582	A17	86411	A70	86705	A67	87572	A17	89111 - 89113	A14
85584	A20	86416	A22	86706	A68	87574	A20	89121 - 89123	A12
85591	A14	86421	A67	86707	A67	87575	A21	89133	A19
85593	A19	86422	A18	86715	A67	87576	A22	89151 - 89153	A12
85630 - 85632	A15	86423	A19	86752 - 86755	A64	87581	A14	89154 - 89169	A13
85752 - 85755	A64	86431	A69	86772 - 86778	A18	87582	A17	89163	A19
85772 - 85775	A18	86432	A17	86801 - 86802	A34	87584	A20	89164	A20
85801 - 85802	A34	86433	A19	86820 - 86831	A64	87591	A14	89172X	A17
85820 - 85831	A64	86442 - 86443	A18	86832	A35	87593	A19	89180	A17
85832	A35	86446	A70	86834 - 86838	A35	87630 - 87632	A15	89181	A14
85834 - 85835	A35	86448	A70	86842 - 86844	A36	87772 - 87777	A18	89193	A19
85842 - 85844	A36	86453	A19	86847	A35	88011X - 88142X	A16	89201 - 89202	A14
85847	A35	86454	A20	86851 - 86855	A34	88071 - 88080	A11	89221 - 89229	A15
85851 - 85855	A34	86455	A21	86861	A35	88091 - 88093	A12	89233	A19
85861	A35	86461	A67	86862	A36	88101 - 88102	A11	89390	A17
85862	A36	86465	A21	86863	A36	88103 - 88106	A12	89401 - 89406	A13
85863	A36	86466	A70	86865	A36	88111 - 88113	A14	89407 - 89410	A14
85865	A36	86467 - 86469	A68	86871 - 86875	A34	88121 - 88123	A12	89422	A18
85871 - 85875	A34	86472	A17	86881	A35	88133	A19	89423	A19
85881	A35	86475	A70	86883	A36	88151 - 88153	A12	89432	A17
85883	A36	86476	A22	86884	A36	88154 - 88169	A13	89443	A18
85884	A36	86477 - 86479	A69	86891	A34	88163	A19	89453	A19
85891	A34	86480	A14	86901	A36	88164	A20	89454	A20
85901	A36	86483	A70	86911X - 86931X	A35	88172X	A17	89465	A21
85911X - 85931X	A35	86486 - 86487	A69	86934	A36	88180	A17	89472	A17
85934	A36	86503	A19	86937	A35	88181	A14	89503	A19
85937	A35	86506	A22	86971	A36	88193	A19	89512	A17
85971	A36	86508	A69	86991	A36	88201 - 88202	A14	89513	A19
85991	A36	86510	A69	87011X - 87142X	A16	88221 - 88229	A15	89522	A17
86011X - 86142X	A16	86512	A17	87071 - 87080	A11	88233	A19	89532	A17
86071 - 86080	A11	86513	A19	87091 - 87093	A12	88390	A17	89533	A18
86091 - 86093	A12	86520	A69	87101 - 87102	A11	88401 - 88406	A13	89542	A17
86101 - 86102	A11	86522	A17	87103 - 87106	A12	88407 - 88410	A14	89543	A18
86103 - 86106	A12	86523	A18	87111	A14	88422	A18	89544	A20
86111	A14	86532	A17	87113	A14	88423	A19	89552	A18
86113	A14	86533	A18	87121 - 87123	A12	88432	A17	89553	A19
86121 - 86123	A12	86542	A17	87132X - 87142X	A16	88443	A18	89554	A20
86132X - 86142X	A16	86543	A18	87133	A19	88453	A19	89564	A20
86133	A19	86544	A20	87151 - 87153	A12	88454	A20	89565	A21
86151 - 86153	A12	86551	A70	87154 - 87160	A13	88465	A21	89572	A17
86154 - 86160	A13	86552	A18	87163	A19	88472	A17	89574	A20
86163	A19	86553	A19	87164	A20	88503	A19	89575	A21

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

89576	A22	93472	A43	94133	A44	95103 - 95106	A38	95891	A58
89581	A14	93475	A70	94142X	A42	95111	A40	95901	A60
89582	A17	93477 - 93479	A69	94151 - 94153	A38	95113	A40	95911X - 95931X	A59
89584	A20	93483	A70	94154 - 94160	A39	95121 - 95123	A38	95937	A59
89591	A14	93486 - 93487	A69	94163	A45	95132X	A42	95971	A60
89593	A19	93503	A44	94164	A46	95133	A44	95991	A60
89630 - 89632	A15	93508	A69	94172X	A43	95136 - 95139	A65	96011X - 96062X	A42
89672	A17	93510	A69	94180	A43	95142X	A42	96071 - 96076	A37
89772 - 89775	A18	93512	A43	94181	A40	95146 - 95149	A65	96091 - 96093	A38
93011X - 93062X	A42	93520	A69	94193	A45	95151 - 95153	A38	96101 - 96102	A37
93057 - 93059	A65	93522	A43	94201 - 94202	A40	95154 - 95160	A39	96103 - 96106	A38
93066 - 93069	A65	93532	A43	94221 - 94229	A41	95163	A45	96111	A40
93071 - 93080	A37	93533	A44	94233	A45	95164	A46	96113	A40
93091 - 93093	A38	93542	A43	94390	A43	95167 - 95169	A66	96121 - 96123	A38
93101 - 93102	A37	93543	A44	94401 - 94406	A39	95172X	A43	96132X	A42
93103 - 93106	A38	93544	A45	94407 - 94410	A40	95177 - 95179	A66	96133	A44
93111	A40	93551	A70	94422	A44	95180	A43	96142X	A42
93113	A40	93552	A44	94423	A45	95181	A40	96151 - 96153	A38
93121 - 93123	A38	93553	A44	94432	A43	95193	A45	96154	A39
93132X	A42	93554	A45	94443	A44	95197	A66	96163	A45
93133	A44	93557 - 93559	A71	94453	A44	95201 - 95202	A40	96164	A46
93136 - 93139	A65	93564	A45	94454	A45	95221 - 95229	A41	96172X	A43
93142X	A42	93565	A46	94465	A46	95233	A45	96180	A43
93146 - 93149	A65	93568 - 93569	A71	94472	A43	95237	A66	96181	A40
93151 - 93153	A38	93572	A43	94503	A44	95246 - 95259	A65	96193	A45
93154 - 93160	A39	93574	A45	94512	A43	95256 - 95259	A65	96201 - 96202	A40
93163	A45	93575 - 93576	A46	94522	A43	95347 - 95349	A66	96221 - 96229	A41
93164	A46	93581	A40	94532	A43	95390	A43	96233	A45
93167 - 93169	A66	93582	A43	94533	A44	95401 - 95406	A39	96390	A43
93171	A68	93584	A46	94542	A43	95407 - 95410	A40	96401 - 96406	A40
93172X	A43	93588	A71	94543	A44	95422	A44	96422	A44
93177 - 93179	A66	93591	A40	94544	A45	95423	A45	96423	A45
93180	A43	93593	A45	94552	A44	95432	A43	96432	A43
93181	A40	93651	A68	94553	A44	95443	A44	96443	A44
93191	A68	93625 - 93626	A68	94554	A45	95453	A44	96453	A44
93193	A45	93630 - 93632	A41	94564	A45	95454	A45	96454	A45
93197	A66	93654	A45	94565	A46	95465	A46	96465	A46
93221 - 93229	A41	93661, 93661A & B	A68	94572	A43	95472	A43	96472	A43
93233	A45	93672	A43	94574	A45	95503	A44	96503	A44
93237	A66	93696	A69	94575 - 94576	A46	95512	A43	96512	A43
93246 - 93249	A65	93705	A67	94581	A40	95522	A43	96522	A43
93256 - 93259	A65	93706	A68	94582	A43	95532	A43	96532	A43
93261 - 93262	A70	93707	A67	94584	A46	95533	A44	96533	A44
93278	A70	93715	A67	94591	A40	95542	A43	96542	A43
93297	A70	93772 - 93777	A44	94593	A45	95543	A44	96543	A44
93308	A70	93801 - 93802	A58	94630 - 94632	A41	95544	A45	96544	A45
93320	A70	93832 - 93838	A59	94672	A43	95552	A44	96552	A44
93343	A45	93842 - 93844	A60	94752 - 94755	A64	95553	A44	96553	A44
93347 - 93349	A66	93847	A59	94772 - 94775	A44	95554	A45	96554	A45
93360	A43	93851 - 93855	A58	94801 - 94802	A58	95564	A45	96564	A45
93380	A67	93861	A58	94820 - 94831	A64	95565	A46	96565	A46
93381	A69	93862	A60	94832 - 94835	A59	95572	A43	96572	A43
93383	A45	93863	A60	94842 - 94844	A60	95574	A45	96574	A45
93390	A43	93865	A59	94847	A59	95575 - 95576	A46	96575 - 96576	A46
93401 - 93406	A39	93871 - 93875	A58	94851 - 94853	A58	95581	A40	96581	A40
93407 - 93410	A40	93881	A59	94861	A58	95582	A43	96582	A43
93411	A70	93883 - 93884	A60	94863	A60	95584	A46	96584	A46
93421	A67	93891	A58	94865	A59	95591	A40	96591	A40
93422	A44	93901	A60	94871 - 94875	A58	95593	A45	96593	A45
93423	A45	93911X - 93931X	A59	94881	A59	95630 - 95632	A41	96672	A43
93431	A69	93934	A60	94883	A60	95672	A43	97011X - 97062X	A42
93432	A43	93937	A59	94891	A58	95772 - 95775	A44	97057 - 97059	A65
93443	A44	93971	A60	94901	A60	95801 - 95802	A58	97066 - 97069	A65
93446	A70	93991	A60	94911X - 94931X	A59	95832 - 95835	A59	97071 - 97080	A37
93448	A70	94071 - 94080	A37	94937	A59	95842 - 95844	A60	97091 - 97093	A38
93453	A44	94091 - 94093	A38	94971	A60	95847	A59	97101 - 97102	A37
93454	A45	94101 - 94102	A37	94991	A60	95861	A58	97103 - 97106	A38
93461	A67	94103 - 94106	A38	95057 - 95059	A65	95863	A60	97111	A40
93465	A46	94111	A40	95066 - 95069	A65	95865	A59	97113	A40
93466	A70	94113	A40	95071 - 95080	A37	95871 - 95875	A58	97121 - 97123	A38
93467 - 93469	A68	94121 - 94123	A38	95091 - 95093	A38	95881	A59	97132X	A42
		94132X	A42	95101 - 95102	A37	95883	A60	97133	A44

METAL & THERMOPLASTIC WALLPLATES PRODUCT LIST

97136 - 97139	A65	97552	A44	98233	A19	99171	A68	99584	A20
97142X	A42	97553	A44	98390	A17	99172X	A17	99588	A71
97146 - 97149	A65	97554	A45	98401 - 98406	A13	99180	A17	99591	A14
97151 - 97153	A38	97557 - 97559	A71	98407 - 98410	A14	99181	A14	99593	A19
97154 - 97160	A39	97564	A45	98423	A19	99191	A68	99651	A68
97163	A45	97565	A46	98432	A17	99193	A19	99696	A69
97164	A46	97568 - 97569	A71	98443	A18	99201 - 99202	A14	99705	A67
97167 - 97169	A66	97572	A43	98453	A19	99221 - 99229	A15	99706	A68
97171	A68	97574	A45	98454	A20	99233	A19	99707	A67
97172X	A43	97575 - 97576	A46	98465	A21	99261 - 99262	A70	99715	A67
97177 - 97179	A66	97581	A40	98472	A17	99278	A70	99801 - 99802	A34
97180	A43	97582	A43	98503	A19	99297	A70	99820 - 99831	A64
97181	A40	97584	A46	98512	A17	99308	A70	99832	A35
97191	A68	97588	A71	98522	A17	99320	A70	99834 - 99838	A35
97193	A45	97591	A40	98532	A17	99380	A67	99842 - 99844	A36
97197	A66	97593	A45	98533	A18	99381	A69	99847	A35
97201 - 97202	A40	97625 - 97626	A68	98542	A17	99390	A17	99851 - 99855	A34
97221 - 97229	A41	97630 - 97632	A41	98543	A18	99401 - 99406	A13	99861	A35
97233	A45	97651	A68	98544	A20	99407 - 99410	A14	99862	A36
97237	A66	97654	A45	98552	A18	99411	A70	99863	A36
97246 - 97249	A65	97661, 97661A & B	A68	98553	A19	99421	A67	99865	A36
97256 - 97259	A65	97672	A43	98554	A20	99423	A19	99871 - 99875	A34
97261 - 97262	A70	97696	A69	98564	A20	99431	A69	99881	A35
97278	A70	97705	A67	98565	A21	99432	A17	99883	A36
97297	A70	97706	A68	98572	A17	99443	A18	99884	A36
97308	A70	97707	A67	98574	A20	99446	A70	99891	A34
97320	A70	97715	A67	98575	A21	99448	A70	99901	A36
97343	A45	97752 - 97755	A64	98576	A22	99453	A19	99911X - 99931X	A35
97347 - 97249	A66	97772 - 97777	A44	98581	A14	99454	A20	99934	A36
97360	A43	97801 - 97802	A58	98582	A17	99461	A67	99937	A35
97380	A67	97820 - 97831	A64	98584	A20	99465	A21	99971	A36
97381	A69	97832 - 97838	A59	98591	A14	99466	A70	99991	A36
97383	A45	97842 - 97844	A60	98593	A19	99467 - 99469	A68		
97390	A43	97847	A59	98630 - 98632	A15	99472	A17		
97401 - 97406	A39	97851 - 97855	A58	98752 - 98755	A64	99475	A70		
97407 - 97410	A40	97861	A58	98772 - 98777	A18	99477 - 99479	A69		
97411	A70	97862 - 97863	A60	98801 - 98802	A34	99483	A70		
97421	A67	97865	A59	98820 - 98831	A64	99486 - 99487	A69		
97422	A44	97871 - 97875	A58	98832 - 98834	A35	99503	A19		
97423	A45	97881	A59	98842 - 98844	A36	99508	A69		
97431	A69	97883	A60	98847	A35	99510	A69		
97432	A43	97891	A58	98851 - 98853	A34	99512	A17		
97443	A44	97901	A60	98861	A35	99520	A69		
97446	A70	97911X - 97931X	A59	98862	A36	99522	A17		
97448	A70	97934	A60	98863	A36	99532	A17		
97453	A44	97937	A59	98865	A36	99533	A18		
97454	A45	97971	A60	98871 - 98875	A34	99542	A17		
97461	A67	97991	A60	98881	A35	99543	A18		
97465	A46	98011X - 98142X	A16	98883	A36	99544	A20		
97466	A70	98071 - 98080	A11	98891	A34	99551	A70		
97467 - 97469	A68	98091 - 98093	A12	98901	A36	99552	A18		
97472	A43	98101 - 98102	A11	98911X - 98931X	A35	99553	A19		
97475	A70	98103 - 98106	A12	98937	A35	99554	A20		
97477 - 97479	A69	98111	A14	98971	A36	99557 - 99559	A71		
97483	A70	98113	A14	98991	A36	99564	A20		
97486 - 97487	A69	98121 - 98123	A12	99011X - 99142X	A16	99565	A21		
97503	A44	98132X - 98142X	A16	99071 - 99080	A11	99568 - 99569	A71		
97508	A69	98133	A19	99091 - 99093	A12	99625 - 99626	A68		
97510	A69	98151 - 98153	A12	99101 - 99102	A11	99630 - 99632	A15		
97512	A43	98154 - 98160	A13	99103 - 99106	A12	99661, 99661A & B	A68		
97520	A69	98163	A19	99111	A14	99752 - 99755	A64		
97522	A43	98164	A20	99113	A14	99772 - 99777	A18		
97532	A43	98172X	A17	99121 - 99123	A12	99572	A17		
97533	A44	98180	A17	99133	A19	99574	A20		
97542	A43	98181	A14	99151 - 99153	A12	99575	A21		
97543	A44	98193	A19	99154 - 99160	A13	99576	A22		
97544	A45	98201 - 98202	A14	99163	A19	99581	A14		
97551	A70	98221 - 98229	A15	99164	A20	99582	A17		

Wallplates

- Over 7,000 different wallplates, most U.S. made
- Choose from painted metal, stainless steel, brass, bronze, aluminum or unbreakable thermoplastic
- In-house engraving and silk-screening capability
- Factory specials in custom sizes, openings or with special markings

Conduit Bodies

- Die-cast aluminum – unassembled (body only) or pre-assembled with cover and gasket
- Threaded, set-screw or combination threaded/set-screw
- LB, LL, LR, C, T and TB configurations – from 1/2 inch to 4 inch trade sizes
- Moguls, SLBs and malleable iron conduit bodies available as well

Weatherproof

- Extensive line of weatherproof boxes, covers and accessories includes over 350 items – most U.S. made
- Featuring our 1-gang weatherproof boxes with permanently attached mounting lugs that rotate and speed installation
- Full line of plastic and die-cast aluminum in-use covers that meet the NEC 'Extra Duty' test requirements

Steel Box Covers

- Full line of steel box covers – all U.S. made
- Featuring our 4 inch raised covers with a gray powder coat finish that helps prevent oxidation and potential rust
- Superior stamping, tapping and finish.
- Nail plates, reducing washers and knockout seals are also available



Mulberry Metal Products, Inc.
2199 Stanley Terrace • Union, New Jersey 07083

Tel. 908.688.8850 • Fax. 908.688.7294 • www.mulberrymetal.com